
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





ANDORRA NURSERIES

WM. WARNER HARPER Proprietor

CHESTNUT HILL, PHILA., PA.

SUPERIOR FERTILIZERS

For the Lawn, Garden or Farm

PRICES ON APPLICATION

Net F. O. B. Shipping Point. Local delivery by truck or express at additional charge for hauling.

CANADA UNLEACHED HARD-WOOD ASHES

Are an active fertilizer, replenishing worn-out soils, and, for the lawn or pasture, are economical and valuable. For the lawn, they are easy to handle, and the chemical properties are at once available for plant food.

Apply at the rate of 1000 to 1500 lbs. per acre for top dressing, or 2000 to 2500 lbs. for new lawns.

Prices on application.

PREPARED LIME

Where soils are sour and need a fertilizer to sweeten them, lime is a valuable agent. It puts the soil in condition to assimilate plant food.

Our prepared lime is fresh from the kilns and especially prepared, so that it will go three times as far as lump lime. Use 500 lbs. per acre.

Prices on application.

PURE GROUND BONE

Used as a top dressing for the lawn at the rate of 1000 to 1500 lbs, to the acre—as a field or garden fertilizer at 3 to 4 tons per acre. **Grade A**—Fine Ground

HUMUS. Bog-Peat

A splendid fertilizer. This air-dried Humus has been carefully prepared, screened fine so that it can be readily used for top dressing the lawn.

Use 1000 lbs. to the acre.

For top dressing lawns use 1000 lbs, to the acre.

For new lawns 5 to 10 tons per acre.

Prices on application.

"Upland" Humus-Fibrous Peat

A stock of carefully selected peat, suitable for planting or potting Rhododendrons and shrubs-that need a peaty or fibrous soil.

Carload prices on application.

MANURE

Being large users of manure for our own Nurseries we are in a position at all times to command the market's best figures in carload lots on horse manure, cow manure, stock-yard manure.

Prices on application.

ANDORRA NURSERIES

ARE extensive, covering a thousand acres, of which over six hundred are planted with trees and shrubs. They are easy of access, as Chestnut Hill is the terminus of branches of the Pennsylvania Railroad (take train at Broad Street Station) and the Philadelphia and Reading Railroad (take train at the Terminal, 12th and Market Streets). At Chestnut Hill, take the Chestnut Hill (City Line) Trolley which runs to City Line, within three minutes' walk of the Nurseries.

QUALITY.—The trees and shrubs offered are grown in open, unsheltered ground, in very exposed situations, which insure their hardiness, and on soil admirably adapted for forming robust plants having an abundance of roots. Special attention is called to the fact that our stock is grown a good distance apart in the rows, insuring heavier trees and shrubs than are generally offered.

SHIPPING INSTRUCTIONS

ORDERS.—All orders are accepted subject to the following terms and conditions. Write plainly and give explicit directions as to address and mode of shipment.

SHIPPING SEASON opens about March 1 in the spring and August

15 in the fall.

INSPECTION AND FUMIGATION.—Our stock is regularly inspected and certificate will be sent with each shipment. Stock will be fumigated when requested or when the State laws require it.

FORWARDING.—Shipments will be forwarded exactly as directed; but when without instructions, we will use our best judgment and forward by shortest and safest route. We recommend all herbaceous plants be shipped by express.

RISK.—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good condition.

CLAIMS for damage while in transit must be made to the delivering company. Have delivering agent note the damaged condition on the freight bill and present your claim through him promptly.

TERMS

PRICES in this list are for goods f. o. b. here, and are subject to change without notice.

STOCK SELECTED by customers at the Nurseries will be charged

according to the value of the trees chosen.

QUANTITY.—Lots of 5 and 50 will be furnished at the 10 and 100 rates respectively.

PACKING.—All goods are thoroughly packed, thus avoiding risk, if delayed in transit. All packing charges are included in our list prices.

GUARANTEE AND CLAIMS.—All goods are guaranteed true to name, full count, up to grade, and in good condition when shipped. Any plant proving untrue to name will be replaced. Claims to receive consideration must be made within five days after receipt of goods. We give no guarantee of the life of stock.

TERMS, CASH WITH ORDER, except to persons who satisfy us as to their responsibility, when accounts will be due in 30 days.

Address all orders to

ANDORRA NURSERIES

WM. WARNER HARPER, Prop.

CHESTNUT HILL, PHILADELPHIA, PA.

Telegraphic Address
CHESTNUT HILL, PHILADELPHIA

Cable Address
"ANDORRA," PHILADELPHIA

TREES

OF

UNUSUAL CHARACTER AND SIZE

The individuality of a tree can never be expressed by any listing of height or breadth, nor do such figures indicate form or worth; the following notes are of rare pieces.

Grown and transplanted for many years in our nurseries, these rare old Box Bush range in height from four to seven feet, and to six feet in breadth. See also pages 19 and 21.

SPRUCE. Specimens 50 00 to 150 00 Each

The Oriental Spruce with its deep green foliage, and the popular Colorado Blue Spruce in sizes up to 15 feet in height, and in many cases of double the average breadth. See also pages 9 and 10.

Over twenty years' growth is represented in many of these choice pieces which are trained into pyramid, broad pyramid, oval pyramid, and columnar shapes. Pieces of twelve to eighteen feet in height and of a breadth of four to ten feet according to the form. See also pages 12 and 13.

Our common Red Cedar and its types, the Blue Virginiana glauca and the dark green Virginiana Schotti, in heavily trimmed, nursery specimens with a weight of body and a denseness of branch and foliage that is unusual. See also pages 8 and 9.

Between ten and fourteen feet in height having a spread of from six to ten feet, and are furnished with fibrous roots insuring quick results. See also page 11.

ARBORVITAES.

In sizes up to eight to nine feet of the finest specimen character. The trees have been repeatedly transplanted, they lift with splendid roots and will carry a ball of soil for protection in transplanting. One of the most useful evergreens for hedges and for formal work of all kinds. It grows readily under trying conditions and should be more generally used.



Nursery Entrance and Office.

EVERGREEN TREES

For many years we have made a specialty of growing Evergreen Trees. Our Nursery soils are particularly well adapted to the formation of the fine fibrous feeding roots, and, at the same time, the soil is of such a consistency that our frequently transplanted trees, with their masses of fiber, retain the soil in compact balls when the trees are lifted for transplanting, and they do this without the soil packing hard as is often the case when evergreens are lifted from heavy clay land.

We want to especially emphasize the importance of the transplanted tree and the frequency with which our evergreens are transplanted in the Nursery. In no other way can the proper system of fibrous roots be obtained, and they are the all-important item when transplanting the trees you purchase, to secure a satisfactory growth.

	Eacn	10
ABIES cephalonica. 2 to $2\frac{1}{2}$ ft	\$3 50	\$32 50
concolor. White Fir. 2 to $2\frac{1}{2}$ ft		32 50
3 to $3\frac{1}{2}$ ft		42 50
4 to $4\frac{1}{2}$ ft		50 00
$4\frac{1}{2}$ to 5 ft		60 00
$5\frac{1}{2}$ to 6 ft	10 00	85 00
6 ft		
7 to 9 ft\$15.00 to		
·		
The White Fir is one of the finest and		
hardiest trees of this class and in cold wind-		
swept positions stands perfectly. An unus-		
ually attractive tree.		
Lasiocarpa var Arizonica. Silver Cork Fir 5 ft\$	10 00	
Nordmanniana. Nordmann's Fir. 2½ to 3 ft	3 50	32 50
3 to $3\frac{1}{2}$ ft		$42\ 50$
$3\frac{1}{2}$ to 4 ft		57 50
= 1 = 2 = 1 iopeoimonotti, ittiti i i i i i i i i i i i i i i		70 00
$4\frac{1}{2}$ to 5 ft. Specimens	10 00	85 00
*5 to $5\frac{1}{2}$ ft. Specimens+\$12 50 to		
$\star 6$ to 16 ft. Fine specimens \star \$20 to 1	50 00	
\star 6 to 16 ft. Fine specimens \star \$20 to 1		

Each	10
BIOTA orientalis. Oriental Arborvitæ. $3\frac{1}{2}$ to 4 ft. \$2.75 4 to 5 ft. + 3.25 5 to $5\frac{1}{2}$ ft. + 4.00 $5\frac{1}{2}$ to 6 ft. + 5.00 *6 to 7 ft. 6 00 orientalis, var. aurea nana (Dwarf Golden).	\$25 00 30 00 37 50 45 00 55 00
15 to 18 in. 150 20 to 22 in. 200 22 to 24 in. 250 28 to 32 in. 350 32 to 36 in. 500 orientalis, var. aurea pyramidalis	13 -50
5 to 6 ft	42 50
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	27 50 32 50 38 50
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	23 50 28 50 37 50 70 00
orientalis, var. elegantissima. Rollinson's Golden	18 50 23 50 72 50
Arborvitæa. 2 to $2\frac{1}{2}$ ft	28 50
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	32 50 47 50 70 00
Lebani (Cedar of Lebanon). $3\frac{1}{2}$ to 4 ft3 505 to 6 ft7 50	33 50 70 00
CRYPTOMERIA Japonica. Japanese Cedar.	38 50
5 to 6 ft. 4 00 6 to 7 ft. 5 00 Japonica, var. Drachioides. 4 to 5 ft. 4 00 6 to 7 ft. 7 50	47 50
Japonica, var. Lobbi compacta. 3 to 3½ ft. 2 50 4 to 4½ ft. 3 50 5 to 5½ ft. 5 00 ★ 6 to 10 ft. ★ .\$7.50 to 15 00	22 50 32 50 48 50
ILEX opaca. (American Holly.) 2 to $2\frac{1}{2}$ ft. +	23 50

EVERGREEN TREES

JUNI

		Each	10
IPER	RUS chinensis. Chinese Juniper. $2\frac{1}{2}$ to 3 ft	.\$2 00	\$17 50
	$3\frac{1}{2}$ to 4 ft		$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	$\frac{4\frac{1}{2}}{5}$ to $\frac{5}{1}$ ft		$\begin{array}{ccc} 37 & 50 \\ 45 & 00 \end{array}$
	6 to 7" ft	. 7 50	$\frac{10}{72} \frac{50}{50}$
	*7 to 8 ft	.10 00	90 00
	*8 to 9 ft\$15 to	25 00	
	chinensis var. albo-variegata. $1\frac{1}{2}$ to 2 ft $+$. $2\frac{1}{2}$ to 3 ft	. 1 50	13 50
	$2\frac{1}{2}$ to 3 ft	. 3 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	$3\frac{1}{2}$ to 4 ft	. 5 00	47 50
	5 to 6 ft		57 50
	*7 to 8 ft		
	chinensis, var. aurea. Golden Chinese Juniper-		
	5 to $5\frac{1}{2}$ ft		
	chinensis, var. femina (Reevesii). 3 to $3\frac{1}{2}$ ft		27 50
	$\frac{4}{2}$ to $4\frac{1}{2}$ ft		37 50
	*5 to 6 ft. *6 to 8 ft\$7.50 to	$\begin{array}{ccc} . & 6 & 00 \\ 15 & 00 \end{array}$	55 00
	chinensis, var. Pfitzeriana. $1\frac{1}{2}$ to 2 ft	$\frac{15}{2}$ 50	20 00
	2 to 2½ ft	$\frac{1}{3} \frac{50}{50}$	$\frac{20}{32} \frac{50}{50}$
	$2\frac{1}{3}$ to 3 ft	. 4 00	37 50
	$3\frac{1}{2}$ to 4 ft		42 50
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccc} . & 5 & 00 \\ .10 & 00 \end{array}$	48 50 90 00
	chinensis, var. virginalis. Dwarf—	.10 00	00 00
	12 to 15 in	. 1 50	13 50
	15 to 18 in	$\frac{1}{2} \frac{1}{50}$	$\frac{10}{22} \frac{10}{50}$
	chinensis, var. virginalis aurea. 1 ft	. 2 00	17 50
	communis, Common Upright Juniper. + 2 to 21/2 fi		17 50
	$3\frac{1}{2}$ to 4 ft	. 3 00	28 50
	4 to 4½ ft		32 50
	5 to 6 ft.		47 50
	communis, var. depressa. Spreading Canadia. Juniper—	a	
	12 to 15 in. spread	. 1 00	8 50
	15 to 18 in. spread	. 1 25	10 00
	18 to 24 in. spread	. 1 50	12 50
	communis, var. depressa aurea. (Golden Form))		0.00
	12 to 15 in. spread 15 to 18 in. spread	. 1 00	$\begin{array}{c} 9.00 \\ 12.50 \end{array}$
	18 to 24 in. spread. Heavy	$\frac{1}{2} \frac{1}{00}$	15 00
	18 to 24 in. spread. Heavy * 24 to 30 in. spread. Heavy	$\frac{1}{2}$ $\frac{1}{50}$	22 50
	communis, var. depressa plumosa. (Purple winte	\mathbf{r}	
	color)— 12 to 15 in	0 50	90.00
	12 to 15 in. 15 to 18 in.	. 2 50	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
	communis, var. depressa. (Vase Type)—	. 0 00	20 00
	2 to 2½ ft	. 2 50	23 50
	4 to $4\frac{1}{2}$ ft	$\frac{1}{5}$ $\frac{1}{00}$	45 00
	communis, var. Hibernica. Irish Juniper-	0.65	40 50
	$2\frac{1}{2}$ to 3 ft	$\begin{array}{cccc} . & 2 & 00 \\ . & 2 & 50 \end{array}$	18 50 23 50
	$3\frac{1}{2}$ to 4 ft		25 50 28 50
	communis, var. horizontalis. Trailing Juniper-	. 0 00	20 00
	12 to 15 in	. 1 50	13 50

Sumple Summar S		Ea	ch	10	
3½ to 4 ft	JUNIPERUS communis, var. Suecica. Swedish Juniper—	40	0.0	A-10 =	
excelsa, var. stricta— 1½ to 2 ft.	$\frac{2}{2}$ to 3 ft	. \$2			
excelsa, var. stricta— 1½ to 2 ft.	$\frac{32}{4}$ to $\frac{4}{1}$ ft	. 4			
excelsa, var. stricta— 1½ to 2½ ft	4½ to 5½ ft	. 4			
1\frac{1}{2} \tau 0 2\frac{1}{2} \tau 1 \frac{1}{2}			00	12 6	,(
2 to 2½ ft.	1½ to 2 ft ◆	. 2	00	18 :	5(
*7 to 8 ft. \$20 to 25 00 Fortunei. 5 to 6 ft. 6 00 55 00 japonica. Japan Juniper— 12 to 15 in. 2 00 18 50 18 to 24 in. 3 50 32 50 24 to 30 in. 4 50 42 50 japonica, var. aurea. (Golden). 1½ to 2 ft. 1 50 18 50 2 to 2½ ft. 2 50 18 50 2½ to 3½ ft. 3 50 32 50 ** 4 to 4½ ft. 3 50 32 50 ** 4 to 4½ ft. 5 50 48 50 japonica, var. nana aurea. Dwarf— 1½ ft. broad macrocarpa, syn. Neaboriensis— 4 to 5 ft. 5 00 48 50 pachyphlaea (silver foliage). 5 to 6 ft. 5 00 48 50 Sabina. Savin Juniper. 18 to 24 in. 1 50 13 50 2 to 2½ ft. 2 50 68 50 Sabina, var. cupressifolia (prostrate)— 10 to 12 in. x 12 to 15 in. spread 1 1 75 15 00 Squamata. Scaly-leaved (Japan)— 6 to 8 in. x 15 to 18 in. spread 1 1 75 16 00 Squamata. Scaly-leaved (Japan)— 6 to 8 in. x 15 to 18 in. spread 1 1 75 16 00 \$1 to 12 in. x 12 to 15	2 to $2\frac{1}{2}$ ft	. 3			
Fortunei. 5 to 6 ft.	3 to $3\frac{1}{2}$ ft	. 5		48 :	5(
japonica. Japan Juniper— 12 to 15 in.	*7 to 8 ft\$20 to	25	00		
japonica. Japan Juniper— 12 to 15 in.	Fortunei. 5 to 6 ft	. 6	00	55 ()(
18 to 24 in.	japonica. Japan Juniper—				
18 to 24 in.	12 to 15 in	. 2			
24 to 30 in 4 50	15 to 18 in	. 2		23	
*3 to 3½ ft.	18 to 24 ln,	. 3		32 3	
*3 to 3½ ft.	ianonica var aurea (Colden) 11 to 2 ft	. 4		12	
*3 to 3½ ft.	$\frac{1}{2}$ to $\frac{2}{1}$ ft	. 5			
*3 to 3½ ft.	$2\frac{1}{2}$ to 3^2 ft	$\tilde{3}$		28	5(
*4 to 4½ ft. japonica, var. nana aurea. Dwarf— 1½ ft. broad	* 3 to 3 ft	. 3	50		
japonica, var. nana aurea. Dwarf— 1½ ft. broad 4 to 5 ft. 4 00 37 56	* 4 to 4½ ft	. 5	00		
### ### ### ### ### ### ### ### ### ##	japonica, var. nana aurea. Dwarf-				
### ### ### ### ### ### ### ### ### ##	$1\frac{1}{2}$ ft. broad	. 2	50		
5 to 6 ft. 5 00 48 50 pachyphlaea (silver foliage). 5 to 6 ft. 5 00 48 50 Sabina. Savin Juniper. 18 to 24 in. 1 50 13 50 2 to 2½ ft. 2 00 18 50 2½ to 3 ft. 2 50 23 50 3 to 3½ ft. 3 50 32 50 Sabina, var. cupressifolia (prostrate)— 10 to 12 in. 1 75 16 00 Sabina, var. tamariscifolia— 10 to 12 in. x 12 to 15 in. spread 1 75 15 00 Squamata. Scaly-leaved (Japan)— 6 to 8 in. x 15 to 18 in. spread 1 75 15 00 Squamata. Scaly-leaved (Japan)— 6 to 8 in. x 15 to 18 in. spread 1 75 16 00 10 to 12 in. x 12 to 15 in. spread 1 75 16 00 10 to 12 in. x 18 to 24 in. spread 1 75 16 00 10 to 12 in. x 2 to 2½ ft. spread 1 75 16 00 10 to 12 in. x 3 to 4 ft. spread 2 50 20 00 1½ to 2 ft. 10 00 17 50 1½ to 2 ft. 10 00 18 50 1½ to 2 ft. 10 00 90 00 1½ to 2 ft. 10 00 90 00 00 1½ to 5½ ft. Nursery grown 1 5 00 47 50 1½ to 6 ft. Nursery grown 1 5 00 47 50 1½ to 6 ft. Nursery grown 1 5 00 47 50 1½ to 6 ft. Nursery grown 1 5 00 47 50 1½ to 6 ft. Nursery grown 1 5 00 47 50 1½ to 6 ft. Nursery grown 1 5 00 47 50 1½ to 6 ft. Nursery grown 1 5 00 47 50 1½ to 6 ft. Nursery grown 1 5 00 47 50 1½ to 6 ft. Nursery grown 1 5 00 47 50 1½ to 6 ft. Nursery grown 1 5 00 47 50 1½ to 6 ft. Nursery grown 1 5 00 47 50 1½ to 6 ft. Nursery grown 1 5 00 47 50 1½ to 6 ft. 10 00 90 00 10 virginiana, var. Cannarti. 4 to 4½ ft. 10 00 90 00 10 virginiana, var. Gannarti. 4 to 4½ ft. 10 00 90 00 10 virginiana, var. glauca. Blue Virginia Cedar— 3 to 3½ ft. 10 00 12 50 10 00 37 50 00 47 50 10 00 37 50 00 47 50 10 00 37 50 00 47 50 10 00 37 50 00 47 50 10 00 37 50 00 47 50 10 00 37 50 00 47 50 10 00 37 50 00 47 50 10 00 37 50 00 47 50 10 00 37 50 00 47 50 10 00 37 50 00 47 50 10 00 37 50 00 47 50 10 00 37 50 00 47 50 10 00 47 50 00 47 50 10 00 00 47 50 10 00 00 00 00 00 00 00 00 00 00 00 00 0			00	07	-
pachyphlaea (silver foliage). 5 to 6 ft. 5 00 48 56 Sabina. Savin Juniper. 18 to 24 in. 1 50 13 56 2 to 2½ ft. 2 00 18 56 2½ to 3 ft. 2 50 23 56 3 to 3½ ft. 3 50 32 56 Sabina, var. cupressifolia (prostrate)— 10 to 12 in. 1 75 16 06 Sabina, var. tamariscifolia— 10 to 12 in. x 12 to 15 in. spread 1 75 15 06 Squamata. Scaly-leaved (Japan)— 6 to 8 in. x 15 to 18 in. spread 1 75 16 0 10 to 12 in. x 18 to 24 in. spread 1 75 16 0 10 to 12 in. x 18 to 24 in. spread 2 50 20 0 *10 to 12 in. x 18 to 24 in. spread 2 50 20 0 *10 to 12 in. x 18 to 24 in. spread 2 50 20 0 *10 to 12 in. x 18 to 24 in. spread 2 50 20 0 *10 to 12 in. x 18 to 24 in. spread 2 50 20 0 *10 to 12 in. x 18 to 24 in. spread 2 50 20 0 *10 to 12 in. x 18 to 24 in. spread 2 50 250 *10 to 12 in. x 18 to 24 in. spread	4 to 5 it	4	0.0		
Sabina. Savin Juniper. 18 to 24 in. 1 50 13 50 2 to 2½ ft. 2 00 18 50 23 50 35 in. 3 to 3½ ft. 3 50 32	nachymbleca (gilver folioge) 5 to 6 ft	ခ်			
2 to 2½ ft. 2 00 18 50 2½ to 3 ft. 2 50 23 50 3 to 3½ ft. 3 50 32 50 Sabina, var. cupressifolia (prostrate)— 10 to 12 in. 175 16 00 Sabina, var. tamariscifolia— 10 to 12 in. x 12 to 15 in. spread 1 25 10 00 12 to 15 in. x 15 to 18 in. spread 1 75 15 00 Squamata. Scaly-leaved (Japan)— 6 to 8 in. x 15 to 18 in. spread 1 75 16 00 10 to 12 in. x 18 to 24 in. spread 1 75 16 00 10 to 12 in. x 18 to 24 in. spread 1 75 16 00 10 to 12 in. x 18 to 24 in. spread 2 00 18 50 10 to 12 in. x 2 to 2½ ft. spread 2 50 20 00 10 to 12 in. x 3 to 4 ft. spread 5 00 47 50 virginiana. Red or Virginia Cedar— 1½ to 2 ft. 10 10 10 10 10 10 10 10 10 10 10 10 10	Soling South Tourings 19 to 94 in	 1			
2½ to 3½ ft	Sauma. Savin Juniper. 18 to 24 m	I			
Sabina, var. cupressifolia (prostrate)— 10 to 12 in	$\frac{2}{2}$ to $\frac{2}{2}$ ft	. 5			
Sabina, var. cupressifolia (prostrate)— 10 to 12 in. x 12 to 15 in. spread	3 TO 3₹ TT	. 5			
10 to 12 in. x 12 to 15 in. spread	Sabina, var. cupressifolia (prostrate)—			0_	
10 to 12 in. x 12 to 15 in. spread	10 to 12 in,	1	75	16	01
10 to 12 in. x 12 to 15 in. spread	Sabina, var. tamariscifolia—		~~		
Squamata. Scaly-leaved (Japan)— 6 to 8 in. x 12 to 15 in. spread 1 50 12 5 6 to 8 in. x 15 to 18 in. spread 1 75 16 0 10 to 12 in. x 18 to 24 in. spread 2 00 18 5 ★ 10 to 12 in. x 2 to 2½ ft. spread 2 50 20 0 ★ 12 to 15 in. x 3 to 4 ft. spread 5 00 47 5 virginiana. Red or Virginia Cedar— 1½ to 2 ft. 1 00 9 0 3 to 3½ ft. Nursery grown 2 50 23 5 4 to 4½ ft. Nursery grown 3 50 32 5 5½ to 6 ft. Nursery grown 4 50 42 5 5½ to 6 ft. Nursery grown 5 00 47 5 6 to 7 ft. 6 50 60 ★ 7 to 8 ft. 7 50 72 5 ★ 8 to 9 ft. 10 00 90 0 virginiana, var. Cannarti. 4 to 4½ ft. 3 50 32 5 5 to 5½ ft. 5 00 5 6 00 5 00 ★ 6 to 9 ft. 5 00 5 00 5 00 5 00 5 to 5½ ft. 5 00 5 00 5 00 5 00 5 00	10 to 12 in. \times 12 to 15 in. spread	1			
6 to 8 in. x 12 to 15 in. spread	12 to 15 in. x 15 to 18 in. spread	1	75	15	U
10 to 12 in. x 18 to 24 in. spread	Squamata. Scaly-leaved (Japan)—	-	=0	10	=
10 to 12 in. x 18 to 24 in. spread	6 to 8 in. x 12 to 15 in. spread	ļ			
*10 to 12 in. x 2 to 2½ ft. spread	to 8 in. x 15 to 18 in. spread	⊥			
virginiana. Red or Virginia Cedar— 1 00 9 0 3 to $3\frac{1}{2}$ ft. Nursery grown 2 50 23 5 4 to $4\frac{1}{2}$ ft. Nursery grown 3 50 32 5 5 to $5\frac{1}{2}$ ft. Nursery grown 4 50 42 5 $5\frac{1}{2}$ to 6 ft. Nursery grown 5 00 47 5 6 to 7 ft. 6 50 60 $*$ 7 to 8 ft. 7 50 72 5 $*$ 8 to 9 ft. 10 00 90 0 virginiana, var. Cannarti. 4 to $4\frac{1}{2}$ ft. 3 50 $*$ 6 to 9 ft. $*$ 6.00 to 12 50 virginiana, var. glauca. Blue Virginia Cedar— 3 to $3\frac{1}{2}$ ft. 4 00 37 5 4 to $4\frac{1}{2}$ ft. 4 00 37 5 5 to $5\frac{1}{2}$ ft. 4 00 37 5 4 to $4\frac{1}{2}$ ft. 4 00 37 5 5 to $5\frac{1}{2}$ ft. 4 00 37 5 5 to $5\frac{1}{2}$ ft. 4 00 37 5 6 to 6 ft. 6 ft. 6 ft. 6 ft.	10 to 12 in. x 10 to 24 in. spread	$\frac{1}{2}$		20	
virginiana. Red or Virginia Cedar— 1 00 9 0 3 to $3\frac{1}{2}$ ft. Nursery grown 2 50 23 5 4 to $4\frac{1}{2}$ ft. Nursery grown 3 50 32 5 5 to $5\frac{1}{2}$ ft. Nursery grown 4 50 42 5 $5\frac{1}{2}$ to 6 ft. Nursery grown 5 00 47 5 6 to 7 ft. 6 50 60 $*$ 7 to 8 ft. 7 50 72 5 $*$ 8 to 9 ft. 10 00 90 0 virginiana, var. Cannarti. 4 to $4\frac{1}{2}$ ft. 3 50 $*$ 6 to 9 ft. $*$ 6.00 to 12 50 virginiana, var. glauca. Blue Virginia Cedar— 3 to $3\frac{1}{2}$ ft. 4 00 37 5 4 to $4\frac{1}{2}$ ft. 4 00 37 5 5 to $5\frac{1}{2}$ ft. 4 00 37 5 4 to $4\frac{1}{2}$ ft. 4 00 37 5 5 to $5\frac{1}{2}$ ft. 4 00 37 5 5 to $5\frac{1}{2}$ ft. 4 00 37 5 6 to 6 ft. 6 ft. 6 ft. 6 ft.	*12 to 15 in v 3 to 4 ft spread	$\ddot{5}$			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	virginiana Rad or Virginia Cadar	0			
3 to $3\frac{1}{2}$ ft. Nursery grown	1½ to 2 ft	1	00		04
5½ to 6 ft. Nursery grown	3 to 3½ ft. Nursery grown	2	50		
5½ to 6 ft. Nursery grown	4 to 4½ ft. Nursery grown	3			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5 to $5\frac{7}{2}$ ft. Nursery grown	4		42	5
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	5 to 6 ft. Nursery grown	ә	00	47	5
*8 to 9 ft	6 to 7 ft	6			
Virginiana, var. cannarti. 4 to $4\frac{1}{2}$ ft	*7 to 8 ft	(
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	*8 to 9 It	To			
virginiana, var. glauca. Blue Virginia Cedar— 3 to $3\frac{1}{2}$ ft. 250 4 to $4\frac{1}{2}$ ft. 4 00 5 to $5\frac{1}{1}$ ft 5 00	virginiana, var. Cannaru. 4 to 42 it	. 5	~ ~	92	
virginiana, var. glauca. Blue Virginia Cedar— 3 to $3\frac{1}{2}$ ft. 250 4 to $4\frac{1}{2}$ ft. 4 00 5 to $5\frac{1}{1}$ ft 5 00	$\overset{\bullet}{*}$ 6 to 9 ft $\overset{\bullet}{*}$ \$6.00 t	0.12	7.5		- Designation
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	virginiana var glauca Blue Virginia Cedar—				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 to 3½ ft.	2	50	23	5
5 to 51 ft	4 to 41 ft	4		37	5
6 to 7 ft	5 to 51 ft	5	00		
*7 to 8 ft	6 to 7 ft+	$\frac{7}{2}$	50		
*8 to 10 ft\$12.50 to 15 00	*7 to 8 ft	10	00	90	U
	★8 to 10 ft\$12.50 t	0 19	-00		_

Eac	h	10
2° to $2\frac{1}{2}$ ft $\times 2$ to $2\frac{1}{2}$ ft $+$ $2\frac{1}{2}$	50 2	15 00 22 50
$2\frac{1}{2}$ to 3 ft. x 3 to $3\frac{1}{2}$ ft	50 8	32 50 47 50
	50 9	19 00 23 50
4 to $4\frac{1}{2}$ ft. Extra heavy	00 3	37 50 47 50
virginiana, var. pendula. Weeping Cedar— ★6 to 7 ft. ★.\$6 to 7 ft. ★8 to 12 ft. ★.\$10 to 15 ft.	50 00	
virginiana, var. plumosa—4 to $4\frac{1}{2}$ ft.	50 8	3 2 50
*8 to 9 ft \$7.50 to 10 (00 8	55 00
virginiana, var. Schotti. 3 to $3\frac{1}{2}$ ft. 2 to $3\frac{1}{2}$ to $3\frac{1}{2}$ ft.	50 50	23 50 33 50
$4\frac{1}{2}$ to 5 ft	00 4	40 00 47 50 72 50
*7 to 8 ft		90 00
virginiana, var. tripartita— 2 to $2\frac{1}{2}$ ft		28 50 33 50
PICEA alba. White Spruce (See Picea Canadensis) Alcockiana. Alcock's Spruce—		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50	22 50 32 50 47 50
canadensis. (White Spruce)— 2 to $2\frac{1}{2}$ ft	2 5 :	10 00 18 50
canadensis, var. aurea. (Golden Spruce)— $2\frac{1}{2}$ to 3 ft		23 50
Engelmani Engelmann's Spruce— $\frac{1^{\frac{1}{2}}}{2}$ to 2 ft		12 50 23 50
excelsa Norway Spruco-	00	9 00
4 to $4\frac{1}{2}$ ft	00	$ \begin{array}{ccc} 10 & 00 \\ 15 & 00 \\ 28 & 50 \end{array} $
excelsa, var. aurea. Golden Norway Spruce—	00	
$\frac{1}{2}$ ft	50 . 50 .	23 50 33 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	00	
	_	

Each	10
PICEA excelsa, var. Maxwelli. 10 to 12 in\$1 50	\$13.50
excelsa, var. pumila nigra—	10 40
12 to 15 in	12 50
excersa, var. pyramidans. Pyramidan Spruce—	10 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	18 50
	33 50
6 to 7 ft	38 50
orientalis. Eastern Spruce—	
$2\frac{1}{2}$ to 3 ft 2 50	23 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	32 50
$4\frac{1}{2}$ to 5 ft. Specimens	02 00
5 to 6 ft	72 50
5 to 6 ft	12 00
Parryana glauca. 12 to 15 in	10.00
pinsapo. Spanish Fir. 4 to 6 ft\$6 to 10 00	10.00
polita. Tiger's Tail Spruce. 4\frac{1}{2} to 5 ft	35 00
polita. Tiger's Tail Spruce. $4\frac{1}{2}$ to 5 ft. 4 00 5 to $5\frac{1}{2}$ ft. 7 50	60 00
6 to 7 ft	90 00
pungens. Colorado Spruce. $1\frac{1}{2}$ to 2 ft	18 50
$\frac{2}{2}$ to $\frac{21}{2}$ ft	$\frac{15}{22} \frac{50}{50}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{22}{32} \frac{50}{50}$
3 to 3½ ft	02 00
pungens, var. glauca. Blue Colorado Spruce—	
1½ ft 2 00	18 50
2 to 2½ ft	$\frac{10}{22} \frac{50}{50}$
$2\frac{1}{2}$ to 3^2 ft. Selected color	32 50
$2\frac{1}{2}$ to 3 ft. Selected color	37 50
3½ to 4 ft. Selected color	0. 00
*5 to 14 ft. Selected color + \$10 to 100 00	
nungens, var. Kosteriana. Koster's Blue Colorado	
pungens, var. Kosteriana. Koster's Blue Colorado Spruce. 2 to 2½ ft	22 50
$2\frac{1}{2}$ to 3 ft. Specimens	32 50
3 to $3\frac{1}{2}$ ft. Specimens	48 50
$3\frac{1}{2}$ to 4 ft. Specimens	
4 to 4½ ft. Specimens 7 50	
*5 to 14 ft. Grand specimens+\$10 to 100 00	
pungens, var. pendula. Weeping Blue Colorado Spruce—	
3 to 5 ft. Specimens	
PINUS Austriaca. See nigra Austriaca.	
Cembra. Swiss Stone Pine—	
2 to $2\frac{1}{2}$ ft	27 50
$2\frac{1}{2}$ to 3^2 ft	32 50
3 to $3\frac{1}{2}$ ft	37 50
$3\frac{1}{2}$ to 4 ft	47 50
$\frac{4}{5}$ to $\frac{41}{2}$ ft	57 50
*5 to 8 ft	22 50
densiflora. Japan Red Pine. $2\frac{1}{2}$ to 3 ft	$\begin{array}{ccc} 23 & 50 \\ 32 & 50 \end{array}$
densifiers and michael (T)	02 00
densifiora, var. globosa (Tanyosho). Japanese	32 50
Table Pine 3 ft. spread	47 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	70 00
$*4\frac{1}{2}$ ft. spread	90 00
excelsa. Bhotan Pine. 3 to $3\frac{1}{2}$ ft	33 50
4 to $4\frac{1}{2}$ ft	45 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{10}{72} \frac{10}{50}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
*8 to 15 ft. Heavy specimens + \$15 to 50 00	

^{*} LARGE SIZES FOR IMMEDIATE EFFECT

PINUS	koraiensis. Corean Pine. 5 to 6 ft\$3 50 6 to 8 ft\$5 to 7 50	$\$32^{10}50$
	9 to 10 ft	13 50 18 50 32 50
	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	9 00 12 50 17 50 22 50 32 50 13 50 22 50 32 50 37 50 47 50 70 00
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	9 00 32 50 48 50 13 50 32 50 47 50 72 50 90 00 110 00
	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	100 \$50 00 70 00 90 00 110 00 135 00 150 00 175 00 275 00
	*7 to 12 ft. Specimens\$5 to 25 00 Specimens. See page 4. Each sylvestris. Scotch Pine. 2 to $2\frac{1}{2}$ ft. \$1 00 $2\frac{1}{2}$ to 3 ft. 150 3 to $3\frac{1}{2}$ ft. \$2 50 $3\frac{1}{2}$ to 4 ft. 43 00 $4\frac{1}{2}$ to 5 ft. 450 5 to 6 ft. 450 5 to 6 ft. 450 5 to 6 ft. 5 to 6 ft. 5 to 6 ft. 5 to 5 ft. 5 to 5 ft. 5 to 6 ft. 5 to 5 ft. 5 to 6 ft. 5 to 5 ft. 5 to 6 ft	10 \$9 00 13 50 22 50 27 50 32 50 40 00 70 00 23 50 33 50 48 50

IMPORTANT—We want to especially emphasize the importance of the transplanted tree and the frequency with which our evergreens are transplanted in the Nursery. In no other way can the proper system of fibrous roots be obtained, and this is the all-important item to secure a satisfactory growth when transplanting the trees you purchase.

PODOCARPUS koriana. 2 to 2½ ft	10 \$32 50
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	9 00 13 50 18 50 22 50 32 50 38 50 48 50 72 50
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	23 50 38 50 45 00
Douglasi, var. pendula. Weeping Douglas Fir— 5 to 6 ft. 7 50 6 to 7 ft. 10 00 ❖ 7 to 9 ft. \$12.50 to 15 00	
RETINOSPORA filifera. Thread-branched Japan Cypress— $1\frac{1}{2}$ to 2 ft. 2 00 $2\frac{1}{2}$ to 3 ft. 3 00 3 to $3\frac{1}{2}$ ft. 4 00 $3\frac{1}{2}$ to 4 ft. Specimens 5 00 $4\frac{1}{2}$ to 5 ft. Specimens 7 50 6 to 7 ft. Specimens \$10 to 15 00 *8 to 10 ft. Specimens \$20 to 25 00	15 00 28 50 37 50 70 00
filifera, yar. aurea. Golden Thread-branched Japan Cypress. 12 to 15 in. 1 50 15 to 18 in. 2 00 1\frac{1}{2} to 2 ft. 2 50 2\frac{1}{2} to 3 ft. \$3.50 to 5 00 leptoclada. Thuya-like Japan Cypress—	13 50 18 50 23 50
6 to 7 ft 5 00	47 50
obtusa. Obtuse-leaved Japan Cypress— 2 to 2½ ft. 2 50 2½ to 3 ft. 3 00 3 to 3½ ft. 3 50 4 to 4½ ft. 4 00 5 to 6 ft. 7 50 obtusa, var. compacta. Compact Obtuse-leaved	22 50 27 50 32 50 37 50 72 50
Japan Cypress. $1\frac{1}{2}$ to 2 ft. 2 00 3 to $3\frac{1}{2}$ ft. 4 00 4 to $4\frac{1}{2}$ ft. 5 00 5 to $5\frac{1}{2}$ ft. 7 50 obtusa, var. Crippsi. Golden. $1\frac{1}{2}$ to 2 ft. 2 00	18 50 38 50 45 00 70 00 17 50
2 to 2½ ft	32 50
obtusa, var. nana. Dwarf Obtuse-leaved Japan Cypress. 1 ft. 1 50 1½ ft. 2 00 2 ft. 5 00 3 ft. Specimens 7 50 3½ ft. Specimens 10 00 4 to 7 ft. Specimens \$15 to 25 00	14 00 18 50 23 50

E	ach	10
RETINOSPORA obtusa, var. nana aurea. Dwarf Golden Obtuse-leaved Japan Cypress. 2½ ft\$ 3 to 3½ ft. Specimens	5 00	\$45 00
*4 to 10 ft. Specimens	00	
obtusa, var. nana gracilis. $1\frac{1}{2}$ ft		28 50 48 50
	50	13 50 28 50
$egin{array}{cccccccccccccccccccccccccccccccccccc$	8 00 1 00	28 50 38 50
5 to $5\frac{1}{4}$ ft	00	47 50
*6 to 16 ft. Specimens+\$7.50 to 75	5 00	
pisifera, var. aurea. Golden Pea-fruited Japan Cypress. 1½ ft	00	9 00
$2\frac{1}{2}$ to 3 ft	2 50	23 50
	3 00 3 50	28 50 32 50
4° to $4\frac{1}{2}$ ft	£ 00	37 50
5 to 6 ft. Specimens	50	
*7 to 16 ft. Specimens	5 00	
1 to 2 ft.	00	9 00
2^{-} to $2\frac{1}{2}$ ft	50	13 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2 00	-18 50 23 50
$3\frac{1}{2}$ to 4 ft. Specimens	50	32 50
4 to 5 ft. Specimens		37 50
*6 to 14 ft. Specimens		32 50
plumosa, var. aurea. Golden Plume-like Japan) 00	52 50
Cypress. $1\frac{1}{2}$ to 2 ft. Bushy	00	8 50
	50	13 50 18 50
$2\frac{1}{2}$ to 3 ft. Bushy	00 50	23 50
$3\frac{1}{2}$ to 4 ft. Specimens	50	32 50
4 to $4\frac{1}{2}$ ft. Specimens		37 50 47 50
$6\frac{1}{2}$ to 7 ft. Specimens		70 00
* $7\frac{1}{2}$ to 8 ft. Specimens		
*9 to 12 ft. Specimens	00	
plumosa, var. flavescens— $2\frac{1}{2} \times 2\frac{1}{2}$ ft	5 00	47 50
3 to 5 ft. Specimens\$7.50 to 20	00	
plumosa, var. sulphurea. 15 to 18 in	50	12 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		33 50 47 50
3 to $3\frac{1}{2}$ ft. Specimens	50	1. 00
* $4\frac{1}{2}$ to 6 ft. Specimens*\$10 to 15	00	
squarrosa. Squarrose-leaved Japan Cypress— $1\frac{1}{2}$ ft	00	8 50
2 ftper 100, \$100		13 50
2½ ftper 100, \$200		22 50
	5 00	$\frac{32}{47} \frac{50}{50}$
5 to $5\frac{1}{2}$ ft. Specimens	00	55 00
❖ 7 to 18 ft. Heavy Specimens	5 00	
This is excellent stock; exceptionally broad, bushy and low-branched.		
broad, bush, and low-branched.		

EVERGREEN TREES	
Each	10
SCIADOPITYS verticillata. Umbrella Pine. 2 ft+\$2 50	\$23 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	32 50
$3\frac{11}{2}$ to 4 ft. 300	$\frac{45}{72} \frac{00}{50}$
$4\frac{1}{2}$ to 5 ft. Specimens $+$.10 00	12 30
$3\frac{1}{2}$ to 4 ft	
TAXUS baccata. English Yew. 2 to $2\frac{1}{2}$ ft 2 50	23 50
3 to 3½ ft	23 50 33 50
4 to $4\frac{1}{2}$ ft 7 50	72 50
*5 to 6 ft. Specimens	
baccata, var. adpressa. 2 ft	23 50
$2\frac{1}{2}$ ft	32 50
3 ft	45 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
baccata, var. aurea. Golden English Yew—	
3 ft	
4 ft	
5 to 6 ft\$10 to 15 00	
haccata, var. Dovastoni. Dovaston's Yew-	
4 to 5 ft	
5 to 6 ft	
Yew. *6 to 8 ft. Specimens \$10 to 20 00	
baccata, var. elegantissima. Elegant English Yew—	
3 to 4 ft	
3 to 4 ft. $+$ \$5 to 10 00 + 4½ to 5 ft. Specimens $+$ \$12.50 to 20 00	
baccata, var. erecta. Erect English Yew—	
2 to 3 ft	22 50 32 50
	$\frac{32}{47} \frac{50}{50}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1, 00
baccata, var. erecta aurea. Erect Golden English	
Yew. $1\frac{1}{2}$ to 2 ft	18 50
baccata, var fastigiata. Irish Yew 2½ ft	
3 ft. 3 50 3½ ft. 7 50	
$3\frac{1}{2}$ ft	
haceste war feetigiete europ. Colden Trick Verr	
baccata, var. fastiglata aurea. Golden Irish Yew—	
$2\frac{1}{2}$ ft. 350	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
★5 to 6 ft. Specimens	
baccata, var. fruticosa lutea. Yellow Fruited—	
Yew. 4 to 6 ft	
baccata, var. gracilis pendula. $3\frac{1}{2}$ to 4 ft. $.$3.50$ to 5 00	
*6 to 7 ft. Specimens	
4 to 5 ft	
baccata, var. repandens. Spreading English Yew— 10 to 12 in. spread 1 50 12 to 15 in. spread 2 00 15 to 18 in. spread 3 50	
10 to 12 in. spread 1 50	12 50
12 to 15 in. spread	18 50 32 50
baccata, var. Washingtoni aurea. Washington's Golden	02-00
Binglish Yew 3 to 3± tr + .50 to 7 all	
4 to $4\frac{1}{2}$ ft. Specimens	

TAXUS canadensis (Canadian Yew). 12 in. spread 15 in. spread	. 1	00	10 \$8 50 10 00 13 50
canadensis, var. aurea. Golden Canadian Yew— 2½ to 3 ft	to	10	
cuspidata. Abrupt-leaved Japan Yew— 12 to 15 in. 1½ ft. 2 ft. 2½ ft. *3 to 4 ft.	. 2 . 3 . 5	50 50	13 50 23 50 32 50 45 00
cuspidata. (Capitate form). $1\frac{1}{2}$ ft	. 3	50 50 00 50	32 50 45 00 60 00
cuspidata, var. brevifolia. 12 to 15 in+. 1½ ft. 2 ft. *2½ to 3 ft. Specimens+.\$5 t	$\frac{2}{3}$	00 50 50 50	18 50 23 50 32 50
THUJOPSIS borealis, var. latifolia glauca. Glaucous Sitk Cypress. 3 to 3½ ft. 4 to 4½ ft. 5 to 5½ ft. 6 to 6½ ft. 7 to 8 ft. 8 to 10 ft.	. 2 . 3 . 5 . 6 . 7	50 50 00 00 50	50 00 65 00 75 00
Standishi. See Thuya Standishi.			
THUJA occidentalis. American Arborvitæ— 2 to 2½ ft	. 1 2 2 3 . 3 4 6	50 00 00	7 00 8 50 10 00 12 50 18 50 22 50 27 50 32 50 37 50 57 50
occidentalis, var. aurea. George Peabody's Arbon vite. 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. 4 4 to 4¾ ft. 5 5 to 5½ ft. 4 6 to 6½ ft. 4 7 to 12 ft. Specimens 4 6 ccidentalis, var. cristata. 1½ to 2 ft.	. 1 . 1 . 2 . 3 . 4 . 5	50 00	8 50 11 50 15 00 20 00 32 50 37 50 47 50
occidentalis, var. Douglasi. 2 to $2\frac{1}{2}$ ft. 3 to $3\frac{1}{2}$ ft. 4 to $4\frac{1}{2}$ ft. 5 to $5\frac{1}{2}$ ft. 4 to $4\frac{1}{2}$ ft. 5 to $5\frac{1}{2}$ ft. 4 to $4\frac{1}{2}$ ft. 5 to 6 ft. 4 to 4	. 1 . 2 . 3 . 4	75 50 50	16 50 22 50 32 50 42 50 57 50

THUJA	occidentalis, yar. globosa. Globe Arborvitæ-	Eac		10)
	15 to 18 in. Fine. 2 ft			\$13	50
	occidentalis, var. Hoveyi (Hovey's Arborvitæ)—		F0		=0
	*3 to 3½ ft	. 3		32 45	
	occidentalis, var. Little Gem. 15 in				
	occidentalis, var. Lobbi. 2 to $2\frac{1}{2}$ ft	. 2	00	18	50
	occidentalis, var. plicata pyramidalis—	0	00	10	=0
•	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		50 50	18 22	50
	3½ to 4 ft		00	27	50
	occidentalis, var. pyramidalis. Pyramidal Arborvita				
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$. 2	$\frac{50}{00}$	13 18	50 50
	$ 5 to 5\frac{1}{2} ft. $ 6 to $6\frac{1}{2} ft.$. 3	00	27	50 50
	*7 to $7\frac{7}{2}$ ft	. 6	00	91	50
	❖8 to 10 ft	12 :	5 0		
	2½ to 3 ft. Specimens	. 3	50		
	occidentalis, var. Rosenthalis. 1½ ft			13	
	$2 \text{ to } 2\frac{1}{2} \text{ ft.}$ 3 to $3\frac{1}{2} \text{ ft.}$			22 28	50 50
	4 to 4½ ft	. 3	50	32	50
	$*5$ to $5\frac{1}{2}$ ft. occidentalis, yar, Tom Thumb. 15 to 18 in		00 00	47 17	50 50
	occidentalis, var. spiralis. 6 to 7 ft			48	
	occidentalis, var. Vervæneana. Vervæne's Arborvita			10	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$				00
	$5\frac{1}{2}$ to 6 ft		$\frac{00}{50}$	18 32	50
	6 to 7 ft. Heavy specimens	. 5	00 50	48 70	
	*7 to 8 ft. Heavy specimens	20	őő	• •	
	occidentalis, var. Wareana. Siberian Arborvitæ—	1 (00	9	00
	2 to $2\frac{1}{2}$ ft. Heavyper 100. \$115.	. 1	50	13	50
	$2\frac{1}{2}$ to 3 ft. Very bushyper 100, \$200. 3 to $3\frac{1}{2}$ ft. Very bushyper 100, \$275.	. 3	50 50		50 50
	4 ft. Very bushyper 100, \$350. ★5 ft. Very bushyper 100, \$400.	. 4 (00		50 50
	Very busny	. 7	50		00
	★6 to 7 ft. Very bushy	10 (00		
	4 to $4\frac{1}{2}$ ft	. 3 !		33	
	$- 5$ to $5\frac{1}{2}$ ft	10 (00	47	50
	Standishii (Thujopsis Standishi). 3 to $3\frac{1}{2}$ ft 4 to $4\frac{1}{2}$ ft	. 3 5	50	32 42	

SUG

Fach GA canadensis. Hemlock. $1\frac{1}{2}$ to 2 ft. \bullet . per 100 , $$60$. $$0$ 75 2 to $2\frac{1}{2}$ ft. $2\frac{1}{2}$ to 3 ft. 3 to $3\frac{1}{2}$ ft. $3\frac{1}{2}$ to 4 ft. 4 to $4\frac{1}{2}$ ft. $4\frac{1}{2}$ to 5 ft. $5\frac{1}{2}$ to 6 ft. \bullet 7 to $7\frac{1}{2}$ ft. \bullet 8 to $8\frac{1}{2}$ ft. \bullet 90 10 ft. \bullet 91 to 10 ft. \bullet 11 to 12 ft. \bullet 13 to 14 ft. \bullet 14 to 15 ft.	10 \$6 50 10 00 15 00 20 00 27 50 32 50 37 50 47 50 55 00
XXX—One Block of very extra heavy plants 4 to 6 ft. at prices on application. canadensis, var. gracilis. 6 to 7 ft	70 00
canadensis, var. Sargenti pendula. Weeping Hemlock. 2 ft. 2 50 4 to 6 ft. Specimens. \$10 to 15 00 caroliniana. Southern Hemlock. 1½ to 2 ft. 2 00	23 50 18 50
diversifolia. $1\frac{1}{2}$ ft	13 50 23 50

PLANTING FOR QUICK SCREENS AND WINDBREAKS

Many inquiries come to us from Park and Municipal Officers, Superntendents of Cemeteries, large Private Estates and from Country Clubs with regard to trees and shrubs for extensive planting for purposes of Screens and Windbreaks. In some cases the question of expense enforces he use of smaller sizes of stock than would really be most desirable; in hose instances we can obviate the difficulty by furnishing stock that is trong and well rooted but by reason of crooked stems or one-sided tops toes not come up to the standard which we list in this Price List.

Your inquiry giving us the details of your problem—size, character of the soil, exposure, etc., will give us an opportunity to quote you prices us much as 50% off our regular list on trees up to 20 feet in height and on strong, tall shrubs for underplanting and facing off the plantations.

Please refer in your inquiries to this heading—Planting for Quick Screens and Windbreaks.



A Block of Box Bush and Evergreens.

EVERGREEN SHRUBS

ANDROMEDA Catesbæi. See Leucothoë.	Each	10
floribunda (Pieris)— 10 to 12 in. broad	. 1 75 . 2 00 . 2 75 . 3 50	\$13 50 16 50 18 50
japonica (Pieris). 10 to 12 in	. 1 50 . 2 00 . 2 50 . 3 50	10 00 13 50 18 50 23 50 32 50 13 50
amæna. Claret color. 12 to 15 in. per 100, \$75. 15 to 18 in. Bushy per 100, \$90. 18 to 20 in. Bushy per 100, \$165. 20 to 24 in. Bushy \$3.50 t	. 1 50 . 2 00 . 2 50	9 00 13 50 18 50 23 50
amœna, var. Hinode-giri. Carmine Pink— 10 to 12 in. + per 100, \$80. 12 to 15 in. + per 100, \$115. 15 to 18 in. + per 100, \$150. * 18 to 20 in. + per 100, \$175. * 2 to 2½ ft. \$2.50 to	. 1 50 . 1 75 . 2 00	9 00 13 50 16 50 18 50
indicum album (White). True type— 12 to 15 in. 20 to 24 in. 21 to 3 ft. \$3.50 to	. 2 50	18 50 23 50

EVERGREEN SHRUBS	19
AZALEA Beni giri (Bright Red) 15 to 18 in \$3 50	10 \$32 50 18 50 23 50 23 50 13 50 13 50 13 50 23 50 27 50 33 50 9 00 13 50 23 50 13 50 23 50
ANDORRA-GROWN BOX-WOO	D
BUXUS japonica, var. aurea. Golden Japanese Box— 12 to 15 in	9 00 13 50 18 50 22 50
	28 50 48 50 72 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	70 00 90 00 115 00
3 rt	48 50 70 00
sempervirens. Bush shape— 12 to 15 in. 1 50 1½ ft. 1 50 2 ft. 2 00 2½ ft. 3 50 3½ ft. Bushy 7 50 3½ ft. Y 2 ft. 50 2½ ft. 10 00 3½ ft. 10 00 3½ ft. 10 00 3½ ft. 10 00 3½ ft. 10 00 4 10 00 2½ ft. 10 00 2½ ft. 10 00 2½ ft. 10 00 3½ ft. 10 00 4 10 00 2½ ft. 10 00 2½ ft.	9 00 12 50 18 50 32 50 70 00 95 00 32 50 65 00 115 00



Andorra-Grown Specimen Boxwood (Buxus Sempervirens).

BUXUS sempervirens. Pyramids. Andorra-grown— Each 2½ ft. Extra Bushy + \$3 50 3 ft. Extra Bushy + 5 00 3½ ft. Extra Bushy + 7 50 *4 to 4½ ft. Specimens + 10 00 *5 to 7 ft. Specimens + \$15 to 75 00	\$30 00 47 50 72 50 90 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	38 50 55 00
1 ft. stems, 12 to 15 in. heads	23 50 33 50
3 ft. stems, 14 to 16 in. heads	48 50 57 50 72 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	33 50 72 50 90 00
sempervirens, var. arborescens. Tall Tree Box— $2\frac{1}{2}$ ft. \$\div 3 \ 50\$ 3 ft. \$\div 5 \ 00\$ $3\frac{1}{2}$ ft. .7 \ 50\$ 4 ft. .10 \ 00 \$\ddot 4\frac{1}{2} ft. .\$12.50 to 15 \ 00	33 50 47 50 72 50 90 00

Each Cil	10
BUXUS sempervirens, var. argentea marginata. Silver- tipped Box. 1½ to 2 ft	\$18 50
3 ft	72 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	82 50
$\$5$ to $5\frac{1}{2}$ ft	40 70
sempervirens, var. Handsworthi. 2 ft	$\begin{array}{ccc} 13 & 50 \\ 23 & 50 \end{array}$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{23}{32} \frac{50}{50}$
4 ft	72 50
5 to 6 ft\$10 to 15 00	
sempervirens, var. myrtifolia. Myrtle Leaf-	00 50
2 ft. Extra bushy	33 50 72 50
3 ft. Extra bushy	72 50 -115 00
$3\frac{1}{2}$ ft. Extra bushy	
sempervirens, var. salicifolia. $2\frac{1}{2}$ ft 3 50	33 50
$\frac{3}{21}$ ft $\frac{6}{2}$ $\frac{00}{2}$	55 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 70 & 00 \\ 90 & 00 \end{array}$
4½ ft	00 00
sempervirens, var. suffruticosa. Dwarf Edging-	
3 to 4 in \(\phi\) per 100, \$6.00; per 1.000, \$50	75
4 to 5 in	$\frac{1}{2} \frac{50}{00}$
6 to 7 in	$\frac{2}{3} \frac{00}{50}$
8 to 10 in	5 00
18 in. globe shaped	35 00
20 in. globe shaped	45 00
COTONEASTER Franchetti. $1\frac{1}{2}$ to 2 ft	$\frac{3}{6} \frac{50}{00}$
microphylla. 12 to 15 in	6 00
Wheeleri. 12 to 15 in	6 00
CRATÆGUS Pyracantha coccinea. Evergreen Thorn-	
$1\frac{1}{2}$ ft. Bushy	13 00
2 ft. Bushy	$\frac{20}{30} \frac{00}{00}$
2½ to 3 ft	30 00
$1\frac{1}{2}$ to 2 ft	13 50
2^2 to $2\frac{1}{2}$ ft	22 - 50
DAPHNE Cneorum. 2-year	6 00
EUONYMUS radicans and variegata. See Trailing Plants.	
japonica. Japan Euonymus. 1½ ft	3 50
japonica, var. argentea. Silver-leaved. 2 ft 75 japonica, var. aurea. Golden-leaved. 2 to 3 ft 75	5 00 6 00
ILEX crenata. Japanese Holly. 1 ft	10 00
1½ ft	18 50
2 ft	22 - 50
$2\frac{1}{2}$ ft. Bushy	
❖3 to 5 ft. Specimens	
form). $2\frac{1}{2}$ ft. Bushy	32 50
3 ft	
$\frac{3\frac{1}{2}}{6}$ ft $\frac{1}{2}$ $\frac{5}{7}$.50	
4 ft	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	

HEV answers Fortune: Dant - 1 Hall	Each	10
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	35 00 e o 5 00 . 7 50 15 00	\$30 ()()
Holly— 12 to 15 in Bushy 15 to 18 in Bushy 2 ft. Bushy 2½ ft. Bushy 43 ft. Specimens 43½ to 4 ft. Specimens (KALMIA latifolia. Mountain Laurel—	. 1 50 . 3 50 o 7 50 .15 00	8 50 13 50 33 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$. 2 00	12 50 18 50 22 50 30 00
LEUCOTHOE Catesbæi. Drooping Andromeda—	. 1 00	7 50 12 50
MAHONIA Aquifolium. Holly leaved— 15 to 18 in. per 100, \$40. 18 to 24 in. per 100, \$60. 24 to 30 in. Heavy	. 1 00	5 00 7 50
japonica. Japanese Mahonia. $1\frac{1}{2}$ to 2 ft \updownarrow . 2 to $2\frac{1}{2}$ ft \updownarrow . $2\frac{1}{2}$ to 3 ft \updownarrow . OSMANTHUS aquifolium—	. 2 50	18 50 23 50 25 00
$egin{array}{cccccccccccccccccccccccccccccccccccc$. 5 00	32 50
PACHYSANDRA terminalis		2 00
SKIMMIA japonica (fruiting). 1 ft. Fine.per 100, \$165. oblata (fruiting). 12 in	. 2 00 . 2 00 . 2 50	18 50 18 50 23 50
ZENOBIA. See Andromeda, page 18.		

REAL VALUE—NOT THE PRICE BUT THE PLANT

The universal practice of listing growing plants by a simple statement of name, height and price gives in reality only a meagre guide as to the real quality and worth of nursery stock. The buyer must take into consideration the difference in breadth of top, quality of root system and general vigor of stock as grown at Andorra as against that ordinarily offered.

Our Trees, Evergreens and Shrubs are grown in rows of ample width, the plants are set at wide spaces and frequently transplanted and root-pruned; thus we produce bushy, well-furnished plants with a compact, vigorous root-system which assures their success, in striking comparison to the poor results obtained by planting cheaper plants

grown closely together and infrequently transplanted.



Rhododendrons at Andorra.

RHODODENDRONS

** HYBRID VARIETIES—ANDORRA-GROWN

Our offering of Rhododendrons consists of many thousand plants, in fifty varieties, and in a range of sizes from one to five feet. These are acclimated—Andorra-grown stock—in the hardiest varieties. They are grown in open, unsheltered ground, with northern exposure, and the wind-swept hills of Andorra are not kind to anything of a tender nature, so that you may depend upon Andorra-grown Rhododendrons.

RHODODENDRONS, Catawbiense Hybrids Assorted.	Each	10
Our selection of varieties—		
A $\frac{1}{2}$ to 2 ft	.\$2 00	\$18 50
2 to $2\frac{1}{2}$ ft	$.^{1}2.50$	23 50
N Abraham Lincoln. Rosy crimson-		
1½ ft	. 1 75	15 00
D 2 ft	. 2 25	20 00
2½ ft	. 3 50	32 50
3 to 4 ft\$7.50 to	10.00	
Album. White—	10 00	
- + 91 +- 4 C+	10.00	
R *3½ to 4 ft.	.10 00	
Album elegans. Blush white—	4	15 00
R $\frac{1}{2}$ ft		15 00
— — — — — — — — — — — — — — — — — — —		20 00
$2\frac{1}{2}$ ft		32 50
\mathbf{A} $3\frac{7}{2}$ to 4 ft\$5 to	10 00	
Album grandiflorum. Blush white-		
2 to $2\frac{1}{2}$ ft	. 2 25	20 00
21 54		32 50
\mathbf{G} $2\frac{2}{3}$ It. $3\frac{1}{2}$ ft.		
- Alex Dancer Light scarlet 11 ft		17 50
R 2 ft		32 50
Amphion. Rose pink. 1½ ft		23 50
	~ ~ ~	33 50
$2 ext{ ft.}$ Anna Parsons. Red. $2\frac{1}{2} ext{ ft.}$		32 50
***	. 5 50	52 50
W Atrosanguineum. Dark scarlet-	n	40 50
15 in		13 50
N 18 in	. 2 50	23 50
24 in		28 50
$2rac{1}{2}$ ft. $\dots \dots \dots$. 3 50	32 50

	Each	10
RHODODENDRO	ONS, Blandyanum. Rosy crimson. 1½ ft\$2 25	\$20 00
	2½ ft. 3 50 3 to 3½ ft. Specimens. \$7.50 to 15 00	33 50
	Boule de reu. Reg. 15 It 2 20	20 00
	2 ft 2 75	26 00
	$2\frac{1}{2}$ ft	32 50 16 50
	18 to 20 in 2 50	23 50
	20 to 24 in	32 50
	Candidissimum. White. $1\frac{1}{2}$ ft. 1 75 2 ft. 2 50	15 00 22 50
	$2\frac{1}{2}$ ft	32 50
	*3 ft	15 00
	Caractacus. Purple crimson. 1½ ft 1 75 2 ft	15 00 20 00
A	$2\frac{1}{2}$ ft	32 50
	3 ft 5 00 * 3\frac{1}{2} to 5 ft	48 50
N	Charles Bagley. Bright red. 1\frac{1}{2} ft 2 00	17 50
D	2 ft	23 50
D	2½ ft	33 50
0	Charles Dickens. Scarlet. $1\frac{1}{2}$ ft 2 00	17 50
	2 ft	23 50
R	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	33 50
R	$*4$ to $4\frac{1}{2}$ ft	
14	C. S. Sargent. Crimson. $1\frac{1}{2}$ ft 2 00 2 ft 2 50	17 50 23 50
A	$2\frac{1}{2}$ ft 3 50	33 50
	3 ft	26 50
G	Delicatissimum. White. $1\frac{1}{2}$ ft	16 50
G	$egin{array}{cccccccccccccccccccccccccccccccccccc$	23 50
R	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	28 50
0	3½ ft 5 00	00 70
О	Dr. Torry. Lilac red. 2 ft. 2 50 2½ ft. 3 50	23 50
W	Edward S. Rand. Rich scarlet. $1\frac{1}{2}$ ft 2 00	18 50
	2 ft. 2 50 Everestianum. Rosy lilac. 15 to 18 in 1 75	23 50 15 00
N	18 to 20 in	18 50
	20 to 24 in	22 50
	$2\frac{1}{2}$ ft	
	F. D. Godman. Crimson. $1\frac{1}{2}$ ft	18 50
	2 ft	23 50
	Florence Smith. 2 ft	23 50
	General Grant. Rosy-scarlet. 17 ft 1 75	16 50
	$2\frac{1}{2}$ ft	$ \begin{array}{cccc} 18 & 50 \\ 23 & 50 \end{array} $
	*3 to 4 ft\$5 to 12 50	
	Giganteum. Rosy crimson. $1\frac{1}{2}$ ft	16 50 18 50
	$2\frac{1}{2}$ ft	23 50
	3 to $3\frac{1}{2}$ ft	
	Gomer Waterer. Blushed White. $1\frac{1}{2}$ ft 2 00 2 ft 2 50	$\begin{array}{ccc} & 18 & 50 \\ & 23 & 50 \end{array}$

		Each	10
RHODODENDRO	ONS, Hannah Felix. Light red—	\$10.00	
	*3 to 4 ft\$5 to Harriet Sargent. Crimson. 1½ ft	1.200	\$18 50
	Henry Probasco. Deep Carmine. 12 ft.	. 2 00	18 50 23 50
	2 ft		23 50
	Herbert Parsons. Lilac-		
	$egin{array}{cccccccccccccccccccccccccccccccccccc$		$\begin{array}{ccc} 23 & 50 \\ 32 & 50 \end{array}$
	3 to 4 ft\$5 to	10 00	
	H. H. Hunnewell. Dark crimson, 18 in. 2 ft	. 2 00	18 50 23 50
	2½ ft	3 50	$\frac{23}{32} \frac{50}{50}$
	3 to 3½ ft\$0	to 1 50	10 50
	Chas. S. Sargent. Rich crimson. 1½ ft.	2 50	18 50 23 50
A	$2\frac{1}{2}$ ft	. 3 50	33 50
N	H. W. Sargent. Crimson. $1\frac{1}{2}$ ft	$\begin{array}{c} & 2 & 00 \\ & 2 & 50 \\ & 3 & 50 \end{array}$	$\begin{array}{ccc} 18 & 50 \\ 22 & 50 \end{array}$
14	2 ft. 2½ ft.	. 3 50	32 50
D	Ignatius Sargent. Deep pink. 1½ ft 2 ft	. 2 00 . 2 50 . 3 50	$ \begin{array}{ccc} 18 & 50 \\ 23 & 50 \end{array} $
0	2½ ft	$\overline{3}$ $\overline{50}$	-32 50
	J. Marshall Brooks. Scarlet. 2 ft	250	23 50 32 50
R	3 to $3\frac{1}{2}$ ft\$5	to 7 50	02 00
R	Jas. Macintosh. Rosy Scarlet; fine truss-	-	10 50
I	1½ ft		18 50 23 50
\mathbf{A}	John Spencer. Rose. 21 ft	3 00	27 50
1 -	*3 to 5 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	23 50
G	2½ ft	. 3 00	28 50
	Kettledrum. Deep red. $1\frac{1}{2}$ ft	2 50	23 50
R	2 ft. 2½ ft.	3 50	32 50 48 50
0 .	3 ft	7 50	
O	Kissena. Lavender. $1\frac{1}{2}$ ft		23 50
W	Lady Armstrong. Pale rose. 1½ ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	16 50 20 00
N	2 ft	. 3 00	
14	*3 ft\$5 Lady Clermont. Rosy scarlet—	to 7 50	
	3 to 4 ft\$5 to	10 00	
	Lady Gray Egerton. Blush white. 2 ft.	2 50	$\begin{array}{ccc} 23 & 50 \\ 32 & 50 \end{array}$
	2½ ft		32 50 48 50
	3 ft Lee's. Dark purple. 2 ft	2 00	18 50
	Luciferum. Clear white. 2 ft	$\frac{200}{250}$	18 50 23 50
	$2\frac{1}{2}$ ft	. 2 00 . 2 50 to 7 50	20 00
	Mad. Carvalno. White. 2 ft	2 00	18 50
	Mad. Masson. White. 1½ ft		16 50
	Mrs. Chas. S. Sargent. Pink Everestianus 18 to 20 in.	250	23 50
	20 to 24 in	3 00	28 50
	26 to 30 in	3 50	33 50

		Each	10
HODODENDRO	NS, Mildred Grant. 2 ft	\$2 50	\$23 50
	1½ ft. 2 ft.		16 50 23 50
	Mrs. Jno. Clutton. White. 1½ ft		23 50 13 50
	2 ft	2 00	18 50
	Mrs. Milner. Crimson. 1½ ft. 2 ft. ★3 ft	. 2 00 . 2 50 o 7 50	18 50 23 50
A	Old Port. Plum. 1½ ft	. 2 00	18 50 23 50
	*3 to 4 ft\$5 to		20 1,0
N	Parson's gloriosum. Blush. 1½ ft	. 1 50	13 50 18 50
D	2 ft. 2½ ft. *3 to 5 ft\$5 to	. 2 50 10 00	23 50
0	Parson's grandiflorum rubrum. Deep pink-		10.50
D	1½ ft. 2 ft.	2.00	16 50 18 50
R	$\overline{2}_{\frac{1}{2}}$ ft	$\begin{array}{ccc} . & 2 & 50 \\ 10 & 00 \end{array}$	23 50
R	President Lincoln. Crimson. $2\frac{1}{2}$ ft \$5 to	3 50 10 00	32 50
A	purpureum crispum. Purple crimped—	. 2 50	22 50
1	$2\frac{1}{2}$ ft	o 5 00	
G	purpureum elegans. Purple. $1\frac{1}{2}$ ft	. 2 00	13 50 18 50
R	2½ ft \$7.50 to	$\begin{array}{c} 3 & 50 \\ 12 & 00 \end{array}$	32 50
	purpureum grandiflorum. Purple—	. 2 00	18 50
0	$ \begin{array}{ccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	23 50
W			
N	roseum elegans. (True.) Clear pink— 1½ ft. 2 ft.	$\begin{array}{cccc} . & 2 & 00 \\ . & 2 & 50 \end{array}$	18 50 23 50
-	$2\frac{1}{2}$ ft		32 50
	roseum elegans. Good rose. 13 ft	. 1 50	13 50
	2 ft	. 3 00	18 50 27 50
	3 ftroseum luteum. Pink, $2\frac{1}{2}$ ft	. 5 00	48 50 33 50
	3 ft	. 5 00	48 50
	roseum superbum. Clear rose. $2\frac{1}{2}$ ft $\$3$ to $3\frac{1}{2}$ ft $\$7.50$ to	$\begin{array}{c} 3 & 50 \\ 12 & 50 \end{array}$	32 50
	Sefton. Dark maroon. 1½ ft	. 2 00	$\frac{18}{23} \frac{50}{50}$
	$2rac{1}{2}$ ft	. 3 50	32 50
	Unnamed Hybrids. 3 to 6 ft. Specimens Prices on application.	s.	

OTHER SPECIES—ANDORRA-GROWN

RHODODENDRONS, catawhiense. $1\frac{1}{2}$ to 2 ft.per 100, \$135\$1 50	10 \$14 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	18 50 22 50 33 50
catawhiense, var. alba. 1½ to 2 ft 1 75	
$egin{array}{cccccccccccccccccccccccccccccccccccc$	
maximum. Great Laurel-	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	22 50 28 50 33 50
maximum, var. roseum. Pink-	
3½ to 5 ft\$4.50 to 10 00	
Smirnovii. $1\frac{1}{2}$ ft	
DWARF VARIETIES—ANDORRA-GRO	OWN
imbricata. 18 in.	
myrtifolium. 1 ft. $+$ 2 00 $2\frac{1}{2}$ ft. $+$ 3 50	
odoratum. Fragrant. 2 ft 2 50 $2\frac{1}{2}$ ft 3 50	
punctatum. Dotted, 12 in	
18 in	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Wilsonianum (lætevirens). 10 to 12 in. ★ 1 50 15 to 18 in	13 50
YUCCA filamentosa, Adam's Needle. 4 year. 50 glauca. 4 year	

RHODODENDRONS

Rhododendrons, to secure the best effects, should be planted in combination with other things. If along the woodland or in heavy boundary plantings, the Hemlock, the White Pine, the Dogwood, native Viburnums and plants of like character tend to break up the monotony of heavy masses of Rhododendrons of the same form and texture; and, where the plantings are more confined, as about the base line of buildings, and in nooks and corners of the garden, the Dogwood, the Cornus mascula, Kalmia, ferns of different varieties, stronger-growing perennials, and last, but not least, the hardy little shrub, Abelia rupestris all can be used to secure most pleasing effects.

Deciduous Trees

Scarce in these Large Sizes

Searce in those Burg	· ~		-0			
SUGAR MAPLES. Specimens	\$50	00	to	\$150	00	Each
PURPLE BEECH. Specimens	.100	00	to	250	00	Each
HORSE CHESTNUT. Specimens Few flowering trees equal these in their display of Spring flower, and their quick growth and shade-giving qualities are well-known. Also see page 31.	50	00	to	15 0	00	Each
Neat growth, rich foliage, and superb fall color, three points of merit for this most desirable variety which we offer up to twenty-five feet in height with large well-balanced tops. See also page 36.		00	to	100	00	Each
This Spring we offer most interesting sizes of this scarce variety, eight to ten feet in height, and with a spread of from six to eight feet, low branched, with full, broad, dense heads; handled with a ball of earth for safe shipment. See also page 33.		00	to	25	00	Each
The words "Spring" and "Apple-blossoms" are almost synonymous, and how much finer the bloom of these new horticultural sorts than that of the fruiting apples. We have a very few fine pieces of the Pink variety Floribunda. See also page 39.		00	to	15	00	Each
The unusual always appeals to us and this unique shrub with its corky bark, salmon pink autumn foliage, and its carmine berries, together with a neat habit appeals to us as a most desirable specimen. See also page 50		50	to	15	00	Each

most desirable specimen. See also page 50.



Specimen Norway Maples in Wide Rows.

DECIDUOUS TREES

Large trees have been in demand for many years as purchasers wish quick results. In a great measure the difficulty has been to secure a large ree that would grow as satisfactorily as those of smaller size.

Appreciating the demand for a perfect tree in a large size we have for years devoted great care and large sums of money transplanting trees in unusually large nursery grades. and our customers can depend absolutely upon receiving, with any of the large sizes offered in this list, a root system which makes it practical and desirable to secure the large sizes and get immediate results.

Measurements are given as follows: Height is taken before digging, from the surface of the ground to the top branches, where they round off to form the top; diameter of stem, or caliper, is taken 6 inches above the could. Measurements are expressed thus: 10 to 12 ft (height) 24 to 28 in (caliper)

11. (neight), $2\frac{1}{2}$ to $2\frac{1}{4}$ in. (camper).	Each	10	100
ACER saccharinum. Silver Maple. 8 to 10 ft		\$7 50	\$50 00
8 to 10 ft.; $1\frac{1}{2}$ to $1\frac{3}{2}$ in		10 00	85 00
10 to 12 ft.; 2 to $2\frac{1}{4}$ in		20 00	175 00
12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in		30 00	225 00
A rapid grower for immediate	effects.		
saccharinum, var. pyramidalis. Pyram	nidal		
Silver Maple—			
10 to 12 ft., $1\frac{1}{2}$ to 2 in	$\dots 250$	22 50	
saccharinum, var. Wierii laciniatum. W	'ier's		
Cut-leaved Silver Maple—			
8 to 10 ft	1 50	13 50	
10 to 12 ft.; 2 to $2\frac{1}{4}$ in	250	20 00	175 00
12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	3 50	30 00	225 00
Specimens. 4 to 5 in\$7.50	to 25 00		

ACEP Nagundo Ach learned Martin 77 to 8 ct 81 00	10	100
ACER Negundo. Ash-leaved Maple. 7 to 8 ft. \$1 00 8 to 10 ft.; 13 to 2 in. cal 1 50	\$7 50 10 00	\$50 00 85 00
8 to 10 ft.; 1\frac{3}{4} to 2 in. cal 1 \frac{50}{50} \$\display* 10 to 14 ft.; 3 to 5 in\display* 3.50 to 7 50		00 00
pennsylvanicum. 4 to 5 ft	8 50	
8 to 10 ft.; 1 to $1\frac{1}{4}$ in 1 00	7 50	50 00
% to 10 ft • 14 to 14 in 1 fo	10 00	60 00
10 to 12 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 1 75 10 to 12 ft.; 2 to $2\frac{1}{4}$ in. 2 00	$\begin{array}{ccc} 13 & 50 \\ 17 & 50 \end{array}$	$115 00 \\ 150 00$
12 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in. 2 50	20 00	165 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 27 & 50 \\ 32 & 50 \end{array}$	$\begin{array}{cccc} 250 & 00 \\ 275 & 00 \end{array}$
14 to 16 ft.; 3½ to 3½ in 5 00 14 to 16 ft.; 3½ to 3½ in 6 00	47 50	400 00
14 to 16 ft.; $3\frac{1}{2}$ to $3\frac{3}{4}$ in 6 00	50 00	
* 14 to 16 ft.; 3\(\frac{3}{2}\) to 4 in	60 00	
* 14 to 20 ft.; $5\frac{1}{2}$ to 7 in. \$25 to 150 00		(B)
platanoides, var. purpurea. Schwedler's Purple Maple—		
8 to 10 ft.; 1½ to 1¾ in 1 75 10 to 12 ft.; 1½ to 2 in 2 00 10 to 12 ft.; 2½ to 2¾ in 3 50 12 to 14 ft.; 2¾ to 3 in 5 00 14 to 16 ft.; 3½ to 4 in. \$7.50 to 10 00 * 16 to 20 ft.; 5 to 10 in. \$25 to 150 00	15 00	135 00
10 to 12 ft.; $1\frac{3}{4}$ to 2 in 2 00	$\begin{array}{ccc} 18 & 50 \\ 32 & 50 \end{array}$	175 00
12 to 14 ft.; $2\frac{3}{4}$ to 3^4 in 5 00	34 30	
14 to 16 ft.; 3½ to 4 in. \$7.50 to 10 00		
platanoides, var. Reitenbachi. Reitenbach's		
Purple Maple—		
6 to 7 ft	8 50	
Maple. 8 to 10 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in. 1 50	12 50	
10 to 12 ft.; 2 to $2\frac{1}{2}$ in 2 00	$\begin{array}{ccc} 17 & 50 \\ 32 & 50 \end{array}$	
Maple. 8 to 10 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in. 1 50 10 to 12 ft.; 2 to $2\frac{1}{2}$ in 2 00 12 to 14 ft.; $2\frac{3}{4}$ to 3 in 3 50 14 to 30 ft. Specimens . \$25 to \$175 00	54 50	
pseudopiatanus, var. purpurea. Purple		
Sycamore Maple. Specimens— 25 to 30 ft.; 6 to 10 in. cal		
Broad-headed specimen trees.		
Prices on application. rubrum. Red or Scarlet Maple—		
rubrum. Red or Scarlet Maple— 8 to 10 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in, 1 50	13 50	125 00
10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{2}$ in 2 00	17 50	165 00
8 to 10 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in 1 50 10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 2 00 12 to 14 ft.; 2 to $2\frac{1}{4}$ in 3 00 *14 to 16 ft.; 3 to 4 in.\$7.50 to 15 00	28 50	275 00
saccharum. Sugar Maple—	10 50	0= 00
10 to 12 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in 1 50 10 to 12 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in 2 00	$\begin{array}{ccc} 12 & 50 \\ 17 & 50 \end{array}$	85 00 135 00
12 to 14 ft.; 2^2 to $2^{\frac{1}{4}}$ in 2 50	22 50	200 00
10 to 12 ft.; 1½ to 1½ in 2 00 12 to 14 ft.; 2 to 2¼ in 2 50 12 to 14 ft.; 2½ to 2¾ in 3 50 12 to 14 ft.; 2½ to 3¾ in 3 50 12 to 14 ft.; 2½ to 3¼ in 5 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	300 00
* 14 to 10 tt.; 5 to 57 th 50 to 1 00	10 00	
* 14 to 25 ft.; 3½ to 8 in. \$10 to 150 00	7 50	E0 00
spicatum. Mountain Maple. 4 to 5 ft 1 00 tataricum, var. ginnala. Tartarian Maple—	7 50	50 00
2 to 3 ft 75	5 00	30 00
4 to 5 ft 1 00	$\begin{array}{ccc} 9 & 00 \\ 13 & 50 \end{array}$	75 00 100 00
5 to 6 ft	5 00	40 00
3 to 4 ft 1 00	9 00	75 00
5 to 6 ft 1 50	13 50	100 00

^{*} LARGE SIZES FOR IMMEDIATE EFFECT

ACER palmatum, var. aureum. Golden Japanese Maple. 2 ft	Each	10	100
palmatum, var. filicifolium. 10 to 12 ft15 00 * polymorphum, var. atropurpureum. Blood- leaved Japan Maple— 1½ to 2 ft	Manle. 2 ft\$2 00	22 50	
*polymorphum, 4 to 5 ft\$2.50 to 3 50 5 to 6 ft	*3 to 3½ ft	32 30	
5 to 6 ft. 5 00			
leaved Japan Maple— 1½ to 2½ ft	5 to 6 ft 5 00		
1½ to 2½ ft.			
polymorphum, var. atropurpureum dissectum. Weeping Cut-leaf Bloodleaved. 1½ ft	$\frac{1\frac{1}{2} \text{ to } 2 \text{ ft.} \dots + \dots + \dots + \dots = \frac{1}{2} \frac{50}{50}$	13 50	
polymorphum, var. atropurpureum dissectum. Weeping Cut-leaf Bloodleaved. 1½ ft	2 to 2½ ft	18 00	
leaved. 1½ ft	polymorphum, var. atropurpureum dissec-		
Tall standards, 4 to 5 ft. stem and broad heads\$15 to 25 00 polymorphum, var. atropurpureum nig- rum— *5 to 8 ft. Specimens\$20 to 35 00 polymorphum, var. dissectum. Cut-leaf Weeping Japan Maple. 1½ ft. 1 50 2 to 2½ ft\$2.50 to 3 50 2½ to 3 ft. Specimens\$5 to 7 50 ### SSCULUS carnea (rubicunda). Red-flowered Horse-chestnut— 7 to 8 ft.; 1½ to 2 in	leaved. $1\frac{1}{2}$ ft	13 50	
Tall standards, 4 to 5 ft. stem and broad heads\$15 to 25 00 polymorphum, var. atropurpureum nig- rum— *5 to 8 ft. Specimens\$20 to 35 00 polymorphum, var. dissectum. Cut-leaf Weeping Japan Maple. 1½ ft. 1 50 2 to 2½ ft\$2.50 to 3 50 2½ to 3 ft. Specimens\$5 to 7 50 ### SSCULUS carnea (rubicunda). Red-flowered Horse-chestnut— 7 to 8 ft.; 1½ to 2 in	Specimens, 3 to 6 ft. spread,		
polymorphum, var. atropurpureum nigrum— *5 to 8 ft. Specimens\$20 to 35 00 polymorphum, var. dissectum. Cut-leaf	Tall standards, 4 to 5 ft. stem		
*5 to 8 ft. Specimens\$20 to 35 00 polymorphum, var. dissectum. Cut-leaf			
Polymorphum, var. dissectum. Cut-leaf Weeping Japan Maple. 1½ ft. ↑. 1 50 2½ to 2½ ft	rum—		
Weeping Japan Maple. 1½ ft. ↑. 1 50 2 to 2½ ft			
### ### ### ### ### ### ### ### ### ##	polymorphum, var. dissection. Cut-lear Weeping Japan Maple. $1\frac{1}{2}$ ft. 1 50 2 to $2\frac{1}{2}$ ft	13 50	
Horse-chestnut— 7 to 8 ft.; 1⅓ to 2 in			
Hippocastanum. European Horse-chest- nut. 8 to 10 ft.; 1½ in 1 50 12 50 10 to 12 ft.; 2 to 2½ in 3 50 27 50 21 to 14 ft.; 2½ to 2¾ in 3 50 27 50 *14 to 16 ft.; 3 to 5 in\$5 to 35 00 Specimens. See page 28. Hippocastanum, var. alba flore pleno. Double White-flowered Horse-Chest- nut. 8 to 9 ft.; 1¾ to 2 in 3 50 30 00 200 00 *12 to 16 ft.; 3 to 4 in\$5 to 15 00 Specimens. See page 28. AILANTHUS glandulosa. Tree of Heaven— 10 to 12 ft.; 1½ to 2 in 1 00 8 50 60 00 12 to 14 ft.; 2 to 3 in 1 25 10 00 75 00 14 to 16 ft.; 3 to 3½ in 2 50 20 00 ALNUS glutinosa. European, or Black Alder—	Horse-chestnut—	00.50	
Hippocastanum. European Horse-chest- nut. 8 to 10 ft.; 1½ in 1 50 12 50 10 to 12 ft.; 2 to 2½ in 3 50 27 50 21 to 14 ft.; 2½ to 2¾ in 3 50 27 50 *14 to 16 ft.; 3 to 5 in\$5 to 35 00 Specimens. See page 28. Hippocastanum, var. alba flore pleno. Double White-flowered Horse-Chest- nut. 8 to 9 ft.; 1¾ to 2 in 3 50 30 00 200 00 *12 to 16 ft.; 3 to 4 in\$5 to 15 00 Specimens. See page 28. AILANTHUS glandulosa. Tree of Heaven— 10 to 12 ft.; 1½ to 2 in 1 00 8 50 60 00 12 to 14 ft.; 2 to 3 in 1 25 10 00 75 00 14 to 16 ft.; 3 to 3½ in 2 50 20 00 ALNUS glutinosa. European, or Black Alder—	10 8 ft.; $1\frac{1}{4}$ to 2 in	$\frac{22}{32} \frac{50}{50}$	
Hippocastanum. European Horse-chest- nut. 8 to 10 ft.; 1½ in 1 50 12 50 10 to 12 ft.; 2 to 2½ in 3 50 27 50 21 to 14 ft.; 2½ to 2¾ in 3 50 27 50 *14 to 16 ft.; 3 to 5 in\$5 to 35 00 Specimens. See page 28. Hippocastanum, var. alba flore pleno. Double White-flowered Horse-Chest- nut. 8 to 9 ft.; 1¾ to 2 in 3 50 30 00 200 00 *12 to 16 ft.; 3 to 4 in\$5 to 15 00 Specimens. See page 28. AILANTHUS glandulosa. Tree of Heaven— 10 to 12 ft.; 1½ to 2 in 1 00 8 50 60 00 12 to 14 ft.; 2 to 3 in 1 25 10 00 75 00 14 to 16 ft.; 3 to 3½ in 2 50 20 00 ALNUS glutinosa. European, or Black Alder—	* 12 to 18 ft.; 3 in		
Hippocastanum, var. alba flore pleno. Double White-flowered Horse-Chestnut. 8 to 9 ft.; 1½ to 2 in 2 00 18 50 \$175 00 9 to 10 ft.; 2½ to 2½ in 3 50 30 00 200 00 \$12 to 16 ft.; 3 to 4 in\$5 to 15 00 Specimens. See page 28. AILANTHUS glandulosa. Tree of Heaven— 10 to 12 ft.; 1½ to 2 in 1 00 8 50 60 00 12 to 14 ft.; 2 to 3 in 1 25 10 00 75 00 14 to 16 ft.; 3 to 3½ in 2 50 20 00 ALNUS glutinosa. European, or Black Alder—	Hippocastanum. European Horse-chest-		
Hippocastanum, var. alba flore pleno. Double White-flowered Horse-Chestnut. 8 to 9 ft.; 1½ to 2 in 2 00 18 50 \$175 00 9 to 10 ft.; 2½ to 2½ in 3 50 30 00 200 00 \$12 to 16 ft.; 3 to 4 in\$5 to 15 00 Specimens. See page 28. AILANTHUS glandulosa. Tree of Heaven— 10 to 12 ft.; 1½ to 2 in 1 00 8 50 60 00 12 to 14 ft.; 2 to 3 in 1 25 10 00 75 00 14 to 16 ft.; 3 to 3½ in 2 50 20 00 ALNUS glutinosa. European, or Black Alder—	nut. 8 to 10 ft.; $1\frac{3}{4}$ in 1 50	12 50 17 50	
Hippocastanum, var. alba flore pleno. Double White-flowered Horse-Chestnut. 8 to 9 ft.; 1½ to 2 in 2 00 18 50 \$175 00 9 to 10 ft.; 2½ to 2½ in 3 50 30 00 200 00 \$12 to 16 ft.; 3 to 4 in\$5 to 15 00 Specimens. See page 28. AILANTHUS glandulosa. Tree of Heaven— 10 to 12 ft.; 1½ to 2 in 1 00 8 50 60 00 12 to 14 ft.; 2 to 3 in 1 25 10 00 75 00 14 to 16 ft.; 3 to 3½ in 2 50 20 00 ALNUS glutinosa. European, or Black Alder—	12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in 3 50	$\frac{11}{27} \frac{50}{50}$	
Hippocastanum, var. alba flore pleno. Double White-flowered Horse-Chestnut. 8 to 9 ft.; 1½ to 2 in 2 00 18 50 \$175 00 9 to 10 ft.; 2½ to 2½ in 3 50 30 00 200 00 \$12 to 16 ft.; 3 to 4 in\$5 to 15 00 Specimens. See page 28. AILANTHUS glandulosa. Tree of Heaven— 10 to 12 ft.; 1½ to 2 in 1 00 8 50 60 00 12 to 14 ft.; 2 to 3 in 1 25 10 00 75 00 14 to 16 ft.; 3 to 3½ in 2 50 20 00 ALNUS glutinosa. European, or Black Alder—	* 14 to 16 ft.; 3 to 5 in\$5 to 35 00 Specimens. See page 28.		
Double White-flowered Horse-Chestnut. 8 to 9 ft.; 1½ to 2 in 2 00 18 50 \$175 00 9 to 10 ft.; 2½ to 2½ in 3 50 30 00 200 00 \$12 to 16 ft.; 3 to 4 in\$5 to 15 00 Specimens. See page 28. AILANTHUS glandulosa. Tree of Heaven— 10 to 12 ft.; 1½ to 2 in 1 00 8 50 60 00 12 to 14 ft.; 2 to 3 in 1 25 10 00 75 00 14 to 16 ft.; 3 to 3½ in 2 50 20 00 ALNUS glutinosa. European, or Black Alder—	Hippocastanum, var. alba flore pleno.		
Allanthus glandulosa. Tree of Heaven— 10 to 12 ft.; 1½ to 2 in 1 00 8 50 60 00 12 to 14 ft.; 2 to 3 in 1 25 10 00 75 00 14 to 16 ft.; 3 to 3½ in 2 50 20 00 ALNUS glutinosa. European, or Black Alder—	Double White-flowered Horse-Chest-	10 50	017F 00
Allanthus glandulosa. Tree of Heaven— 10 to 12 ft.; 1½ to 2 in 1 00 8 50 60 00 12 to 14 ft.; 2 to 3 in 1 25 10 00 75 00 14 to 16 ft.; 3 to 3½ in 2 50 20 00 ALNUS glutinosa. European, or Black Alder—	9 to 10 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in 3 50	30 00	200 00
Allanthus glandulosa. Tree of Heaven— 10 to 12 ft.; 1½ to 2 in 1 00 8 50 60 00 12 to 14 ft.; 2 to 3 in 1 25 10 00 75 00 14 to 16 ft.; 3 to 3½ in 2 50 20 00 ALNUS glutinosa. European, or Black Alder—	* 12 to 16 ft.; 3 to 4 in\$5 to 15 00 Specimens See page 28		
10 to 12 ft.; 1½ to 2 in 1 00 8 50 60 00 12 to 14 ft.; 2 to 3 in 1 25 10 00 75 00 14 to 16 ft.; 3 to 3½ in 2 50 20 00 ALNUS glutinosa. European, or Black Alder—			
ALNUS glutinosa. European, or Black Alder-	10 to 12 ft.; $1\frac{1}{2}$ to 2 in 1 00		60 00
ALNUS glutinosa. European, or Black Alder-	12 to 14 ft.; 2 to 3 in	10 00	75 00
10 to 12 ft.; 1 to 1½ in 1 00 8 50 65 00 10 to 12 ft.; 1½ to 2 in 1 50 12 50 85 00		20 00	
10 to 12 ft.; 1½ to 2 in 1 50 12 50 85 00	10 to 12 ft.; 1 to 1½ in 1 00	8 50	
	10 to 12 ft.; $1\frac{1}{2}$ to 2 in 1 50	12 50	85 00

Each	10	100
AMELANCHIER lævis (canadensis). June Berry— 3 to 4 ft. \$0 50 4 to 5 ft. 75 5 to 6 ft. 1 00	\$3 50 5 00 7 50	\$25 00 40 00 60 00
ANDROMEDA. See Oxydendron.		
ARALIA japonica (Fatsia). Chinese Angelica Tree. 4 to 5 ft. 50 5 to 6 ft. 75 6 to 8 ft. 1 00	3 50 6 50 8 50	
pentaphylla. See Acanthopanax spinosa— spinosa. 6 to 8 ft 1 00	8 50	60 00
BETULA alba. European White Weeping Birch— 6 to 8 ft. 1 00 8 to 10 ft. 1 50 10 to 12 ft.; 1\frac{3}{4} to 2 in. 2 00	7 50 10 00	
alba, var. laciniata pendula. Weeping Cut- leaved White Birch. 8 to 10 ft. 1 50	12 50	
alba, var. purpurea. Purple foliage— 8 to 10 ft	13 50	
lenta. Sweet Birch. 8 to 10 ft. 1 50 lutea. Yellow Birch. 8 to 10 ft. 1 25 10 to 12 ft. 1 50	13 50 10 00 13 50	85 00 100 00
papyrifera. Paper, or Canoe Birch— 8 to 10 ft. 1 25 10 to 12 ft. 1 50	10 00 13 50	60 00 85 00
populifolia. American White Birch— 8 to 10 ft. 1 25 10 to 12 ft. 1 50	10 00 13 50	75 00 100 00
nigra; syn., rubra. Red Birch. 6 to 7 ft. 1 00 7 to 8 ft	7 50 10 00	$\begin{array}{ccc} 60 & 00 \\ 75 & 00 \end{array}$
CARAGANA. (Siberian Pea Tree.) 5 to 6 ft 1 00 Standards in varieties. 4 to 5 ft 3 50	7 50	50 00
CARPINUS caroliniana. American Hornbeam— 3 to 4 ft.	6 50 8 50	60 00 75 00
Betulus. European Hornbeam— 2 to 3 ft. Heavy 50 3 to 4 ft. Bushy 75 7 to 12 ft. Specimens \$3.50 to 25 00	4 50 6 50	40 00 60 00
CARYA alba. See Hicoria.		
CATALPT bignonioides nana. Bunge's Catalpa. Standards. 7 to 8 ft 2 50 Specimens \$3.50 to 5 00	22 50	
speciosa. Western Catalpa— 10 to 12 ft.; $1\frac{1}{2}$ - $1\frac{3}{4}$ in 1 50	10 00	75 00
CEDRELA sinensis. Chinese Cedrela— 7 to 8 ft	13 50	
CELTIS occidentalis. Nettle Tree. 6 to 8 ft 1 50	13 50	
* LARGE SIZES FOR IMMEDIATE EF	FECT	

CERASUS (Prunus) s.c. avium, var. alba plena.	ach	10	100
Double White-flowering Cherry. \$ 8 to 9 ft\$3	50		
avium, var. rosea plena. Double Pink-			
flowering Cherry. 6 to 7 ft 2	50		
avium, var. rosea pendula. Pink Weeping Japan Cherry. 6 to 7 ft 3	50		
Padus. European Bird Cherry—	00	\$8 50	
8 to 10 ft	00 50	12 50	
serotina. Wild Black Cherry-			
	50	12 50	
Sieboldi, var. rubra plena. 4 to 5 ft 1	50	13 50	
CERCIS canadensis. Red Bud, American Judas-	F 0	4 00	607 00
4 to 5 ft	50 75	$\frac{4}{6} \frac{00}{00}$	\$35 00 50 00
❖ 6 to 7 ft 1	00	7 50	60 00
❖8 to 9 ft. Heavy clumps\$5 to 10	00		
Japonica. See Shrubs.	=0	10 50	
CERCIDIPHYLLUM japonicum. 4 to 5 ft. 1 5 to 6 ft. 2	50 50	12 50 23 50	
7 to 8 ft 5	00	48 50	
8 to 10 ft	50	70 00	
CLADRASTIS lutea (Virgilia lutea). Yellow	00		
Wood. 8 to 10 ft	50	22 - 50	
10 to 12 ft	50	32 50	
12 to 16 ft. Specimens\$5 to 7	90		
CORNUS. See, also, Shrubs.			
florida. White Dogwood—	00	7 50	50 00
$3\frac{1}{2}$ to 4 ft	$\frac{00}{25}$	10 00	60 00
5 to 6 ft	. 50	12 50	85 00
7 to 8 ft		23 50	
*8 to 10 ft\$3.50 to 5 *8 to 10 ft. Standards\$5 to 7			
florida, var. flore rubra. Red-flowered			
Dogwood, 3 to 4 ft	50	20 00	
4 to 5 ft. Bushy	500 50	27 50	
*6 to 7 ft. Specimens	00		
*6 to 7 ft. Specimens	00		
★8 to 10 ft. Broad Specimens	00		
The Red-flowered Dogwood offered here are		Isome Int	grown

The Red-flowered Dogwood offered here are a handsome lot, grown well apart, frequently transplanted. Now perfect—symmetrical specimens. This Dogwood is one of the most beautiful trees, as in addition to its pink bloom in spring it retains all the desirable characteristics of the White Dogwood.

Each	10	100
CRATÆGUS Carrieri. 5 to 6 ft. \$1 2 6 to 7 ft. 1 5 ❖ 7 to 8 ft. 2 50	0 12 50	\$85 00 100 00
coccinea. 3 to 4 ft. 7 4 to 5 ft. 1 0 5 to 6 ft. 1 5	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	50 00 65 00 85 00
4 to 5 ft. Heavy 1 0 5 to 6 ft. Heavy 1 5 6 to 7 ft. Heavy 2 0 7 to 8 ft. Heavy 2 5 8 to 10 ft. Specimens 4 3 5	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$,
4 to 5 ft. 1 0 5 to 6 ft. 1 5 * 7 to 8 ft. + 3 5 * 8 to 10 ft. + 5 0 flava. Yellow Haw. 7 to 8 ft. 2 5	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	50 00 60 00 85 00
	00 8 50 00 10 00	
White Hawthorn. 3 to 4 ft 7 4 to 5 ft	5 6 50 0 8 50 0 32 50	
4 to 5 ft	9 00 17 50 32 50	85 00 135 00
4 to 5 ft	5 6 50 0 8 50 0 32 50 0 13 50	
punicea fl. pl. (Double). 5 to 6 ft 1 5 CYTISUS Laburnum. Golden Chain. See Laburnum vulgare (cytisus). Golden Chain.	0 13 30	
DIOSPYROS virginica. Persimmon. 5 to 6 ft		
FAGUS americana. American Beech. $2\frac{1}{2}$ to 3 ft. 1 5 4 to 5 ft. 2 5 5 to 6 ft. 3 5 6 to 7 ft. 5 0	$ \begin{array}{ccccc} 0 & 23 & 50 \\ 0 & 33 & 50 \\ 0 & 42 & 50 \end{array} $	
sylvatica. European Beech. 2 to $2\frac{1}{2}$ ft. 1 0 3 to 4 ft. 1 5 4 to 5 ft. 2 0 5 to 6 ft. 2 5 6 to 7 ft. 3 5 *9 to 12 ft. \$pecimens. \$10 to 25 0 sylvation \$pecimens. \$10 to 25 0	$egin{array}{cccc} 0 & 10 & 00 \\ 0 & 15 & 00 \\ 0 & 22 & 50 \\ 0 & 32 & 50 \\ \end{array}$	50 00 75 00 90 00
sylvatica, var. asplenifolia. Fern-like Beech. 3 to 4 ft 2 5	0 23 50	

^{*} LARGE SIZES FOR IMMEDIATE EFFECT

Each	10	100
FAGUS sylvatica, var. grandidentata. 5 to 6 ft\$5 00		200
8 to 9 ft. Specimens		
5 to 6 ft 3 50		
10 to 12 ft		и
sylvatica, var. purpurea. Purple Beech— 4 to 5 ft 2 50	\$23 50	
5 to 6 ft 3 50	32 50	
6 to 7 ft 5 00 7 to 8 ft 7 50	47 50	
* 9 to 10 ft. Specimens\$10 to 12 50 * 11 to 12 ft. Specimens\$15 to 25 00		
* 12 to 25 ft. Specimens\$25 to 250 00		
sylvatica, var. purpurea major. Large Leaf. 5 to 6 ft		
6 to 7 ft 5 00		
*7 to 8 ft		
leaved Reech 5 to 6 ft 3 50	32 50	
* 7 to 8 ft		
10 to 12 it		
FATSIA japonica. See Aralia.		# * 0 00
FRAXINUS americana. White Ash. 7 to 8 ft 1 00 8 to 10 ft	7 50 8 50	\$50 00 65 00
8 to 10 ft	$\begin{array}{ccc} 13 & 50 \\ 23 & 50 \end{array}$	100 00
Ornus. Flowering Ash. 5 to 6 ft 1 00	8 50	
7 to 8 ft	13 50 9 00	e= 00
8 to 10 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 1 50	13 50	$65 00 \\ 100 00$
	15 00	
S to 10 ft. 75 1 00	6 00 8 00	50 00 75 00
triacanthos. Honey Locust. 4 to 5 ft 50 5 to 6 ft	4 00 5 00	25 00
7 to 8 ft	$\begin{array}{c} 5 & 60 \\ 6 & 50 \end{array}$	$\begin{array}{ccc} 35 & 00 \\ 50 & 00 \end{array}$
GYMNOCLADUS dioica. Kentucky Coffee Tree—	10.00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 10 & 00 \\ 15 & 00 \end{array}$	
	18 50	
HALESIA tetraptera. Snowdrop Tree— 4 to 5 ft	7 50	
HICORIA alba (carya). Hickory. 4 to 5 ft 1 00 8 ft 2 50	8 50	
JUGLANS nigra. Black Walnut. 3 to 4 ft	$\begin{array}{ccc} 3 & 50 \\ 7 & 50 \end{array}$	25 00 60 00
8 to 10 ft 1 50	12 50	100 00
regia. English Walnut. 3 to 3½ ft 1 00 8 to 9 ft	7 50	
Sieboldiana. Japan Walnut. 6 to 7 ft. 1 50 7 to 8 ft 2 00	$\begin{array}{ccc} 12 & 50 \\ 18 & 50 \end{array}$	
* 10 to 12 ft	23 50	
* 12 to 14 ft	32 50	



An Avenue of Sweet Gums (Liquidambar), at	Andorra.	
Each	10	100
KŒLREUTERIA paniculata. Varnish Tree-		
7 to 8 ft\$2 00	\$18 50	
8 to 10 ft	32 50	
* 10 to 12 ft. Heavy 5 00		
LABURNUM vulgare. Golden Chain—		
5 to 6 ft	7.50	
6 to 7 ft	10 00	
7 to 8 ft	20 00	
vulgare pendula. 10 to 12 ft10 00		
LARIX European European Larch. 4 to 5 ft 75	6 00	
5 to 6 ft 1 00	7 50	
leptolepsis. Japanese Larch. 4 to 5 ft. 1 00	8 50	\$75 00
5 to 6 ft	13 50	100 00
7 to 8 ft	20 00	200 00
leptolepsis pyramidalis. 4 to 5 ft 1 50	$\frac{12}{12} \frac{50}{50}$	
LIQUIDAMBAR. Sweet Gum. 6 to 7 ft 1 50	$\frac{12}{12} \frac{50}{50}$	85 00
7 to 8 ft.; 2 to 2½ in 2 50	$\frac{12}{22} \frac{50}{50}$	175 00
8 to 10 ft.: $2\frac{1}{7}$ to $2\frac{1}{7}$ in 3 00	27 50	110 00
8 to 10 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in 3 00 10 to 12 ft.; $2\frac{3}{4}$ to 3 in 4 00	37 50	
* 12 to 14 ft.; 3 to $3\frac{1}{2}$ in 5 00	47 50	
* 16 to 20 ft. Specimens. See page 28.	1. 00	
LIRIODENDRON Tulipifera. Tulip Tree. 7 to 8 ft. 1 00	8 50	65 00
8 to 9 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in 1 50	10 00	85 00
10 to 12 ft.; $1\frac{1}{4}$ to 2^2 in 1 75	15 00	135 00
* 10 to 12 ft.; $2\frac{1}{2}$ to 4 in\$2 to 5 00	10 00	100 00
MAGNOLIA. Native Sorts—		
acuminata. Cucumber Tree—		
5 to 6 ft	7 50	
	13 50	
7 to 8 ft	19.90	
$3 \text{ to } 3\frac{1}{2} \text{ ft. } \text{Bushy} \dots + 2 00$ $4 \text{ to } 5 \text{ ft. } \text{Bushy} \dots 3 00$		
A 5 to 6 ft Puchy 2 50		
★ 5 to 6 ft. Bushy 3 50		

	Ea	ch 1 0	100
MAGNOLIA grandiflora. Evergreen M	agnolia		
*4 to 5 ft		50 \$32	50
hynoleuca. Japan. 4 to 5 ft	2	50 23	
7 to 8 ft	. 5	00 45	
macrophylla. Great-leaved M	acnolia	00 10	00
macrophyna. Great-leaved M	agnona—	00	
5 to 6 ft		00 7	F0
tripetala. Umbrella Tree. 6	to 7 It 1		50
7 to 8 ft		50 13	50
8 to 12 ft	\$2 to 3	50	
Chinese Sorts—			
alba superba. White—			
3 to 4 ft	2	50	
Alexandriana. Pink (Early)-			
4 to 5 ft		50 32	50
5 to 6 ft		00 47	
7 to 8 ft		50 65	
conspicua. White		50 05	00
		00 45	00
3 to 4 ft	· · · · · · · · · · · · · · · · · · ·		
Kobus. 3 to 4 ft		$\frac{50}{2}$ 22	50 \$200 00
4 to 5 ft	3	50	
Lennei Hybrid. Lenne's Magn			
4 to 5 ft			
5 to 6 ft	5	00. 45	00
*6 to 7 ft	6	00 - 55	
* 8 to 10 ft		50 - 72	50
purpurea; syn., obovata. Pu	urnle Mag-		
nolia. 5 to 6 ft		50	
Soulangeana Hybrid. Soular			
nolia. Pink. 3 to 3		50 22	50
			50
4 to 5 ft		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
5 to 6 ft			
6 to 7 ft		00 55	
*7 to 8 ft		50 72	50
Soulangeana, var. nigra. 4 t	o 5 ft 3	50 33	
5 to 6 ft		00 4.7	
speciosa. 6 to 7 ft	5	00 45	00
stellata. Hall's Magnolia. 2	ft	50 - 22	50
$2\frac{1}{2}$ ft		50 32	50
$\overline{3}^2$ to $3\frac{1}{2}$ ft	→ 5	00 47	50
*4 to 6 ft	\$7.50 to 15	00	00
		~ ~	F0
MORUS alba. White Mulberry. 7 to	o 8 ft 1	00 7	50
alba, var. globosa. Globe Sta	ndard—		
6 ft	2	00	
alba rubra. Red Russian. 7	to 8 ft 1	00 - 7	50
alba pendula. Teas' Weeping	Mulberry—		
6 ft. Specimens	\$2.50 to 5	00	
NEGUNDO. See Acer.			
		FO FO	F 0
NYSSA sylvatica. Sour Gum. 4 to 5	ft 1		
5 to 6 ft		75 15	
6 to 7 ft	2	00 18	50

SPRING AND FALL PRICE LISTS

This Price List is revised semi-annually so as to conform to our actual stock records and is published for the convenience of large users of nursery stock. We are not jobbers, but the largest nursery growing high-class stock for discriminating buyers.



An Avenue of "Andorra-grown" Oriental Planes.

Each	10	100
OXYDENDRUM arboreum; syn., andromeda arborea. Sorrel Tree. 3 to 4 ft. \$1 00 4 to 5 ft. 1 56 5 to 6 ft. 2 00 *6 to 7 ft. 2 50 *7 to 8 ft. 3 50	12 50 15 00 17 50	\$60 00 90 00 100 00 125 00
PARROTIA persica. Persian Iron Tree— 5 to 6 ft. 3 50 Jacquemontiana. 1½ to 2 ft. 1 00		
PERSICA amygdalus vulgaris, var. alba plena.	. 50	
Double White-flowering Peach— 5 to 6 ft	7 50	
vulgaris, var. sanguinea plena. Double Red-flowering Peach. 5 to 6 ft. 1 00	7 50	
PLATANUS occidentalis. American Buttonwood— 1 25 6 to 7 ft. 1 25 12 to 14 ft.; 2 to 2½ in. 2 50	10 00 22 50	75 00
orientalis. Oriental Plane, or European Buttonwood. 6 to 8 ft. 1 00 8 to 10 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 1 25 10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in. 1 50 10 to 12 ft.; $1\frac{3}{4}$ to 2 in. 1 75 10 to 12 ft.; 2 to $2\frac{1}{4}$ in. 2 50 * 12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in. 3 50 * 14 ft.; 3 to 4 in. Specimens. \$5 to 10 00	10 00 12 50 15 00 22 50 32 50	50 00 60 00 80 00 100 00 150 00 200 00
Splendid Trees repeatedly transplanted and pruned; especially good in tops and roots.		

Each	10	100
FORULUS Bolleana, Bolle's Poplar, 10 to 12 ft.\$1 75	\$15 00	
* 12 to 14 ft 2 50	20 00 5 00	
carolinensis. Carolina Poplar. 8 to 10 ft. 75.	8 50	
nigra Italica. Lombardy Poplar—		
nigra Italica. Lombardy Poplar— 10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in. 1 25 12 to 14 ft.; 2 to $2\frac{1}{4}$ in. 1 50 14 to 16 ft.; $2\frac{1}{2}$ in. 2 50 16 to 20 ft.; 3 to 4 in. \$3.50 to 5 00	10 00 13 50	
14 to 16 ft.; 2½ in	18 50	
PRUNUS. See, also, Cerasus.		
cerasifera pissardii. Purple Plum— 5 to 6 ft. Specimens	12 50	
5 to 6 ft. Specimens	5 00	
PYRUS (Malus) s.c. See also, Shrubs.		
baccata. Siberian Flowering Crab Apple. 5 to 6 ft 2 00	18 50	
coronaria. Sweet-scented Crab—	10 00	
5 to 6 ft 2 00	17 50	
floribunda. Flowering Crab. 4 to 5 ft 1 50 5 to 6 ft	13 50 18 50	
floribunda, var. atrosanguinea. 5 to 6 ft. 1 50	13 50	
6 to 7 ft. Specimens	20 00	
lænsis, var. Bechtel. Bechtel's Double	99 50	
flowering Crab. 4 to 5 ft 2 50 5 to 6 ft	23 50 33 50	
6 to 7 ft. Specimens 5 00		
Parkmani; syn., Halliana. Parkman's Crab. 4 to 5 ft 1 50	13 50	
Scheideckeri (Double-flowered)	10 00	
4 to 5 ft 1 50	13 50	
5 to 6 ft	33 50	
Crab.) 4 to 5 ft 1 50	13 50	
Toringo (Dwarf Crab.) 3 to 4 ft 2 50		
QUERCUS (Oaks). See page 40.		
RHUS glabra. Smooth Sumac. 3 to 4 ft 50	4 00	
4 to 5 ft	$\begin{array}{ccc} 5 & 00 \\ 6 & 00 \end{array}$	\$40 00
5 to 6 ft	7 00	50 00
glabra, var. laciniata. Cut-leaved Sumac— 2 to 2½ ft	4 00	25 00
5 to 6 ft 1 00	6 50	40 00
javanica (Osbecki). Osbeck's Sumac—	0.00	Fa 00
5 to 6 ft	6 00 8 50	50 00 60 00
javanica (Osbecki), var. laciniata.		
5 to 6 ft	7 50	25 00
typhina. Staghorn Sumac. 2 to 3 ft 50 5 to 6 ft. 1 00	4 00 8 50	$\frac{25}{50} \frac{00}{00}$
6 to 8 ft 1 50	10 00	65 00
typhina, var laciniata. (Cut-leaved)—	6 00	25 00
5 to 6 ft	$\begin{array}{ccc} 6 & 00 \\ 10 & 00 \end{array}$	$\frac{35}{75} \frac{00}{00}$

10	DECIDOOUS IREES		
DODINI	A Possidoresia Dia la La La Cart	10	100
KUBINI	A Pseudacacia. Black Locust—	\$10 00 15 00	
QUERCI	US alba. White Oak—	19 00	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$	
	$9 \text{ to } 10 \text{ ft.}; 2 \text{ in.} \dots 350$	$\frac{32}{33} \frac{50}{50}$	
	bicolor. Swamp White Oak— ★ 14 to 16 ft.; 3¾ to 7 in\$10 to 50 00 Large sizes, 4½ to 7 in., with ball.	~	
	Cerris. Turkey Oak-		
	4 to 5 ft	18 50	
	occained Secretary Oak C to 7 ft 2 50	22 50	
	7 to 8 ft	28 50 33 50	
	7 to 8 ft	38 50	
	14 to 16 ft.; 4 to 6 in., with ball		
	lauriiona. Laurei-leaved. 8 to 10 it 3 50	32 50	
	macrocarpa. Mossy Cup Oak— 6 to 7 ft.; 1 in. cal 1 75	16 50	
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	23 50 33 50	
	nalustris Pin Oak-		
	6 to 7 ft; 1½ to 1½ in. Low-branched 1 50 7 to 8 ft.; 1½ to 1¾ in. Low-branched 2 00 8 to 9 ft.; 1¾ to 2 in. Low-branched 2 50 10 to 12 ft.; 2 to 2¼ in. Low-branched 3 00 10 to 12 ft.; 2½ to 2¼ in. Low-branched 3 50	13 50 17 50	\$135 00 175 00
	8 to 9 ft.; 1½ to 2 in. Low-branched 2 50	17 50 22 50	225 00
	10 to 12 ft.; 2 to $2\frac{1}{4}$ in. Low-branched 3 00 10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in. Low-branched 3 50	28 50 32 50	275 00
	* 3 to 3\frac{3}{4} in		
	well-rooted and good tops.\$15 to 150 00		
	Prinus. Rock Chestnut Oak—	18 50	
	8 to 10 ft.; 1½ to 1¼ in 2 00 10 to 12 ft.; ½ in 2 50 \$\display\$12 to 14 ft.; 3 to 4½ in \$\display\$3.50 to 15 00	$\frac{13}{23} \frac{50}{50}$	~
	Robur, English Oak-		
	10 to 12 ft.; 2 to 2\frac{1}{2} in 2 50 12 to 14 ft.; 2\frac{1}{2} to 2\frac{3}{4} in 3 50	22 50	
	* 3 to 6 in, cal. Specimens. \$5 to 25 00	32 50	
	* 3 to 6 in. cal. Specimens. \$5 to 25 00 Robur, var. Concordia. Golden Oak—		
	Robur, var. fastigiata (Pyramidal Oak)—	22 50	
	3 to 4 ft	16 50	150 00
	8 to 9 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in 2 00	$\frac{18}{20} \frac{50}{00}$	$175 00 \\ 185 00$
	10 to 12 ft.; $\frac{1}{2}$ to $\frac{1}{2}$ in $\frac{3}{50}$	30 00	285 00
	rubra. Red Oak. 7 to 8 ft. 1 75 8 to 9 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 2 00 10 to 12 ft.; $1\frac{1}{4}$ to $1\frac{1}{4}$ in. 2 50 10 to 12 ft.; 2 to $2\frac{1}{4}$ in. 3 50 12 to 14 ft.; $2\frac{3}{4}$ to 3 in. \$5 to 7 50 \$14 to 16 ft.; $3\frac{1}{2}$ to 8 in. \$10 to 150 00		
	voluting Block Oak	-	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 15 & 00 \\ 18 & 50 \end{array}$	
	12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{2}{3}$ in 2 50	22 50	
	* 5 to 5 m. Specimens wo so to 50 00		

Eacl	h 10	100
SALISBURIA adiantifolia. Ginkgo, or Maidenhair Tree. 7 to 8 ft.; 1 to 1½ in	00 17 50 20 50 32 00	50 125 00 00 175 00
SALIX alba. (White Willow). 10 to 12 ft 2	50 15	00
8 to 10 ft	00 8 50 13 00 18	50 50
elegantissima. 12 to 14 ft	50 32 00 8	
10 to 12 ft		
lutea, var. pendula. Golden Weeping— 10 to 12 ft	50 23	50
12 to 14 ft. 2 to $2\frac{1}{4}$ in		
20 00 20 20 200 5	00 8	50 60 00
vitellina, var. Britzensis. Salmon-barked Willow. 10 to 12 ft	50 23	50
SASSAFRAS variifolium (Sassafrass). 6 to 8 ft. 1 8 to 10 ft 2	50 12 00 18	
SOPHORA japonica. (Sophora.) 6 to 7 ft 2	50	
	50	
Aucuparia. European Mountain Ash— 7 to 8 ft	00 9	00
Aucuparia, var. pendula. (Weeping Mt. Ash.) 6 to 7 ft 2	50	
TAXODIUM distichum. Deciduous Cypress— 4 to 5 ft. 1 5 to 6 ft. 2 distichum pendula. (Weeping Cypress)—	50 10 50	00
8 to 9 ft	00	

BECHTEL'S DOUBLE FLOWERING CRAB APPLE

One of the most ornamental of recent introductions and a flowering Apple deserving of a place in every garden. Planted as a specimen or in the border with other strong-growing shrubs, it makes an ideal tree. It is of good growth, with dark, rather glossy, foliage and beautiful double flowers of delicate blush, or shell-pink color and highly fragrant. See page 39.



European Linden.

Few trees are as deserving of their popularity as the small-leaved European Linden. While not the most rapid it is a good grower—very symmetrical—clean stems, and most attractive dark foliage.

symmetrical—crean stems, and most attractive dark ronage.			
TILIA	americana. American Linden or Bass-Each wood. 8 to 10 ft.; 2 in\$2 00	10 \$17 50	100
	10 to 12 ft.; 2½ to 2½ in 2 50 10 to 12 ft.; 2½ to 3 in	$\frac{22}{50}$	
	10 to 12 ft.; $2\frac{1}{2}$ to 3 in	$32 \ 50$	
	* 12 to 14 ft.; 34 to 4 in\$5 to 10 00 euchlora dasystella Crimean Linden—		
	12 to 14 ft.; $1\frac{1}{2}$ to 2 in 2 00	18 50	\$165 00
	12 to 14 ft.; 2^2 to $2\frac{1}{4}$ in 2 50	$\frac{10}{22} \frac{10}{50}$	200 00
	12 to 14 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in 3 50	33 50	
	platyphyllos. Large-leaved Linden—		
	10 to 12 ft.; 2 to 2½ in	17 50	
	*16 to 20 ft.; 3 to 4 in\$5 to 15 00		
	tomentosa, "argentea." Silver-leaved Lin-	00 50	000 00
	den. 7 to 8 ft.; $1\frac{3}{4}$ to 2 in 2 50	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$	$\begin{array}{cccc} 200 & 00 \\ 285 & 00 \end{array}$
	8 to 10 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in 3 50 10 to 12 ft.; $2\frac{3}{4}$ to 3 in. Spec 5 00	$\frac{32}{45} \frac{30}{00}$	400 00
	* 12 to 14 ft.; $3\frac{1}{4}$ to 4 in. \$7.50 to 15 00	40 00	100 00
	tomentosa pendula. Weeping Silver		
	Linden. 16 ft. Specimens25 00		
	vulgaris. European Linden—		
	8 to 10 ft.; $1\frac{3}{4}$ to 2 in 1 75	16 50	1 50 00
	10 to 12 ft.; $2^{\frac{1}{2}}$ to $2^{\frac{1}{4}}$ in 2 00 10 to 12 ft.; $2^{\frac{1}{2}}$ to $2^{\frac{3}{4}}$ in 3 50	18 50	175 00
	10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in 3 50	32 50	275 00
	* 12 to 14 ft.; $2\frac{5}{4}$ to 3 in 3 50	33 50	325 00
	* 16 to 18 ft.; Specimens \$15 to 25 00		
	vulgaris, var. rubra. Red-twigged— Linden. $10 \text{ to } 12 \text{ ft.}$; $2 \text{ to } 2\frac{1}{2} \text{ in.}$. 2 50	23 50	200 00
ULMUS	americana. American Elm—	20 00	200 00
0 0 0	8 to 10 ft.: $1\frac{1}{4}$ to $1\frac{1}{7}$ in	11 00	100 00
	10 to 12 ft.: $1\frac{1}{8}$ to 2^{-} in	13 50	125 00
	12 to 14 ft.; 2^{-} to $2\frac{1}{4}$ in 2 00	17 50	165 00
	12 to 14 ft.; 2^2 to 2^1 in 2 00 12 to 14 ft.; 2^1 to 2^1 in 2 50 12 to 14 ft.; 2^1 to 2^1 in 3 50 12 to 14 ft.; 2^1 to 2^3 in + 3 50	22 50	200 00
	12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	30 00	
	12 to 14 ft.; $2\frac{3}{4}$ to 3 in		



A Block of American White Elm at Andorra.

	Each	10	100
ULMUS campestris. English Elm-			
8 to 10 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in	\$1.50	\$13 50	\$125 00
10 to 12 ft.; $1\frac{3}{4}$ to 2^{4} in	2 00	17 50	165 00
10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	$\frac{1}{2}$ $\frac{1}{75}$	$\frac{1}{25} \frac{1}{00}$	$\frac{100}{225} \frac{00}{00}$
12 to 14 ft.; $2\frac{3}{4}$ to 3^4 in	3 50	20 00	220 00
* 5 to 8 in. Specimens\$	15 to 100 00		
campestris, var. latifolia. Broad			
English Elm. Heavy Sp			
*18 to 25 ft.; 5 to 8 in. W			
	00 to 100 00		
campestris, var. purpurea. Purpl			
Elm.10 to 12 ft.; 2 to			
* 14 to 16 ft.; 3 to $3\frac{1}{2}$ in	3 50		
campestris, var. Wheatley's (C			
Elm. 8 to 10 ft.; 1 ² / ₄ to		16 50	150 00
10 to 12 ft.; 2 to 24 in.	2 50	$\frac{10}{23} \frac{50}{50}$	185 00
* 12 to 14 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in	3 50	33 50	$\frac{135}{275} \frac{00}{00}$
* 14 ft.; $2\frac{1}{2}$ to 3^2 in	5 00	47 50	210 00
glabra. Scotch Elm—		1. 00	
12 to 14 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in	1 50	12 50	
14 to 16 ft.; 2^2 to $2\frac{1}{4}$ in	2 50	$\frac{12}{22} \frac{50}{50}$	
		22 00	
glabra, var. Dampieri; fastigiate f		00 40	
12 to 14 ft.; $1\frac{3}{4}$ to 2 in	$\ldots 250$	$\frac{23}{50}$	
* 14 to 16 ft.; $2\frac{1}{2}$ to 3 in	\ldots 350	32 50	
* 14 to 16 ft.; 3 to 4 in	\$5 to 7 50		
vegeta, var. Huntingdoni. Huntin	gdon Elm—		
10 to 12 ft.; $1\frac{1}{2}$ to 2 in	$\ldots 200$	17 50	
14 to 16 ft.; 2^{-} to $2^{\frac{1}{2}}$ in	250	$\frac{23}{50}$	
* 14 to 16 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	3 50	$32 \ 50$	

Planting for Immediate Effect

See pages 4 and 28.

In these days when the planting problem is usually one of quick results, the question is not only one of large size of stock, but the vital question is high quality in stock, without which large size is worse than useless.

To this end we have developed our large stock through years of Nursery Training—by frequent transplantings to produce fibrous-feeding roots—by constant, intelligent cultivation and pruning to instill the utmost vigor.

Thus we have produced Andorra Quality—large sizes that thrive after transplanting. You have our interest in your problems at all times. Consult us freely



DECIDUOUS SHRUBS

As the public are requiring larger specimen Shrubs from year to year, our stocks are grown in wide rows, the individual shrubs set well apart in the row, as by this method we secure a substantial bush in proportion to its height and one which carries its branches and foliage close to the ground.

AZALEAS, ANDORRA-GROWN

For Evergreen varieties see page 18.

NATIVE SPECIES.		
Each Each	10	100
AZALEA arborescens. Fragrant White Azalea— 12 to 15 in. Clumps\$1 00	\$9 00	\$80 00
15 to 18 in. Clumps	13 50	125 00
$1\frac{1}{2}$ to 2 ft. Clumps	18 50	150 00
* 2° to $2\frac{1}{2}$ ft. Clumps	22 50	200 00
* $2\frac{1}{2}$ to 3 ft. Clumps\$3.50 to 7 50		
lutea (calendulaceum). Flame Azalea-	0 00	00.00
12 to 15 in	$\begin{array}{ccc} 9 & 00 \\ 13 & 50 \end{array}$	$\begin{array}{ccc} 80 & 00 \\ 125 & 00 \end{array}$
18 to 24 in. Clumps	$\frac{16}{16} \frac{50}{50}$	150 00
$2 \text{ to } 2\frac{1}{2} \text{ ft. Clumps } \dots \$2.50 \text{ to } 3.50$	10 00	100 00
canadensis (Rhodora). 12 to 15 in 1 50	12 50	
18 in. Clumps 2 00	18 50	15 0 00
* 24 in. Clumps 2 50	23 50	185 00
can escens. 1 to $1\frac{1}{2}$ ft	18 50	
nudiflora. Woods Honeysuckle-	40 =0	105 00
12 to 15 in. Clumps 1 50	13.50	125 00
Vaseyi. Southern Azalea. 12 to 15 in 1 50	13 50	125 00
15 to 18 in. Clumps 2 00	17 50	150 00
viscosa. White Azalea— 12 to 15 in. Clumps 1 50	13 50	125 00
mollis. 1½ ft. Named sorts	10 00	129 00
2 ft. Bushy. Named sorts 2 00	15 00	
$2\frac{1}{2}$ ft. Bushy. Named sorts 2 50	$\frac{10}{22} \frac{50}{50}$	
pontica (Ghent). 1½ ft. Named sorts 1 25	10 00	
2 ft	15 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	32 50	300 00
ledifolium, var. Narcissiflora (Yodogawa).		
Purple double. 15 to 18 in 1 00	9 00	
24 in	$\begin{array}{ccc} 13 & 50 \\ 18 & 50 \end{array}$	150 00
ABELIA grandiflora. 12 in	4 50	35 00
15 to 18 in 75	6 00	50 00
ACANTHOPANAX (pentaphylla aralia)—	0 50	45 00
2 to 3 ft	$\begin{array}{ccc} 2 & 50 \\ 3 & 50 \end{array}$	$\begin{array}{cccc} 15 & 00 \\ 20 & 00 \end{array}$
	5 50	20 00
ÆSCULUS parviflora; syn., Pavia macrostachya—	C 00	FO 00
12 to 18 in	$\begin{array}{ccc} 6 & 00 \\ 8 & 50 \end{array}$	$\frac{50}{75} \frac{00}{00}$
$2\frac{1}{2}$ ft	13 50	100 00
parviflora, var. rubra. $1\frac{1}{2}$ to 2 ft 1 50	13 50	100 00

Eac	eh	10	100
AMELANCHIER Botryapium. (Dwarf Shad	F 0 0		
Bush.) 2 to 3 ft\$0		3 50	\$30 00
3 to 4 ft	75	5 00 8 50	40 00
		3 00	25 00
· · · · · · · · · · · · · · · · · · ·	35 3	5 00	25 00
AMYGDALUS (Almond). See Prunus.			
ARONIA arbutifolia. Choke-berry—			
$1\frac{1}{2}$ to 2 ft	50	4 00	
melanocarpa. 1 ft	35 2	2 00	10 00
BACCHARIS halimifolia. Groundsel Shrub-			
	75	5 00	40 00
PENZOIN metivale Chica Duch 2 to 21 ft	o=	2 00	90 00
BENZOIN æstivale. Spice Bush. 2 to $2\frac{1}{2}$ ft		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20 00 25 00
$3\frac{1}{2}$ to 4 ft		6 00	30 00
4 to 5 ft 1		7 50	40 00
		0 00	60 00
BERBERIS (Barberry).			
	50 4	1 00	35 00
		4 00	35 00
		3 50	00 00
Sieboldi. 3 to 4 ft		3 50	
4 to 5 ft		S 50	
		3 50	
Thunbergii. 12 to 15 in		1 75	12 50
15 to 18 in	35	2 50	15 00
15 to 18 in		3 50	20 00
2 ft.; broad and very heavy		4 50	25 00
2 ft.; broad and very heavy 2½ ft.; broad and very heavy *3 to 4 ft. Specimens\$1 to 1	75 (50	6 00	30 00
vulgaris. Common Barberry—	90		
2 to 3 ft.	35	3 00	20 00
3 to 4 ft	50	4 00	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
*4 to 5 ft. Heavy	75	5 00	30 00
vulgaris, var. purpurea, 2 to 3 ft		3 50	20 00
		1 00	
	75 (3 00	
BUDDLEIA Veitchiana (Butterfly Bush)—		4 00	45 00
	50 - 4	4 00	15 00
CALYCANTHUS floridus. Allspice, or Sweet Shrub-			00 00
		3 00	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
		4 00 3 00	25 00
4 to 5 ft	10 (3 00	
	50 4	50	
CARAGANA arborescens. Siberian Pea-	-		
	50 4	00	
		2 00	
CEANOTHUS americanus. Jersey Tea—			
	35 8	3 00	20 00
$\frac{1}{2}$ to $\frac{1}{2}$ ft		į šŏ	3 0 00
	50 3	00	25 00

DLCIDOOOS SIIKOBO	,		
CEPHALANTHUS occidentalis. 4 to 5 ft	Each 30 35	10 \$3 00	100 \$25 00
CERCIS. See, also, Deciduous Trees.			
chinensis (Japonica). Japan Judas— 2 to $2\frac{1}{2}$ ft. Heavy	75	6 00	50 00
$2\frac{1}{2}$ to 3 ft	1 00	8 50 8 50	75 00
	1 00	0 90	
CHIONANTHUS virginica. White Fringe— 2 to 3 ft. Bushy	7 5	6 00	50 00
CITRUS trifoliata (Hardy Orange)— 2 to 3 ft	1 00	7 50	
CLETHRA alnifolia. Sweet Pepperbush— $1\frac{1}{2}$ to 2 ft	35	3 00	
COMPTONIA asplenifolia. Sweet Fern— 18 to 24 in. Heavy	50	3 50	30 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	75	6 50	50 00
CORCHORUS. See Kerria.			
CORNUS. See, also, Trees.			
alba. Siberian Red-twigged Dogwood— 2 to 3 ft.; very heavy	50	4 00	20 00
3 to 4 ft.; very heavy	75	$\vec{5}$ $\vec{0}\vec{0}$	$\tilde{2}\tilde{5}$ $\tilde{0}\tilde{0}$
amomum (sericea). Silky Dogwood— 3½ to 4 ft	50	4 00	20 00
mas. Cornelian Cherry. 2 to 3 ft	35	3 00	20 00
4 to 5 ft	$\frac{50}{75}$	$\begin{array}{c} 3 & 50 \\ 6 & 00 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 50 & 00 \end{array}$
paniculata. 3 to 4 ft	50	4 00	30 00
4 to 5 ft	$\begin{array}{c} 75 \\ 1 \ 00 \end{array}$	$\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$	35 00 40 00
sanguinea. European Osier Dogwood—	1 00	. 50	10 00
2 to 3 ft	35 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20 00
4 to 5 ft. Heavy		7 50	
stolonifera. Native Red Osier-	35	3 00	
2 to 3 ft. 4 to 5 ft.	75	6 00	40 00
stolonifera, var. aurea. Golden-barked— 2 to 3 ft	35	3 00	20 00
3 to 4 ft	50	4 00	30 00
4 to 5 ft	$\begin{array}{c} 75 \\ 1 \ 00 \end{array}$	$\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 30 & 00 \end{array}$
*7 to 8 ft	1 50	10 00	50 00
CORYLUS americana. American Hazel-	0-	0.50	90.00
2 to 3 ft. 3 to 4 ft.	35 50	$\begin{array}{ccc} 2 & 50 \\ 4 & 00 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
4 to 5 ft	75	5 00	35 00
Avellana, var. laciniata. Cut-leaved Hazel 5 to 6 ft	1 00	6 00	
maxima, var. purpurea. Purple Hazel— 3 to 4 ft.	50	4 50	30 00
4 to 5 ft.	75	6 00	40 00

COTONEASTER Simonsii. 4 to 5 ft		Weeh	10	100
CYTONIA japonica. Japan Quince. 1½ to 2 ft 50 3 50 Japonica, distinct colors, var. alba (White); atrosanguinea (Searlet); candida (Cream); grandiflora rosea (Rose); suiphurea (Yellow) 50 3 50 CYTISUS scoparius (Scotch Broom). 3 to 4 ft 50 4 50 praecox. 2 to 2½ ft		Each \$0.50	10 \$4 50	100
Japonica, distinct colors, var. alba (White); candida (Cream); grandiflora rosea (Rose); sulphurea (Yellow) 75 6 50				
Tet. Candida (Cream) grandifilorar rosea (Rose) sulphurea (Yellow) 75 6 50	japonica, distinct colors, var. alba		0 00	
State Cycllow Cycllo	(White); atrosanguinea (Scar-			
CYTISUS scoparius (Scotch Broom). 3 to 4 ft. 50	let); candida (Cream); grandi- flora rosea (Rose): sulnhurea			
CYTISUS scoparius (Scotch Broom). 3 to 4 ft. 50	(Yellow)	75	6 50	
DESMODIUM penduliflorum. 3 years 50 3 50		50	4.50	
DESMODIUM penduliflorum. 3 years 50 4 50	praecox. 2 to $2\frac{1}{2}$ ft		3 50	
DEUTZIA gracilis. Dwarf Deutzia. 12 to 15 in. 35	tinctoria (Dyers Green weed). 2 to 3 ft.	35	3 00	
1½ ft. Heavy	DESMODIUM penduliflorum. 3 years	50	4 50	
1½ ft. Heavy	DEUTZIA gracilis. Dwarf Deutzia. 12 to 15 in.	35		\$15 00
gracilis, var. carminea. 1½ ft	$\frac{1}{2}$ ft. Heavy			
2 ft. 75 5 00 25 00 gracilis, var. rosea. 3 to 4 ft. 50 4 00 25 00 Lemoinei 2 to 3 ft. 35 3 00 20 00 3 to 4 ft. Heavy 55 4 00 25 00 4 4 to 5 ft. Heavy 75 5 00 35 00 Lemoinei, var. Avalanche (White)— 1½ to 2 ft. 35 3 00 20 00 parviflora. 3 to 4 ft. 50 4 00 25 00 rosea, campanulata (White). 2 to 3 ft. 50 4 50 scabra. 2 to 3 ft. 50 4 50 scabra. 2 to 3 ft. 50 4 50 scabra, var. candidissima (Double White). 3 to 4 ft. 50 4 00 25 00 scabra, var. candidissima (Double White). 3 to 4 ft. 50 4 00 25 00 scabra, var. pride of Rochester— 3 to 4 ft. 50 3 50 25 00 3 to 4 ft. 50 3 50 25 00 scabra, var. Pride of Rochester— 3 to 4 ft. 50 3 50 25 00 scabra, var. rosea plena (Double pink)— 4 to 5 ft. 50 3 50 25 00 scabra, var. rosea plena (Double pink)— 4 to 5 ft. 50 6 ft. 50 25 00 scabra, var. Watereri. 2 to 3 ft. 50 4 00 20 00 4 to 5 ft. 50 00 Scabra, var. Watereri. 2 to 3 ft. 50 4 00 25 00 scabra, var. Watereri. 2 to 3 ft. 50 4 00 25 00 scabra, var. Watereri. 2 to 3 ft. 50 4 00 25 00 Scabra, var. Watereri. 2 to 3 ft. 50 4 00 25 00 scabra, var. Watereri. 2 to 3 ft. 50 4 00 25 00 Scabra, var. Watereri. 2 to 3 ft. 50 4 00 25 00 scabra, var. Watereri. 2 to 3 ft. 50 4 00 25 00 scabra, var. Watereri. 2 to 3 ft. 50 4 00 25 00 Scabra, var. Watereri. 2 to 3 ft. 50 4 00 25 00 scabra, var. Watereri. 2 to 3 ft. 50 4 00 25 00 Scabra, var. Wellsi. 4 to 5 ft. 50 4 00 25 00 6 to 8 ft. 50 6 00 40 00 DIERVILLA (Weigela) amabilis. White. 2 to 3 ft 50 4 00 25 00 6 to 7 ft. 75 5 00 40 00 florida nana, var. aurea variegata— 2 to 2½ ft. 75 5 00 40 00 florida nana, var. aurea variegata— 2 to 2½ ft. 75 50 04 00 25 00 florida, syn. rosea. 2 to 3 ft. 50 4 00 25 00				
gracilis, var. rosea. 3 to 4 ft				
Lemoinei 2 to 3 ft	grapilis way resea 2 to 4 ft			
3 to 4 ft. Heavy	Lamainai 2 to 2 ft			
Lemoinei, var. Avalanche (White)— 1½ to 2 ft. 1½ to 2 ft. 1½ to 2 ft. 15 00 00 Lemoinei, var. compacta. 2 to 2½ ft. 15 00 00 parviflora. 3 to 4 ft. 15 00 00 parviflora. 3 to 4 ft. 15 00 00 parviflora. 2 to 3 ft. 15 00 00 parviflora. 3 to 4 ft. 15 00 00 15 00 3 to 4 ft. 15 00 00 3 to 4 ft. 15 00 00 4 to 5 ft. 15 00 00 15 00 16 00 16 00 16 00 16 00 16 00 16 00 16 00 16 00 16 00 16 00 16 00 16 00 16	3 to 4 ft. Heavy			
Lemoinei, var. compacta. 2 to 2½ ft. 35 3 00 20 00 parviflora. 3 to 4 ft. 50 4 00 25 00 rosea, campanulata (White). 2 to 3 ft. 50 4 50 scabra. 2 to 3 ft. 50 3 00 20 00 4 to 5 ft. 50 4 00 25 00 \$\frac{3}{4}\$ to 5 ft. \$\frac{5}{4}\$ to 6 ft. \$\frac{5}{4}\$ to 5 ft. \$\frac{5}{4}\$ to 6 ft. \$\frac{5}{4}\$ to 5 ft. \$\frac{5}{4}\$ to 5 ft. \$\frac{5}{4}\$ to 6 ft. \$\frac{5}{4}\$ to 5 ft. \$\frac{5}{4}\$ to 5 ft. \$\frac{5}{4}\$ to 5 ft. \$\frac{5}{4}\$ to 5 ft. \$\frac{5}{4}\$ to 6 ft. \$\frac{5}{4}\$ to 5 ft. \$\frac{5}{4}\$ to 5 ft. \$\frac{5}{4}\$ to 5 ft. \$\frac{5}{4}\$ to 5 ft. \$\frac{5}{4}\$ to 6 ft. \$\frac{5}{4}\$ to 5 ft. \$\frac{5}{4}\$ to 6 ft. \$\frac{5}{4}\$ to 5 ft. \$\frac{5}{4}\$ to 5 ft. \$\frac{5}{4}\$ to 6 ft. \$\frac{5}{4}\$ to 5 ft. \$\frac{5}{4}\$ to 6 to 8 ft. \$\frac{5}{4}\$ to 5 ft. \$\frac{5}{4}\$ to 6 to 8 ft. \$\frac{5}{4}\$ to 5 ft. \$\frac{5}{4}\$ to 6 to 8 ft. \$\frac{5}{4}\$ to 5 ft. \$\frac{5}{4}\$ to 6 to 7 ft. \$\frac{5}{4}\$ to 6 to 7 ft. \$\frac{5}{4}\$ to 6 to 6 to 6 to 7 ft. \$\frac{5}{4}\$ to 6 to 6 to 6 to 7 ft. \$\frac{5}{4}\$ to 6 to 6 to 6 to 7 ft. \$\frac{5}{4}\$ to 6 to 6 to 6 to 6 to 6 to 7 ft. \$\frac{5}{4}\$ to 6 to	*4 to 5 ft. Heavy	75	5 00	35 00
Lemoinei, var. compacta. 2 to 2½ ft	Lemoinei, var. Avalanche (White)—	0=	0.00	
parviflora. 3 to 4 ft	I to Z ft			90.00
rosea, campanulata (White). 2 to 3 ft. 50				
scabra. 2 to 3 ft. 25 2 00 15 00 3 to 4 ft. 50 3 00 20 00 4 to 5 ft. 75 4 00 25 00 scabra, var. candidissima (Double White). 3 to 4 ft. 50 4 00 20 00 4 to 5 ft. 75 5 00 25 00 ★5 to 6 ft. 1 00 6 00 30 00 scabra, var. Pride of Rochester— 3 to 4 ft. 35 3 00 20 00 4 to 5 ft. 50 3 50 25 00 ★5 to 6 ft. 75 5 00 30 00 scabra, var. rosea plena (Double pink)— 4 to 5 ft. 35 3 00 20 00 ★5 to 6 ft. 75 5 00 25 00 \$cabra, var. Watereri. 2 to 3 ft. 35 3 00 20 00 4 to 5 ft. 75 5 00 30 00 \$5 to 6 ft. 75 5 00 30 00 \$5 to 6 ft. 75 5 00 30 00 \$5 to 6 ft. 75 5 00 30 00 \$5 to 6 ft. 1 00 7 50			_ 00	25 00
3 to 4 ft				15 00
4 to 5 ft. 75 4 00 25 00 Scabra, var. candidissima (Double White). 3 to 4 ft. 50 4 00 20 00 4 to 5 ft. 75 5 00 25 00 ★ 5 to 6 ft. 1 00 6 00 30 00 scabra, var. Pride of Rochester— 3 to 4 ft. 35 3 00 20 00 4 to 5 ft. 50 3 50 25 00 ★ 5 to 6 ft. 50 3 50 25 00 scabra, var. rosea plena (Double pink)— 4 to 5 ft. 35 3 00 20 00 ★ 5 to 6 ft. 75 5 00 25 00 scabra, var. Watereri. 2 to 3 ft. 35 3 00 20 00 ★ 5 to 6 ft. 50 4 00 25 00 25 00 30 00 25 00 scabra, var. Watereri. 2 to 3 ft. 50 4 00 25 00 4 00 25 00 ★ 5 to 6 ft. 1 00 7 50 40 00 25 00 4 00 25 00 4 00 25 00 4 00 25 00 4 00 25 00 4 00 25 00 4 00 25 00 4 00 25 00				
scabra, var. candidissima (Double White). 3 to 4 ft. 50 4 00 20 00 4 to 5 ft. 75 5 00 25 00 ★ 5 to 6 ft. 1 00 6 00 30 00 scabra, var. Pride of Rochester— 3 to 4 ft. 35 3 00 20 00 4 to 5 ft. 50 3 50 25 00 ★ 5 to 6 ft. 75 5 00 30 00 scabra, var. rosea plena (Double pink)— 35 3 00 20 00 ★ 5 to 6 ft. 75 5 00 25 00 scabra, var. Watereri. 2 to 3 ft. 35 3 00 20 00 \$ to 4 ft. 50 4 00 25 00 \$ to 5 ft. 50 4 00 25 00 \$ to 6 ft. 1 00 7 50 40 00 Scabra, var. Wellsi. 4 to 5 ft. 50 4 00 25 00 \$ 6 to 8 ft. 50 4 00 25 00 \$ 6 to 8 ft. 50 4 00 25 00 \$ 6 to 8 ft. 50 4 00 25 00 6 to 7 ft. 75 5 00 40 00 Blank in the colspan="2">Blank in the colsp	4 to 5 ft			
4 to 5 ft	scabra, var. candidissima (Double			
*5 to 6 ft				
scabra, var. Pride of Rochester— 3 to 4 ft. 35 3 00 20 00 4 to 5 ft. 50 3 50 25 00 ★5 to 6 ft. 75 5 00 30 00 scabra, var. rosea plena (Double pink)— 35 3 00 20 00 ★5 to 6 ft. 35 3 00 20 00 ★5 to 6 ft. 75 5 00 25 00 scabra, var. Watereri. 2 to 3 ft. 35 3 00 20 00 3 to 4 ft. 50 4 00 25 00 4 to 5 ft. 75 5 00 30 00 ★5 to 6 ft. 1 00 7 50 40 00 scabra, var. Wellsi. 4 to 5 ft. 50 4 00 25 00 ★6 to 8 ft. 50 4 00 25 00 ★6 to 8 ft. 1 50 12 50 50 50 00 candida. White. 2 to 3 ft. 35 3 00 20 00 6 to 7 ft. 75 5 00 40 00 florida nana, var. aurea variegata— 2 to 2½ ft. 75 6 00 florida, syn. rosea. 2 to 3 ft. 50 4 00 25 00	4 to 6 ft			
3 to 4 ft. 35 3 00 20 00 4 to 5 ft. 50 3 50 25 00 ★5 to 6 ft. 75 5 00 30 00 scabra, var. rosea plena (Double pink)— 4 to 5 ft. 35 3 00 20 00 ★5 to 6 ft. 75 5 00 25 00 scabra, var. Watereri. 2 to 3 ft. 35 3 00 20 00 4 to 5 ft. 50 4 00 25 00 ★5 to 6 ft. 100 7 50 40 00 ★5 to 6 ft. 100 7 50 40 00 scabra, var. Wellsi. 4 to 5 ft. 50 4 00 25 00 ★6 to 8 ft. 50 4 00 25 00 ★6 to 8 ft. 50 4 00 25 00 ★6 to 8 ft. 50 4 00 25 00 florida nana, var. aurea variegata— 2 to 2½ ft. 75 6 00 florida, syn. rosea. 2 to 3 ft. 50 4 00 25 00 florida, syn. rosea. 2 to 3 ft. 50 4 00 25 00		1 00	0 00	80 00
4 to 5 ft. 50 3 50 25 00 ★ 5 to 6 ft. 75 5 00 30 00 scabra, var. rosea plena (Double pink)— 4 to 5 ft. 35 3 00 20 00 ★ 5 to 6 ft. 75 5 00 25 00 scabra, var. Watereri. 2 to 3 ft. 35 3 00 20 00 4 to 5 ft. 50 4 00 25 00 4 to 5 ft. 50 4 00 25 00 ★ 5 to 6 ft. 10 75 5 00 30 00 ★ 5 to 6 ft. 10 75 6 00 40 00 scabra, var. Wellsi. 4 to 5 ft. 50 4 00 25 00 ★ 6 to 8 ft. 50 4 00 25 00 ★ 6 to 8 ft. 50 4 00 25 00 6 to 8 ft. 50 4 00 25 00 6 to 8 ft. 50 4 00 25 00 6 to 7 ft. 50 50 40 00 florida nana, var. aurea variegata— 2 to 2½ ft. 75 6 00 florida, syn. rosea. 2 to 3 ft. 50 4 00 25 00 florida, syn. rosea. 2 to 3 ft. 50 4 00 25 00		35	3 00	20 00
scabra, var. rosea plena (Double pink) — 4 to 5 ft. 35 3 00 20 00 ★5 to 6 ft. 75 5 00 25 00 scabra, var. Watereri. 2 to 3 ft. 35 3 00 20 00 3 to 4 ft. 50 4 00 25 00 4 to 5 ft. 75 5 00 30 00 ★5 to 6 ft. 1 00 7 50 40 00 scabra, var. Wellsi. 4 to 5 ft. 50 4 00 25 00 ★6 to 8 ft. 75 6 00 40 00 DIERVILLA (Weigela) amabilis. White. 2 to 3 ft 50 4 00 25 00 6 to 8 ft. 1 50 12 50 50 00 candida. White. 2 to 3 ft. 35 3 00 20 00 6 to 7 ft. 75 5 00 40 00 florida nana, var. aurea variegata— 2 to 2½ ft. 75 6 00 florida, syn. rosea. 2 to 3 ft. 50 4 00 25 00	4 to 5 ft			
4 to 5 ft			5 00	30 00
*5 to 6 ft			2 00	20, 00
scabra, var. Watereri. 2 to 3 ft. 35 3 00 20 00 3 to 4 ft. 50 4 00 25 00 4 to 5 ft. 75 5 00 30 00 ★ 5 to 6 ft. 1 00 7 50 40 00 scabra, var. Wellsi. 4 to 5 ft. 50 4 00 25 00 ★ 6 to 8 ft. 75 6 00 40 00 DIERVILLA (Weigela) amabilis. White. 2 to 3 ft 50 4 00 25 00 6 to 8 ft. 1 50 12 50 50 00 candida. White. 2 to 3 ft. 35 3 00 20 00 6 to 7 ft. 75 5 00 40 00 florida nana, var. aurea variegata— 2 to 2½ ft. 75 6 00 florida, syn. rosea. 2 to 3 ft. 50 4 00 25 00	*5 to 6 ft			
3 to 4 ft. 50 4 00 25 00 4 to 5 ft. 75 5 00 30 00				
4 to 5 ft	3 to 4 ft	50	4 00	25 00
scabra, var. Wellsi. 4 to 5 ft. 50 4 00 25 00 ★6 to 8 ft. 75 6 00 40 00 DIERVILLA (Weigela) amabilis. White. 2 to 3 ft 50 4 00 25 00 6 to 8 ft. 1 50 12 50 50 00 candida. White. 2 to 3 ft. 35 3 00 20 00 6 to 7 ft. 75 5 00 40 00 florida nana, var. aurea variegata— 2 to 2½ ft. 75 6 00 florida, syn. rosea. 2 to 3 ft. 50 4 00 25 00	4 to 5 ft			
*6 to 8 ft. 75 6 00 40 00 DIERVILLA (Weigela) amabilis. White. 2 to 3 ft 50 4 00 25 00 6 to 8 ft. 1 50 12 50 50 00 6 to 7 ft. 35 3 00 20 00 6 to 7 ft. 75 5 00 40 00 florida nana, var. aurea variegata— 2 to 2½ ft. 75 6 00 florida, syn. rosea. 2 to 3 ft. 50 4 00 25 00				
DIERVILLA (Weigela) amabilis. White. 2 to 3 ft 50 4 00 25 00 6 to 8 ft. 1 50 12 50 50 00 candida. White. 2 to 3 ft. 35 3 00 20 00 6 to 7 ft. 75 5 00 40 00 florida nana, var. aurea variegata— 2 to 2½ ft. 75 6 00 florida, syn. rosea. 2 to 3 ft. 50 4 00 25 00	*6 to 8 ft.		- 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	6 to 8 ft	1 50		
florida nana, var. aurea variegata— $2 \text{ to } 2\frac{1}{2} \text{ ft.}$ 75 6 00 florida, syn. rosea. $2 \text{ to } 3 \text{ ft.}$ $50 \text{ do } 00$ 25 00	candida. White. 2 to 3 ft	35	3 00	
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$		75	5 00	40 00
florida, syn. rosea. 2 to 3 ft 50 4 00 25 00		75	6.00	
4 to 6 ft				25.00
	4 to 6 ft			

^{*} LARGE SIZES FOR IMMEDIATE EFFECT

	Each	10	100
DIERVILLA Grænewegeni. Red and White— 3 to 4 ft	\$0 50 75 1 00	\$4 00 5 00 6 50	\$30 00 35 00 40 00
japonica, var. Eva Rathke. Dark Carmine. 3 to 4 ft.	25 50 75	2 00 3 50 5 00	17 50 20 00 30 00
japonica, var. Nivea. White 3 to 4 ft.	50 75	4 00 5 00	
japonica, var. rubra. 2 to 3 ft 4 to 5 ft	$\frac{50}{75}$	$\frac{4}{5} \frac{00}{00}$	25 00
Lavallei. Crimson. 3 to 4 ft	35 50 75	$\begin{array}{ccc} 3 & 00 \\ 4 & 00 \\ 5 & 00 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \\ 35 & 00 \end{array}$
Mad. Coutourier. White to Pink— 3 to 4 ft. 4 to 5 ft. ★ 5 to 6 ft.	35 50 75	3 00 4 00 5 00	20 00 30 00 35 00
Steltzneri. Dark Red. 3 to 4 ft 4 to 5 ft. ★ 5 to 6 ft.	35 50 75	$\begin{array}{ccc} 3 & 00 \\ 4 & 00 \\ 5 & 00 \end{array}$	20 00 30 00 35 00
Van Houttei. Carmine. 3 to 4 ft	35 50 75	$\begin{array}{c} 2 & 50 \\ 4 & 50 \\ 6 & 00 \end{array}$	30 00 35 00
Verschaffelti. Pink. 2 to 3 ft 3 to 4 ft. 5 to 6 ft.	35 50 75	$\begin{array}{ccc} 3 & 00 \\ 4 & 00 \\ 5 & 00 \end{array}$	20 00 30 00 35 00
sessilifolia. 2 to 3 ft	$\frac{25}{50}$	$\begin{array}{cc} 2 & 00 \\ 3 & 50 \end{array}$	$\begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array}$
trifida. 2 to 3 ft	35 50	$\begin{array}{ccc} 2 & 00 \\ 3 & 00 \end{array}$	$\begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array}$
ELÆAGNUS angustifolia. Oleaster. 4 to 5 ft	$\frac{50}{75}$	4 00 6 00	
longipes; syn., edulis. Japanese Oleas- ter. 2 to 2½ ft	50	3 00 4 50 6 00	20 00 30 00 50 00
parviflora. 4 to 5 ft	50 75	$\begin{array}{c} 4 & 50 \\ 6 & 00 \end{array}$	$\begin{array}{ccc} 30 & 00 \\ 50 & 00 \end{array}$
ELSCHOLTZIA Stauntoni (Mint Shrub). 2 to 3 ft. EUONYMUS alatus. Cork-barked—	35	3 00	20 00
3 to 3½ ft	1 00 1 50 2 00	6 00 8 50 12 50 18 50	50 00 65 00 85 00
page 28)\$7.50 to europæus. Spindle Tree. 3 to 4 ft		3 00	20 00

		*
ExoCHORDA grandiflora. Pearl Bush. 2 to 3 ft.\$0 50 3 to 4 ft	\$3 50 6 00	100
FORSYTHIA (Golden Bell) Fortunei. 3 to 4 ft. 50 4 to 5 ft.; very heavy	3 00 4 00 6 00	\$17 50 20 00 30 00
Fortunei, var. aurea variegata. 3 to 4 ft. 50 4 to 5 ft	4 00 6 00	25 00 35 00
intermedia. 2 to 3 ft	$\begin{array}{ccc} 2 & 00 \\ 3 & 00 \end{array}$	$\begin{array}{ccc} 15 & 00 \\ 17 & 50 \end{array}$
4 to 5 ft. 50 5 to 6 ft. 75 6 to 8 ft. 1 00	4 50 6 00 8 50	20 00 35 00 60 00
suspensa. 2 to 3 ft. 25 3 to 4 ft. 50 4 to 5 ft. 75	$\begin{array}{ccc} 2 & 00 \\ 4 & 00 \\ 5 & 00 \end{array}$	$15 00 \\ 17 50 \\ 25 00$
viridissima. 3 to 4 ft	4 00 6 00 8 50	20 00 35 00 50 00
*6 to 8 ft.; very heavy; extra 1 50 HAMAMELIS japonica. Japanese Witch Hazel—	10 00	60,00
3 to 4 ft	$\begin{array}{c} 8 & 50 \\ 13 & 50 \\ 23 & 50 \end{array}$	
virginiana. Witch Hazel. 2 to 3 ft 35 3 to 4 ft.; heavy 75	3 00 6 00	$\begin{array}{ccc} 25 & 00 \\ 50 & 00 \end{array}$
HIBISCUS Syriacus. Althæa; Rose of Sharon—alba plena. 5 to 6 ft	8 50	75 00
Ardens. Violet rose— 5 to 6 ft. Standard 1 00 6 to 8 ft. Bush 75	8 50 6 50	
atropurpurea plena. 5 to 7 ft 75	6 50	
Jeanne d'Arc. Double White. 2 to 3 ft. 50 3 to 4 ft. 75 4 to 5 ft. 1 00 \$5 to 6 ft. (Standards) 1 00	4 00 5 00 6 00 8 50	20 00 25 00
Lady Stanley. Blush White (Double)— *5 to 7 ft. 1 00 *5 to 6 ft. (Standards) 1 50	8 50 13 50	
purpureus folis argenta marginata— 3 to 4 ft. 50 5 to 6 ft. 1 00 ★5 to 6 ft. 1 50	4 00 8 50 13 50	
totus albus. White (Single). 2 to 3 ft. 50 3 to 4 ft. (Standards) 1 50	3 00 13 50	20 00
violacea (semi-plena). 6 to 8 ft 1 00 violet clair (Double). 6 to 8 ft 1 00 5 to 6 ft. (Standards) 1 50	8 50 8 50 13 50	
HYDRANGEA arborescens. 2 to 3 ft	2 00 3 00 3 50	$\begin{array}{ccc} 15 & 00 \\ 20 & 00 \\ 25 & 00 \end{array}$
*4 to 5 ft	3 50 3 00	25 00 20 00

^{*} LARGE SIZES FOR IMMEDIATE EFFECT

77		4.0	400
HYDRANGEA paniculata. 3 to 4 ft\$0	ach 1 25	10 \$3 00	\$20 00
4 to 5 ft.	50	4 00	35 00
5 to 7 ft		8 50	
paniculata grandiflora. 2 to 3 ft	35	3 00	20 00
3 to 4 ft	50	4 00 9 00	25 00
quercifolia (Oak Leaf). 1½ ft. to 2 ft 1	. 00	9 00	
HYPERICUM aureum. 2 to 3 ft	50	4 00	40.00
calycinum. Clumps. 8 to 10 in	25	2 00	10 00
Moserianum hybridum. Gold-Flower— 10 to 15 in.	25	2 50	15 00
prolificum. 2 to 3 ft	35		10 00
*3 to 4 ft	50	$\begin{array}{ccc} 2 & 50 \\ 3 & 00 \end{array}$	$\vec{15}$ $\vec{00}$
ILEX Sieboldi; syn., serrata. Red-fruited— 2 to 3 ft	50	33 50	
3 to 4 ft	00°	48 50	
*4 to 5 ft. Heavy	50	70 00	
Sieboldi. White-fruited. 2 to 3 ft+	3 50		
*3 to 4 ft	50		
Among our plants with brilli Fruits, the Ilex Sieboldi, Red and W	ant	Fall and	Winter
prominently. The Red-fruited type h	nne เลริล	berry as	brilliant
as Ilex verticillata and carried in mu	ich g	greater ma	ass. The
White-fruited sort, while not quite so			
white berry quite distinct from other	ruit	ing shrub	S.
verticillata. Winter Berry— 2 to 3 ft. Bushy\$6	50	\$3 50	
3 to 4 ft. Bushy	75	5 00	
ITEA virginica. 1 to 2 ft	35	3 00	\$25 00
3 to 4 ft	75	6 00	$50\ 00$
JASMINUM nudiflorum. Yellow Jasmine. 1 year	35	2 50	
KERRIA Japonica (Corchorus). 2 to 3 ft	35	2 00	
japonica fl. pl. 2 to 3 ft	35	2 00	
Japonica variegata. $1\frac{1}{2}$ to 2 ft	35	2 00	
LESPEDEZA bicolor. 3 to 4 ft	35	2 50	
LIGUSTRUM amurense. Amoor Privet-			
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{25}{75}$	$\begin{array}{ccc} 2 & 00 \\ 5 & 00 \end{array}$	$\frac{10}{40} \frac{00}{00}$
	19	5 00	40 00
Ibota. The true upright form— 2 to 3 ft	25	2.00	12 50
$3\frac{1}{2}$ to 4 ft	$\overline{35}$	$\begin{array}{ccc} 2 & 00 \\ 3 & 00 \\ 3 & 50 \end{array}$	20 00
4 to 5 ft	50	3 50	25 00
5 to 6 ft.; heavy	$\frac{60}{75}$	$\frac{4}{6} \frac{00}{00}$	35 00 50 00
*8 to 10 ft		8 50	75 00
Ibota, var. Regelianum. Regel's-			65.
11 to 2 ft. Broad	35	3 00	20 00
2 to 2½ ft. Broad	50 75	3 50 5 00	25 00 30 00
	1 00	7 50	40 00

LIGUSTRUM ovalifolium. California Privet- Each	10	100
2 to 2½ ft. Bushyper 1000, \$40\$0 25	\$1 00	\$5 00
2½ to 3 ft. Bushy. per 1000, \$45 35 3 to 3½ ft. Bushy. per 1000, \$50 50	$\begin{array}{ccc} 1 & 50 \\ 2 & 50 \end{array}$	$\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$
$3\frac{1}{2}$ to 4 ft. Bushyper 1000, \$60 60	3 00	8 00
*4 to 5 ft. Bushyper 1000, \$75 75 *5 to 6 ft. Bushy		$\begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array}$
★ 5 to 6 ft. Bushy	0 50	20 00
· screen work. Prices on ap-		
plication. ovalifolium, var. aureum. Golden		
Privet. 5 to 6 ft 1 00	7 50	
sinense. Chinese Privet. 2 to 3 ft 25		12 50
5 to 6 ft 50		00.00
vulgaris. Common Privet. 2 to 3 ft 35 3 to 4 ft50		$\frac{20 - 00}{30 - 00}$
4 to 5 ft.; heavy 75	6 00	40 00
LONICERA fragrantissima. Chinese Fragrant		OF 00
Bush Honeysuckle. 2 to 3 ft. 35 3 to 4 ft.; heavy 50		$\begin{array}{cccccccccccccccccccccccccccccccccccc$
3 to 4 ft.; heavy		50 00
Heckrottii. 4 to 5 ft	7 50	
Morrowii. Japanese Bush Honeysuckle—		
2 to 3 ft.; heavy 35 to 4 ft		$\begin{array}{ccc} 15 & 00 \\ 25 & 00 \end{array}$
4 to 5 ft 75		$\frac{25}{35} \frac{00}{00}$
5 to 6 ft 1 00	7 50	40 00
Ruprechtiana. 2 to 3 ft		15 00
3 to 4 ft		$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
*5 to 6 ft 1 00	2	30 00
Standishii. Standish's Honeysuckle—	4 00	0- 00
2 to 3 ft		35 00 50 00
tatarica (rubra). 2 to 3 ft		15 00
3 to 4 ft 50	3 50	20 00
*4 to 5 ft		25 00
tatarica, var. alba. 2 to 3 ft		$\begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array}$
* 5 to 6 ft		30 00
tatarica, var. bella albida. 3 to 4 ft 35		20 00
4 to 5 ft		25 00 30 00
* 6 to 8 ft		35 00
tatarica, var. chrysantha. 4 to 5 ft 50		20 00
5 to 6 ft		$\begin{array}{cccccccccccccccccccccccccccccccccccc$
*6 to 8 ft		20 00
4 to 5 ft 50		$\frac{25}{25} \frac{00}{00}$
5 to 6 ft		30 00
*6 to 8 ft		35 00 15 00
3 to 4 ft 50	3 50	20 00
4 to 5 ft		25 00
*5 to 6 ft		30 00
Xylosteum (Fly Honeysuckle). 4 to 5 ft. 50	4 00	

Each	10	100
LYCIUM chinense. Matrimony Vine. 2 to 3 ft. \$0 35	\$2 50	\$10 00
MYRICA carolinensis. Bay-berry-		
12 to 15 in	4 00	30 00
15 to 18 in. Bushy	5 00 6 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Gale. 3 to 4 x 3 ft. Spec. with ball 5 00	0 00	10 00
PAVIA parviflora. See Æsculus, under Shrubs.		
PHILADELPHUS coronarius. Mock Orange—	4 00	0= 00
3 to 4 ft	4 00 6 00	$\frac{25}{30} \frac{00}{00}$
5 to 6 ft	7 50	40 00
coronarius, var. aureus. Golden-		
2 to 3 ft 50	4 00	
coronarius speciosissimus. 2 to 3 ft 35	3 00	15 00
3 to 4 ft	$\frac{4}{6} \frac{00}{00}$	$\frac{25}{30} \frac{00}{00}$
4 to 5 ft	10 00	50 00
grandiflorus. 3 to 4 ft 50	4 00	20 00
4 to 5 ft 75	5 00	25 00
5 to 6 ft, 1 00	7 50	30 00
*6 to 8 ft 1 50	10 00	60 00
Lemoinei. (Hybrid.) 3 to 4 ft 75	5 00	35 00
Lemoinei, var. erectus. 2 to 3 ft 35	3 00	20 00
3 to 4 ft	$\frac{4}{5} \frac{00}{00}$	25 00 30 00
Mt. Blanc. 2 to 3 ft	2 50	15 00
3 to 4 ft	4 00	20 00
❖ Z eyheri. 6 to 8 ft 1 00	6 00	50 00
PHYSOCARPUS opulifolia. 3 to 4 ft	2 50	20 00
4 to 5 ft 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25 00
5 to 6 ft	$\begin{array}{ccc} 5 & 00 \\ 6 & 50 \end{array}$	35 00 40 00
opulifolia aurea. 4 to 5 ft	3 50	25 00
6 to 7 ft	6 50	40 00
POTENTILLA fruticosa. Shrubbery Cinquefoil-		
2 to 3 ft	2 00	15 00
PRUNUS amygdalus communis. Flowering		
Almond. 2 to 3 ft 75	5 00	
amygdalus communis, var. rosea— $1\frac{1}{2}$ to 2 ft	5 00	
RHAMNUS cathartica. Buckthorn. 4 to 5 ft 50	4 50	35 00
5 to 6 ft	6 00	40 00
6 to 8 ft. Heavy 1 50	10 00	
Frangula. 4 to 5 ft	3 00	20 00
RHODOTYPUS kerrioides. White Kerria-	2.00	20, 00
2 to 3 ft	3 00 4 00	$\begin{array}{cccc} 20 & 00 \\ 25 & 00 \end{array}$
*4 to 5 ft. Very heavy 75	6 00	35 00
5 to 6 ft 1 00	8 50	

	ach	10	100
RHUS canadensis syn. (aromatica). Fragment Sumac. 2 to 3 ft \$0	35	\$3 00	\$30 00
3 to 4 ft	50	4 00	40 00
copallina. Shining Sumac. 2 to 3 ft	35	3 00	10 00
3 to 4 ft	$\frac{50}{75}$	$\begin{array}{ccc} 4 & 00 \\ 6 & 00 \end{array}$	$\begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array}$
Cotinus, var. atropurpurea. Purple		0 20	
Mist. 3 to 4 ft		$\begin{array}{c} 8 & 50 \\ 13 & 50 \end{array}$	
ROBINIA hispida. Rose Acacia. 3 to 4 ft	50	3 50	
RUBUS odoratus. 2 to 3 ft.	25	$\begin{array}{ccc} 2 & 00 \\ 2 & 50 \end{array}$	10 00
3 to 4 ft	35	2 50	12 50
SAMBUCUS Canadensis. 2 to 3 ft	35	3 00	15 00
3 to 4 ft. **4 to 5 ft. ***	$\frac{50}{75}$	4 00	20 00
Melanocarpa. 3 to 4 ft.	75	6 00	
nigra, var. aurea. Golden Elder-		0 40	
2 to 3 ft. 3 to 4 ft.	35 50	2 50 3 50	$\begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array}$
4 to 5 ft	75	4 00	30 00
*5 to 6 ft.	00	8 50	
nigra, var. laciniata. Cut-leaved Elder— 3 to 4 ft	50	3 50	
SORBARIA Lindleyana. 4 to 5 ft	50	4 50	
sorbifolia. 2 to 3 ft	35	3 00	25 00
SPIRÆA arguta. 4 to 5 ft	35 50	$\begin{array}{ccc} 2 & 50 \\ 4 & 00 \end{array}$	
5 to 6 ft. Heavy Billardii. 4 to 5 ft	50	3 50	25 00
Bumalda. 2 to 3 ft	50	3 50	
Bumalda, var. Anthony Waterer-			
15 to 18 in	35	2 50	0F 00
18 to 24 in. Heavy	$\frac{50}{75}$	$\frac{4}{5} \frac{00}{00}$	25 00 30 00
*3 ft	1 00	7 50	
callosa. Fortune's Spirea. 3 to 4 ft	50	3 00	20 00
callosa, var. alba. 2 to 3 ft	50	3 00	20 00
Lindleyana. (See Sorbaria.)			
Marguarite Hybrid. $2\frac{1}{2}$ to 3 ft	1 00	7 50	
opulifolia. (See Physocarpus.)			
prunifolia flore pleno. Bridal Wreath— 3 to 4 ft	50	3 50	
Reevesiana. 3 to 4 ft	35	3 00	20 00
4 to 5 ft	50	4 00	$\overline{25}$ $\overline{00}$
Reevesiana fl. pl. 3 to 4 ft	35 50	$\begin{array}{ccc} 3 & 00 \\ 4 & 00 \end{array}$	25 00 25 00
4 to 5 ft	35	2 50	20 00
Sorbifolia. (See Sorbaria.)	90	2 00	20 00
Solutiona, (See Soloulu.)			

^{*} LARGE SIZES FOR IMMEDIATE EFFECT


DECIDUOUS SHRUBS

SPIRÆA Thunbergii. Thunberg's Spirea— 1½ to 2½ ft.		Each	10	100
### STAPHYLEA colchica. 2 to 3 ft.	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$. 50 . 75	3 50 4 00	30 00 35 00
STEPHANANDRA flexuosa. 2 to 2½ ft. 35 2 50 20 00 35 00 STEWARTIA pentagyma. 4 to 5 ft. 2 50 STYRAX japonica. 3 to 4 ft. 775 6 00 7 50 4 00 50 00 4 to 5 ft. 1 00 7 50 13 50 5 5 to 6 ft. 1 50 13 50 5 to 6 ft. 1 50 13 50 5 5 to 6 ft. 1 50 13 50 5 5 to 6 ft. 1 50 13 50 5 5 to 6 ft. 1 50 13 50 5 5 to 6 ft. 1 50 13 50 5 5 to 6 ft. 1 50 13 50 5 5 to 6 ft. 1 50 13 50 5 5 to 6 ft. 1 50 13 50 5 5 to 6 ft. 1 50 13 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5				20 00
\$ to 4 ft 50				
STYRAX japonica. 3 to 4 ft. 75 6 00 50 00 4 to 5 ft. 1 00 7 50 13 50 50 SYMPHORICARPUS racemosus. Snowberry— 2 to 3 ft. 35 2 50 20 00 20 00 vulgaris. Coral Berry. 2 to 3 ft. 25 2 00 10 00 3 to 4 ft. 35 3 00 15 00 SYRINGA chinensis Rothomagensis. 3 to 4 ft. 50 3 00 300 15 00 SYRINGA chinensis Rothomagensis. 3 to 4 ft. 50 3 00 15 00 SYRINGA chinensis Rothomagensis. 3 to 4 ft. 50 3 00 15 00 SYRINGA chinensis Rothomagensis. 3 to 4 ft. 50 3 00 15 00 SYRINGA chinensis Rothomagensis. 3 to 4 ft. 50 3 00 15 00 SYRINGA chinensis Rothomagensis. 3 to 4 ft. 50 3 00 15 00 SYRINGA chinensis Rothomagensis. 3 to 4 ft. 50 3 00 15 00 SYRINGA chinensis Rothomagensis. 3 to 4 ft. 50 4 00 40 00 20 00 Villagaria. Sto 6 ft. 1 00 75 0 4 00 20 00 20 00 Vulgaris. Co				
SYMPHORICARPUS racemosus. Snowberry— 2 to 3 ft	STEWARTIA pentagyma. 4 to 5 ft	. 2 50		
2 to 3 ft	4 to 5 ft	. 1 00	7 50	50 00
vulgaris. Coral Berry. 2 to 3 ft. 25 2 00 10 00 3 to 4 ft. 35 3 00 15 00 SYRINGA chinensis Rothomagensis. 3 to 4 ft. 50 3 00 japonica. 2 to 3 ft. 75 5 00 5 to 6 ft. 1 50 12 50 Joskæa. 3 to 3½ ft. 50 4 00 4 to 5 ft. 50 4 00 4 to 5 ft. 1 00 vulgaris. Common Lilac. 2 to 3 ft. 35 3 00 25 00 vulgaris. Common Lilac. 2 to 3 ft. 35 3 00 25 00 4 to 5 ft. Clumps \$2.50 to 5 00 4 00 35 00 4 to 5 ft. Clumps \$2.50 to 5 00 4 00 25 00 vulgaris alba. 2 to 2½ ft. 50 4 00 25 00 vulgaris, named varieties 1 00 40 00 40 00 *4 to 8 ft. Clumps \$1 to 5 00 40 00 40 00 vulgaris, named varieties 1 00 7 50 Charles X. Single, reddish purple— 2 to 2½ ft. 50 3 50 30 00 3 to 4 ft. Clump		35	2.50	2000
3 to 4 ft. 35 3 00 15 00 SYRINGA chinensis Rothomagensis. 3 to 4 ft. 50 3 00 japonica. 2 to 3 ft. 75 5 00 5 to 6 ft. 1 50 12 50 Josikæa. 3 to 3½ ft. 50 4 00 4 to 5 ft. 75 5 00 * villosa. 2 to 3 ft. 50 4 00 4 to 5 ft. 1 00 vulgaris. Common Lilac. 2 to 3 ft. 35 3 00 25 00 vulgaris. Common Lilac. 2 to 3 ft. 35 3 00 25 00 4 to 5 ft. Clumps \$2.50 to 5 00 4 00 35 00 4 to 5 ft. Clumps \$2.50 to 5 00 50 4 00 25 00 vulgaris alba. 2 to ½ ft. 50 4 00 25 00 vulgaris, named varieties 1 00 4 00 25 00 vulgaris, named varieties 1 00 7 50 Charles X. Single, reddish purple— 2 to ½ ft. 50 3 50 30 00 3 to 4 ft. 75 6 00 50 00 4 ft. Clump 3 50 Colmariensis. Blue. 3 to 4 ft. Heavy 1 00 7 50 Colmariensis. Blue				
japonica. 2 to 3 ft			3 00	
5 to 6 ft. 1 50 12 50 Josikæa. 3 to 3½ ft. 50 4 00 4 to 5 ft. 75 5 00 * villosa. 2 to 3 ft. 50 4 00 4 to 5 ft. 1 00 villosa, var. Emodi. 5 to 6 ft. Heavy. 2 50 20 00 vulgaris. Common Lilac. 2 to 3 ft. 35 3 00 25 00 3 to 3½ ft. 50 4 00 35 00 4 to 5 ft. Clumps \$2.50 to 5 00 4 to 5 ft. 75 6 00 50 00 vulgaris alba. 2 to 2½ ft. 50 4 00 25 00 3 to 3½ ft. 75 6 00 40 00 vulgaris, named varieties 1 00 Alphonse Lavalle. Double, Clear lilac—3 to 4 ft. 100 Charles X. Single, reddish purple—2 to 2½ ft. 50 3 50 30 00 4 ft. Clump 3 50 Colmariensis. Blue. 3 to 4 ft. Heavy 1 00 7 50 Congo. Single, Wine-red. 2 ft. 75 6 00 Dame Blanche. Double, White—3 to 4 ft. 100 7 50 Dr Master's. Double, lilac— 3 to 4 ft. 100 7 50 Dr Master's. Double, lilac— 3 to 4 ft. 100 7 50				
Josikæa. 3 to 3½ ft.				
4 to 5 ft. 75 5 00 * villosa. 2 to 3 ft. 50 4 00 4 to 5 ft. 1 00 4 to 5 ft. 1 00 villosa, var. Emodi. 5 to 6 ft. Heavy. 2 50 20 00 vulgaris. Common Lilac. 2 to 3 ft. 35 3 00 25 00 3 00 35 00 4 to 5 ft. Clumps \$2.50 to 5 00 4 00 35 00 50 00 50 00 50 00 50 00 50 00 50 00 50 00 50 00 4 00 25 00 50 00 4 00 25 00 50 00 4 00 25 00 50 00 4 00 25 00 4 00 25 00 4 00 25 00 4 00 25 00 4 00 25 00 4 00 25 00 4 00 25 00 4 00 25 00 4 00 25 00 4 00 4 00 25 00 4 00 4 00 25 00 4 00 4 00 4 00 25 00 4 00 4 00 4 00 4 00 4 00 4 00 4 00 4 00 4 00 4 00 4 00 4 00 4 00 4 00 4 00 4 00				
4 to 5 ft. 1 00 villosa, var. Emodi. 5 to 6 ft. Heavy. 2 50 20 00 vulgaris. Common Lilac. 2 to 3 ft. 35 3 00 25 00 4 00 35 00 4 to 5 ft. 3 to 3½ ft. 50 4 00 35 00 4 to 5 ft. 4 to 5 ft. Clumps \$2.50 to 5 00 75 6 00 50 00 vulgaris alba. 2 to 2½ ft. 50 4 00 25 00 40 00 3 to 3½ ft. 75 6 00 40 00 *4 to 8 ft. Clumps \$1 to 5 00 vulgaris, named varieties 1 00 Alphonse Lavalle. Double, Clear lilac—3 to 4 ft. 1 00 7 50 Charles X. Single, reddish purple—2 to 2½ ft. 50 3 50 30 00 50 00 4 ft. Clump 3 50 Colmariensis. Blue. 3 to 4 ft. Heavy 1 00 7 50 Congo. Single, Wine-red. 2 ft. 75 6 00 Dame Blanche. Double, White—3 to 4 ft. 75 6 00 Dr Master's. Double, lilac—	4 to 5 ft	. 75		
vulgaris. Common Lilae. 2 to 3 ft. 35 3 00 25 00 3 to 3½ ft. 50 4 00 35 00 4 to 5 ft. Clumps \$2.50 to 5 00 6 00 50 00 4 to 5 ft. Clumps \$2.50 to 5 00 6 00 50 00 vulgaris alba. 2 to 2½ ft. 75 6 00 40 00 3 to 3½ ft. 75 6 00 40 00 vulgaris, named varieties 1 00 40 00 Alphonse Lavalle. Double, Clear lilac— 3 to 4 ft. 1 00 7 50 Charles X. Single, reddish purple— 2 to 2½ ft. 50 3 50 30 00 3 to 4 ft. 75 6 00 50 00 4 ft. Clump 3 50 Colmariensis. Blue. 3 to 4 ft. Heavy 1 00 7 50 Congo. Single, Wine-red. 2 ft. 75 6 00 Dame Blanche. Double, White— 3 to 4 ft. 1 00 7 50 Dr Master's. Double, lilac— 1 00 7 50			4 00	
3 to 3½ ft	villosa, var. Emodi. 5 to 6 ft. Heavy.	2 50	20 00	
4 to 5 ft. Clumps\$2.50 to 5 00 4 to 5 ft	vulgaris. Common Lilac. 2 to 3 ft	. 35		
4 to 5 ft	3 to $3\frac{1}{2}$ ft	50	4 00	35 00
3 to 3½ ft	4 to 5 ft	. 75	6 00	50 00
Alphonse Lavalle. Double, Clear lilac— 3 to 4 ft 1 00 7 50 Charles X. Single, reddish purple— 2 to 2½ ft	3 to $3\frac{1}{2}$ ft	. 75		
3 to 4 ft	vulgaris, named varieties	. 1 00		
2 to 2½ ft	3 to 4 ft		7 50	
Congo. Single, Wine-red. 2 ft. 75 6 00 Dame Blanche. Double, White- 3 to 4 ft. 1 00 7 50 Dr Master's. Double, lilac-	$\begin{array}{cccccccccccccccccccccccccccccccccccc$. 75		
Dame Blanche. Double, White— 3 to 4 ft	Colmariensis. Blue. 3 to 4 ft. Heav	y 1 00	7 50	
3 to 4 ft	Congo. Single, Wine-red. 2 ft	. 75	6 00	
		. 1 00	7 50	
		. 75	6 00	

SYRINGA Frau Bertha Dammann. Single. White— 2 to 3 ft. 1 00 8 50	Each	10	100
Jeanne d'Arc. Double White. 3 to 4 ft. 1 00	2 to 3 ft		
La Tour d'Auvergne. Double, violetpurple. 3 to 4 ft 1 00 8 50 Leon Simon. Double, Bluish crimson—3 to 4 ft 1 00 8 50 Mad. Abel Chatenay. Double, White—2 to 3 ft 1 00 8 50 Mad. Casimir Perier. Double, Cream—2 to 3 ft 1 00 8 50 Mad. Casimir Perier. Double, Cream—2 to 3 ft 1 00 8 50 Mad. Lemoine. Double, White—2 to 2½ ft 1 00 8 50 Mad. Lemoine. Double, White—2 to 2½ ft 1 00 8 50 Marie Le Graye. Single, White—2 to 2½ ft		8 50	
Durple 3 to 4 ft. 1 00 8 50	Langius. Single, Rosy-lilac. 2 to $2\frac{1}{2}$ ft. 1 00	7 50	
Mad. Ahel Chatenay. Double, White— 2 to 3 ft. 50 4 50 3 to 4 ft. 1 00 8 50 Mad. Casimir Perier. Double, Cream— 2 to 3 ft. 50 4 50 3 to 4 ft. 1 00 8 50 Mad. Lemoine. Double, White— 2 to 2½ ft. 50 4 50 3 to 3½ ft. 1 00 8 50 Mad. Lemoine. Double, White— 2 to 2½ ft. 50 4 50 3 to 3½ ft. 1 00 8 50 Marie Le Graye. Single, White— 2 to 2½ ft. 50 4 50 2½ to 3 ft. 75 6 00 3½ to 4 ft. 1 00 8 50 Mathieu de Domhasle. Dbl. Mauve— 5 to 6 ft. 3 50 Michael Buchner. Double, pale lilac— 2 to 3 ft. 1 50 12 50 4 to 5 ft. 3 50 President Grevy. Double, Blue— 3 to 4 ft. 1 50 13 50 President Warley. Single, reddish carmine. 4 ft. 1 50 13 50 Ruhra de Marley. Single, reddish purple. 2 to 3 ft. 50 4 00 7 50 3 to 4 ft. 1 00 7 50 3 to 4 ft. 1 50 3 50 Senator Volland. Double, Rosy-red— 2 to 3 ft. 50 4 00 7 50 3 to 4 ft. 5 ft. 50 4 00 7 50 3 to 3½ ft. 75 6 00 5 00 Senator Volland. South Single red— 2 to 2½ ft. 75 6 00 2½ to 3 ft. 75 6 00 3 to 4 ft. 1 00 7 50 3 to 4 ft. 1	La Tour d'Auvergne. Double, violet- purple. 3 to 4 ft 1 00	8 50	
2 to 3 ft	3 to 4 ft 1 00	8 50	
Mad. Casimir Perier. Double, Cream— 2 to 3 ft.	2 to 3 ft 50		
Mad. Lemoine. Double, White— 2 to $2\frac{1}{2}$ fft. 1 00 8 50 3 to $3\frac{1}{2}$ fft. 1 00 8 50 5 to 7 ft. \$1,50 to 5 00 Marie Le Graye. Single, White— 2 to $2\frac{1}{2}$ ft. 50 4 50 \$35 00 Mathieu de Dombasle. Dbl. Mauve— 5 6 00 8 50 Mathieu de Dombasle. Dbl. Mauve— 5 to 6 ft. 3 50 Michael Buchner. Double, pale lilac— 2 to 3 ft. 1 00 7 50 3 to 4 ft. 1 50 12 50 12 50 12 50 4 to 5 ft. 3 50 12 50	Mad. Casimir Perier. Double, Cream— 2 to 3 ft		
Marie Le Graye. Single, White— 2 to 2½ ft. 50 4 50 \$35 00 2½ to 3 ft. 75 6 00 3½ to 4 ft. 1 00 8 50 Mathieu de Dombasle. Dbl. Mauve— 5 to 6 ft. 3 50 Michael Buchner. Double, pale lilac— 2 to 3 ft. 1 50 12 50 4 to 5 ft. 3 50 President Grevy. Double, Blue— 3 to 4 ft. 1 50 13 50 President Loubet. Double, reddish carmine. 4 ft. 1 50 13 50 Rubra de Marley. Single, reddish purple. 2 to 3 ft. 50 4 00 3 to 4 ft. 1 00 7 50 Senator Volland. Double, Rosy-red— 2 to 3 ft. 50 4 00 3 to 4 ft. 75 6 00 4 to 5 ft. 1 50 13 50 Souvenir de Ludwig Spæth. Single red— 2 to 2½ ft. 50 4 00 2½ to 3 ft. 50 4 00 3 to 4 ft. 1 00 7 50 TAMARIX gallica. 4 to 5 ft. 35 2 50 20 00 inipierina, syn. plumosa. 4 to 5 ft. 35 2 50 20 00	Mad. Lemoine. Double, White—		
2 to 2½ ff. 50 4 50 \$35 00 2½ to 3 ft. 75 6 00 3½ to 4 ft. 100 8 50 Mathieu de Dombasle. Dbl. Mauve— 5 to 6 ft. 3 50 Michael Buchner. Double, pale lilac— 2 to 3 ft. 100 7 50 3 to 4 ft. 150 12 50 4 to 5 ft. 3 50 President Grevy. Double, Blue— 3 to 4 ft. 1 50 13 50 President Loubet. Double, reddish carmine. 4 ft. 1 50 13 50 Ruhra de Marley. Single, reddish purple. 2 to 3 ft. 50 4 00 3 to 4 ft. 1 00 7 50 3 to 4 ft. 1 50 13 50 Senator Volland. Double, Rosy-red— 2 to 3 ft. 50 4 00 3 to 3½ ft. 50 4 00 3 to 3½ ft. 50 4 00 3 to 5 ft. 1 50 13 50 Souvenir de Ludwig Spæth. Single red— 2 to 2½ ft. 50 4 00 3 to 4 ft. 1 50 75 6 00 4 to 5 ft. 1 50 75 6 00 TAMARIX gallica. 4 to 5 ft. 35 2 50 20 00 hispida æstivalis. 3 to 4 ft. 35 2 50 20 00 juniperina, syn. plumosa. 4 to 5 ft. 35 2 50 20 00		0 90	
5 to 6 ft. 3 50 Michael Buchner. Double, pale lilac— 2 to 3 ft. 1 00 7 50 3 to 4 ft. 1 50 12 50 4 to 5 ft. 3 50 President Grevy. Double, Blue— 3 to 4 ft. 1 50 13 50 President Loubet. Double, reddish carmine. 4 ft. 1 50 13 50 Rubra de Marley. Single, reddish purple. 2 to 3 ft. 50 4 00 3 to 4 ft. Clumps \$3.50 to 5 00 Senator Volland. Double, Rosy-red— 2 to 3 ft. 50 4 00 3 to 3½ ft. 75 6 00 4 to 5 ft. 1 50 13 50 Souvenir de Ludwig Spæth. Single red— 2 to 2½ ft. 50 4 00 3½ to 3 ft. 75 6 00 3 to 4 ft. 1 00 7 50 TAMARIX gallica. 4 to 5 ft. 35 2 50 20 00 hispida æstivalis. 3 to 4 ft. 35 2 50 20 00 juniperina, syn. plumosa. 4 to 5 ft. 35 2 50 20 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	6 00	\$35 00
2 to 3 ft. 1 50 7 50 3 to 4 ft. 1 50 12 50 4 to 5 ft. 3 50 President Grevy. Double, Blue— 3 to 4 ft. 1 50 13 50 President Loubet. Double, reddish carmine. 4 ft. 1 50 13 50 Rubra de Marley. Single, reddish purple. 2 to 3 ft. 50 4 00 3 to 4 ft. 1 00 7 50 3 to 4 ft. 1 00 7 50 Senator Volland. Double, Rosy-red— 2 to 3 ft. 50 4 00 3 to 3½ ft. 75 6 00 4 to 5 ft. 1 50 13 50 Souvenir de Ludwig Spæth. Single red— 2 to 2½ ft. 50 4 00 3 to 4 ft. 1 00 7 50 TAMARIX gallica. 4 to 5 ft. 35 2 50 20 00 juniperina, syn. plumosa. 4 to 5 ft. 35 2 50 20 00			
3 to 4 ft	2 to 3 ft	7 50 12 50	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		13 50	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		13 50	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	ple. 2 to 3 ft 50 3 to 4 ft 1 00		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Senator Volland. Double, Rosy-red-		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			
2½ to 3 ft. 75 6 00 3 to 4 ft. 1 00 7 50 TAMARIX gallica. 4 to 5 ft. 35 2 50 20 00 hispida æstivalis. 3 to 4 ft. 35 2 50 20 00 juniperina, syn. plumosa. 4 to 5 ft. 35 2 50 20 00			
3 to 4 ft. 1 00 7 50 TAMARIX gallica. 4 to 5 ft. 35 2 50 20 00 hispida æstivalis. 3 to 4 ft. 35 2 50 20 00 juniperina, syn. plumosa. 4 to 5 ft. 35 2 50 20 00			
hispida æstivalis. 3 to 4 ft			
hispida æstivalis. 3 to 4 ft	TAMARIX gallica. 4 to 5 ft	2 50	20, 00
juniperina, syn. plumosa. 4 to 5 ft 35 2 50 20 00			
parviflora. 5 to 6 ft 50 4 00 20 00			
	parviflora. 5 to 6 ft 50	4 00	20 00

^{*} LARGE SIZES FOR IMMEDIATE EFFECT

	Eac	h 10	100
VACCINIUM	corymbosum. Swamp Huckle-	- 07 (00 000
	berry. 1 to $1\frac{1}{2}$ ft. Clumps\$0 7 $1\frac{1}{2}$ to 2 ft. Clumps	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
		0 12	
penn		$\frac{1}{4}$	
•			
VIBURNUM		50 4	00 35 00
		75 6 7 6	
Cont	4 to 5 ft		50
Carr	Standards	60	
0266	anoides. Withe-rod. 3 to $3\frac{1}{2}$ ft.	,0	*
0433	Very heavy	5 6	
*	$3\frac{1}{2}$ to 4 ft. Very heavy 1 (00 7	
*	4 to 5 ft. Very heavy 1	50 9	00 75 00
dent	atum. Arrow-wood		2
	2 to 3 ft. Clumps	$\frac{35}{2}$	
	o to = it. Cremps	$\begin{array}{ccc} 50 & 4 \\ 75 & 6 \end{array}$	
*	4 to 5 ft		00 40 00
		, 0	
unat	atum. Japan Bush Cranberry— 2 to 3 ft. 1	00 8	50
	6 to 7 ft. Specimens 5	00	
Lant	tana. Wayfaring Tree-		
	$2\frac{1}{2}$ to 3 ft	3 (00 30 00
	$3\frac{1}{2}$ to 4 ft	50 4	
	4 to 5 ft	6	
	5 to 6 ft 1 (
Lent			$\begin{array}{cccc} 00 & 30 & 00 \\ 00 & 50 & 00 \end{array}$
**			00 50 00 50 60 00
			50 85 00
		50 4	00 35 00
117011			00 40 00
*			00 50 00
*		$\frac{13}{13}$	
*		50 20	00
		90	
Opu	lus. High Cranberry Bush—	FO O	E0 0E 00
			50 25 00 00 35 00
			00 50 00
*	6 to 7 ft. Specimens 1	00 8	50 75 00
*	7 to 9 ft. Specimens	00	
Opu	lus, var. Sterile. Guelder Rose-		
	5 to 6 ft 1 (50
**		50 13 50	50
An	1.5	90	
come	entosum. Single. Japan Snowball— 2 to 3 ft	35 3	00 25 00
			00 25 00
			00
tom	entosum, var. plicatum. Japanese		
	Snowball. $2\frac{1}{2}$ to 3 ft		00 35 00
VI.	3 to 4 ft		$\frac{00}{50}$ 45 00
(4 to 5 ft 1	00 7	50
170		_	



		-licatum
Vibu	ırnum	plicatum

Athat trans because		
Each	10	100
VIBURNUM prunifolium. Black Haw. 2 to 2½ ft\$0 75	\$6 00	
3 to 4 ft 1 00	8 50	
4 to 5 ft 1 50	13 50	
rhytidophyllum. 3 to 4 ft 1 50	10 00	
Sieboldii. 2 to 3 ft. $\dots $	$\begin{array}{ccc} 4 & 50 \\ 6 & 50 \end{array}$	
	8 50	\$75 00
5 to 6 ft. Heavy		
Wrightii. 3 to 4 ft	10 00	
VITEY Agnus-castus. Chaste Tree. 3 to 4 ft 20	3 50	$\frac{20}{100} \frac{00}{000}$
coerulea. 1 to 2 ft	2 50	15 00
WEIGELIA (See Diervilla).	5 00	
XANTHOCERAS sorbifolia. $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 75$	13 50	
4 10 0 11	10 00	
ZANTHORRHIZA apiifolia. Shrub Yellow Root—6 to 8 inper 1000, \$35 25	2 00	5 00
№ 10 to 12 inper 1000, \$\frac{1}{2}\$	$\frac{2}{9} \frac{00}{50}$	8 00
* 12 to 18 inper 1000, \$50 50	2 50	10 00

DISTINCTIVE TREES AND PLANTS

An attractive booklet beautifully illustrated and descriptive of a number of charming Evergreens, Trees and Shrubs that are worthy of your better acquaintance.

REEDS and GRASSES

ARUNDO DONAX. Clumps	Each . \$0.50	10 \$3 50
BAMBUSA Metake\$15 per 100.		3 50
ELYMUS glaucus		1 50
ERIANTHUS Ravennæ		3 50
EULALIA Japonica, and vars. variegata, gracillima univi		
tata, zebrina. Clumps		3 50
PHALARIS arundinacea, var. variegata. Ribbon Grass	. 25	1 50
VINES, CLIMBING and TRAILING		
ACTINIDIA polygama. 5-in. pots	Each \$0.50	10 \$3 50
AKEBIA quinata. From 5-in. pots		3 50
AMPELOPSIS quinquefolia. Virginia Creeper. 5-in pots.		3 50
3-year, field-grown; heavy		2 00
3-year, field-grown; heavy	. 35 . 25	$\begin{array}{ccc} 3 & 00 \\ 2 & 00 \end{array}$
tricuspidata; syn., Veitchi. Japan or Boston Ivy 5-in. pots; heavyper 100, \$20.	7;	2 00
5-in. pots; heavyper 100, \$20. 2-year, field-grown; heavyper 100, \$15.	35 25	$\begin{array}{ccc} 3 & 00 \\ 2 & 00 \end{array}$
ARISTOLOCHIA sipho. Dutchman's Pipe Vine. 5-in. por	ts 75	6 00
BIGNONIA capreolata. 2 to 3 ft.; field-grown		2 50
grandiflora. 2 to 3 ft.; field-grownradicans. Scarlet Trumpet Vine. 2 to 3 ft		2 50 2 50
CELASTRUS scandens. False Bitter-sweet-		
2 to 3 ft	. 50	$\begin{array}{ccc} 3 & 50 \\ 5 & 00 \end{array}$
CLEMATIS coccinea. 4-in. pots		3 00
Flammula. Sweet Clematis. 6-in. pots	. 1 00	7 00
Large-flowering varieties—Fairy Queen, Ger Henryi, Jackmani, Jackmani var. alb	a, a,	
Jeanne d'Arc, Duchess of Edinburgh, Ke mesina, Lady Neville, Lilacina floribund	r-	
Madame Van Houtte, Miss Bateman, Pres	1-	2 00
dentpaniculata. 2-year; heavyper 100, \$15.	. $\sqrt{30}$	6 00 2 50
5-in. pots; fineper 100, \$30.	. 50	3 50
virginiana. Wild Clematis. 4-in. pots		3 50
EUONYMUS radicans. 2 yrs.; field-grownper 100, \$10.	. 25	$\begin{array}{ccc} 1 & 50 \\ 2 & 00 \end{array}$
3-year; field-grownper 100, \$15. radicans, var. variegata. 1 ft.; field-grown	. 25	$\frac{2}{2} \frac{00}{00}$
radicans, var. carrierei (large leaf)— 2-year; field-grownper 100, \$25.	. 35	3 00
Extra heavy stock	. 75	6 00
radicans, var. vegata (Scarlet Fruit)—	. 25	2.00
1-year; field-grown	· <u>35</u>	2 00 3 00
3 and 4-year; extra heavy	. 75	5 00

Mach	10
HEDERA helix. English Ivy. 4-in. potsper 100, \$15\$0 25	10 \$2 00
Extra heavy; 4-in. potsper 100, \$15\$0 25	3 00
LONICERA japonica. Honeysuckle—	
4-in. pots	$\begin{array}{ccc} 2 & 50 \\ 2 & 50 \end{array}$
2-year; field-grownper 100, \$10 35	
japonica, var. aurea reticulata. 4-in. pots 35	3 00
japonica, var. chinensis. Purplish green foliage 4-in pots	3.00
2-year; field-grownper 100, \$10 35	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
japonica, var. Halleana, 4-in. potsper 100, \$20 35	3 00
2-year old; field-grownper 100, \$10 25	2 00
Brownii, var. fuchsioides. Scarlet Trumpet— 3 to 4 ft.; field-grown	6 00
PERIPLOCA graeca. Silk Vine. 5-in. pots. per 100, \$25 50	3 50
PUERARIA hirsuta. Kudzu Vine. 5-in. pots—	4 00
SCHIZOPHRAGMA hydrangeoides. Climbing Hydrangea	
4 years old 1 50	13 50
VITIS æstivalis. Summer Grape. In pots	3 50 6 00
Labrusca. Fox Grape. In pots	3 50
Labrusca. Fox Grape. In pots. 50 volpina. Frost Grape. In pots. 50	3 50
WISTARIA chinensis. Chinese Wistaria-	
2 to 3 ft.; in large pots	$\begin{array}{c} 12 \ 50 \\ 22 \ 50 \end{array}$
Heavy; field-grown	22 50
chinensis, var. alba. Field grown	8 50
frutescens. 4 to 5 ft. Field-grown+ 1 00	7 50
magnifica. 5 to 6 ft.; field-grown\$1.50 to 2 50	
multijuga. Field-grown 1 00	7 50
multijuga, var. alba 1 50	
FRUIT DEPARTMENT	
Each	10
APPLES, Summer-Early Harvest, Golden Sweet, Red	
Astrachan, Summer Rambo, Sweet Bough.	
Benoin, Yellow Transparent. Autumn—Fall Pippin, Gravenstein, Maiden's Blush,	
Smokehouse Wealthy	
Winter—Baldwin, Belle-fleur, Fallawater, King of Tompkins County, Northern Spy. Rhode Island Greening, Styman's Winesap, York Imperial. 5 to 7 ft; \$\frac{3}{2}\$ to 1 in. cal\$1 50	
Tompkins County, Northern Spy, Rhode	
Island Greening, Styman's Winesap, York Imperial. 5 to 7 ft.; \(\frac{3}{4}\) to 1 in. cal\\$1 50	\$12 50
Crab—Hyslop, Large Red Siberian, Large Yellow	\$12 OU
Siberian. 5 to 7 ft	12 50
CHERRIES, Sour (Dukes and Morellos)—Early Richmond,	
Empress Eugenie, May Duke, Late Duke,	
Montmorency. 5 to 6 ft 1 50	12 50
large Sweet (Hearts and Rigarreaus)_Rlack	
Tartarian, Governor Wood, Napoleon Bi- garreau. Schmidt's Bigarreau, Windsor.	
5 to 6 ft	12 50
* LARGE SIZES FOR IMMEDIATE EFFECT	
* FULLAT OFFA LALL IMMEDIALE TILLED	

Each	
	10
NUTS. American Sweet Chestnut. 4 to 5 ft\$1 00	\$8 50
Spanish Chestnut. 8 to 10 ft 3 50	40 00
Hybrid Chestnut. Paragon, Numbo. 4 to 5 ft 1 50	12 50
Japan Chestnut. 7 to 8 ft	13 50
Walnut, Black. 4 to 5 ft	5 00
Training black. I to o It	0 00
PEACHES—Belle of Georgia, Fitzgerald, Fox's Seedling. Crawford's Late, Elberta, Mountain Rose,	
Crawford's Late, Elberta, Mountain Rose,	
Morris White, Oldmixon Free, Stump the	
World, Susquehanna, Troth's Early. Wheat-	
PEARS, Summer—Bartlett, Clapp's Favorite, Doyenne	4 50
PEARS, Summer-Bartlett, Clapp's Favorite, Doyenne	
d'Ete.	
Autumn and Winter-Beurre d'Anjou, Buffum,	
Duchesse d'Angouleme. Howell, Kieffer's Hy-	
brid, Lawrence, Rutter, Seckel, Sheldon, Wor-	
den-Seckel. 5 to 6 ft 1 50	12 - 50
A few varieties, 6 to 8 ft	22 - 50
PLUMS, Japanese-Abundance, Burbank, Chabot, Satsuma.	
European-Giant Prune, Imperial Gage, Lombard.	
5 to 6 ft	7 50
QUINCES—Champion, Orange. 3 to 4 ft	6 00
Champion, Orange. O to I to 1111111111111111111111111111111	0 00
SMALL FRUITS	
Each	10
BLACKBERRIES—Eldorado, Erie. Kittatinny, Rathbun, Snyder, Wilson Juniorper 100, \$5	
Snyder, Wilson Juniorper 100, \$5	\$0.50
CURRANTS, Red—Cherry, Fay's Prolific: White—White Grape; Black—Lee's Prolific	
Grape: Black—Lee's Prolific	2 00
COOSERERRIES Red Houghton Industry Green Down-	
ing (Smith's Improved	2.00
opened by the state of the stat	2 00
Brighton (atawha Delaware White—Green	2 00
Disgreen, Catalina, Delanate, in the	2 00
Mountain, Niagara, Pocklington. 2-year 25	
Mountain, Niagara, Pocklington. 2-year 25 A few varieties, extra heavy	3 00
Mountain, Niagara, Pocklington. 2-year 25 A few varieties, extra heavy	
Mountain, Niagara, Pocklington. 2-year 25 A few varieties, extra heavy	3 00 50
Mountain, Niagara, Pocklington. 2-year	
Mountain, Niagara, Pocklington. 2-year 25 A few varieties, extra heavy	
Grape; Black—Lee's Profific	2 00 2 00 2 00 3 00

ESCULENT ROOTS

A CALENDAR OF HARDY PERENNIALS

In planning a garden or hardy border, it is most essential to know exactly the period of bloom of each plant, the color and height. Our "Calendar" will give you this information together with special lists of Iris, Phlox, Peonies and Chrysanthemums.

ROSES

	Each	10
AUSTRIAN BRIERS-Harrison's Yellow and Persian Yellow	.\$0 40	\$3 50
SWEET BRIER—Rosa rubignosa		3 50
HYBRIDS Penzance Briers		4 5
Amy Robsart, deep rose.	. 00	1 0
Brenda, blush.		
Annie of Gierstein, dark crimson.		
Minna, white.		
Flora McIvor, blush white.		
Lady Penzance, coppery yellow.		
Lord Penzance, ecru.		
Meg Merrilees, crimson.		
RUSH ROSES—Field-grown	. 35	3 0
BUSH ROSES—Field-grown	. 50	0 0
Canina, Dog Rose. Light Pink. Summer.		
Carolina Swamp Rose Pink June to Sent		
Carolina, Swamp Rose. Pink. June to Sept. Lucida, Dwarf. Bright Pink. June and July.		
Lucida, var. alba. White. June and July.	'	
Multiflora, Many-flowered Rose. White. Jun	A	
Nitida Shining Rosa Rad Juna and July	C.	
Nitida. Shining Rose. Red. June and July. Rubrifolia, Red-leaved Rose. Pink. June.		
Spinosissima Scotch Rosa White May and Jun	e 75	5 0
Spinosissima, Scotch Rose. White. May and Jun Setigera. Prairie Rose. 2 to 2½ ft	. 35	3 0
FVFRRI OOMING Hybrid Tea Roses	50	4 5
Antoine Revoire, rosy flesh on yellow ground.	. 00	1 0
Baby Rambler, crimson. Betty, ruddy gold.		
Bessie Brown, creamy white.		
Carolina Tostout rose		
Caroline Testout, rose. Chateau de Clos Vougeot, scarlet.		
Doon Hole gilvery cormine		
Dean Hole, silvery carmine.		
Duchess of Albany, deep pink. Duchess of Wellington, saffron yellow.		
Earle of Warwick, salmon pink.		
English Karwick, Saimon pink.		
Francisca Kruger (Tea), yellow peach. General McArthur, bright crimson.		
Coords C. World orongs remillion		
George C. Waud, orange vermillion.		
Gladys Harkness, salmon pink.		
Grace Molyneux, apricot.		
Gruss an Teplitz, crimson.		
Harry Kirk, deep sulphur yellow.		
J. J. L. Mock, imperial pink.		
Kaiserin Augusta Victoria, primrose.		
Killarney, pink and Killarney white.		
Lady Alice Stanley, coral rose to pale flesh.		
Lady Ursula, flesh pink.		
La France, rose.		
Laurent Carle, brilliant carmine.		
Madame Abel Chatenay, carmine rose. Madame Jules Bouche, white.		
Madame Jules Bouche, white.	allows ab	a din ma
Madame Leon Paine, silvery salmon, orange yo	enow sn	adings
Madame Ravary, yellow. Madame Segond Weber, rosy salmon.		
Madame Segond Weber, rosy salmon.		
Maman Cochet, pink and M' Cochet white.		
Mrs. Aaron Ward, Indian yellow. Mrs. A. R. Waddell, rosy scarlet, opening red Mrs. Harold Brocklebank, creamy white.	diah anl	DD (18
Mrs. A. R. Waddell, rosy scarlet, opening red	dish san	дон.
Mars. Clareton of Illbarton and White.		
Mary, Countess of Ilchester, crimson.	ita	
Souvenir du President Carnot, flesh shading wh	nte.	
Viscountess Folkstone, creamy pink.		

ROSES 63

Ea	ch	10	100
HYBRID Perpetual Roses\$0	50	\$4 00	\$35 00
Alfred K. Williams, carmine red.		•	
Baroness Rothschild, rose.			
Captain Hayward, carmine crimson. Eugene Verdier, rose flesh.			
Frau Karl Druschki, white.			
General Jacqueminot, scarlet.			
Madame Gabriel Luizet, silvery pink.			
Magna Charta, rose.			
Margaret Dickson, white.			
Mrs. John Laing, pink. Mrs. R. D. Sharman Crawford, rose pi	nk.		
Paul Neyron, deep rose.			
Prince Camille de Rohan, deep crimson Ulrich Brunner, cherry crimson.	n.		
	E 0	4 00	
MOSS ROSES. Blanche Moreau, white Crimson Globe, deep crimson.	50	4 00	
Zenobia, rose.			
CLIMBING ROSES. Crimson Rambler, crimson.	50	4 00	35 00
Dawson, bright pink. Dorothy Perkins, shell pink.			
Hiawatha, ruby carmine.			
Lady Gay, cerise pink. Tausendschon, soft pink.			
White Dorothy Perkins, white.			
	75	6 00	
Irish Beauty, pure white.			
Irish Brightness, vivid crimson. Irish Elegance, bronzy orange scarlet. Irish Harmony, saftron yellow.			
Irish Elegance, bronzy orange scarlet.			
Irish Modesty, coral pink.			
TRAILING ROSES—Wichuraiana. White.			
2 to 3 ft. 2-year old. In 4-in, pots	35	3 00	25 00
Wichuraiana hybrids	50	4 00	35 00
Adelaide Moulle, soft pink.			
Alberic Barbier, creamy yellow. Auguste Barbier, rosy crimson.			
Debutante, rosy pink.			
Eliza Robichon, rose shaded yellow			
Evergreen Gem, buff.			
Gardenia, bright yellow. Manda's Triumph, double white.			
Paul Transon, rosy pink.			
Pink Roamer, rich pink.			
Pink Roamer, rich pink. South Orange Perfection, blush pink.			
Universal Favorite, soft rose. RUGOSA ROSES—Rosa rugosa. 2 to 2½ ft	0-	9 00	00 00
2½ to 3 ft	35 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20 00 35 00
3 to 3½ ft.	75	6 00	50 00
3^{2} to 3^{1} ft. rugosa, var. alba. 2 to 2^{1} ft	50	4 00	25 00
25 to 3 ft	75	6 00	50 00
rugosa hybrids	50	4 00	30 00
Belleæ Poitevine, deep rose pink. Blanc Double de Coubert, double whit	ρ.		
Conrad Ferdinand Meyer, silvery rose	2.		
Madame Charles Worth, rosy carmine. Madame Georges Bruant, double whit			
Madame Georges Bruant, double white	e.		
Mrs. Antony Waterer, deep crimson. Sir Thomas Lipton, double white.			
on Thomas Dipton, double white.			

HARDY HERBACEOUS PLANTS

Size of Plants. We aim to send out only extra-strong plants of return of bloom the first season. These cost but little more than the small plants so widely offered, and our customers find it more satisfactory to use Andorra-grown stock, which gives results. It has been well said, "The lowest prices are not always the cheapest, as cheapness does not consist in what you pay, but in what you get for what you pay."

	Each	10	100
ACHILLEA eupatorium (Fern-leaved Yarrow). All summer. 4 to 5 ft	30 15	\$1 25	
filipendulina (Noble Yarrow), July Golden Yellow. 2 ft	15	1 25	\$10 00
millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft.	15	1 25	
millefolium roseum var. Cerise Queen. June to September. Amaranth-			
red. 1½ ft ptarmica (The Pearl). All summer.	25	2 00	
White. 2 ft	15	1 25	10 00
Snow). July to September. White. 2 ft	25	2 00	
tomentesum (Wooly Yarrow). June. Yellow. 1 ft	25	2 00	
ACONITUM Bicolor. July to September. Blue and white. 2 ft	35	2 50	
Fischeri (Monkshood). September and October. Blue. 3 ft	35	2 50	15 00
Lycoctonum (Wolf's Bane). June to	35	2 50	10 00
September. Yellow. 3 ft Napellus albus. August to September.	35	2 50	
White. 2 ft	99	2 30	
and September. Rose. 3 ft	35	2 50	
ADONIS Amurensis fl. pl. April and May. Yellow. 1 ft	65	5 00	
AJUGA Genevensis. May. Bright blue. 6 in reptans rubra (Bugle). May. Purplish	25	1 50	12 50
blue. 6 in	2 5	1 50	12 50
ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft	25	1 50	12 50
rosea, var. Allegheny Fringed	25	1 50	12 50
ALYSSUM rostratum, June and July. Golden Yellow. 1 ft	35	2 50	
saxatile compactum (Golden Tuft). May and June. Yellow. 1 ft.	25	1 50	12 50
ANCHUSA Italica, var. Dropmore. (Alkanet.) New May and June, Blue. 3			
to 4 ft	25	2 00	

ANEMONE (Windflower) Japonica. September Red. 2 to 3 ft	2 50
Japonica, var. alba. Fall. White, 2 to	
	3 50
	2 50
	00
Japonica, var. Prince Henry. Fall. Rich	
deep pink. 2 to 3 ft	
Japonica, var. Queen Charlotte. Fall. Rose. 2 to 3 ft	5 00
Japonica, var. rosea superba. Fall.	
Silvery rose. 2 to 3 ft 25 2 00	
Japonica, var. Whirlwind. Fall. Pure white. 2 to 3 ft	5 00
Pennsylvanicum. June and July. White.	
	2 50
Pulsatilla (Pasque Flower.) May. Violet-purple. 9 in	2 50
	2 50
ANTHEMIS tinctoria (Chamomile. June to Sep-	
	00
AQUILEGIA baicalense. May to July. Blue and	
white. 18 in	2 50
Canadensis. (Common Columbine). May to July. Scarlet and Yellow.	
1 to 2 ft	00
Chrysantha. May to August. Golden	3 =0
Yellow. 3 ft	2 50
May to July. Blue. 18 in 25 2 00 1	2 50
flabellata, var. nana alba. April to June.	
White. 1 ft	
nivea grandiflora. April to June. White. 2 to 3 ft	2 50
vulgaris fl. pl. May to July. White to	
2 00 - 20000000000000000000000000000000	2 50
	2 50
ARABIS alpina (Rock Cress). April and May.	2 00
White. 4 in	00
alpina fl. pl. Double	
wort). May and June. White.	
6 in 25 1 50 1	2 50
ARMERIA maritima, var. alba (Thrift). Summer. White. 9 in 25 1 50 1	00
maritima, var. splendens. Summer Rose.	
9 in	2 50
ARTEMISIA abrotanúm (Old Man). Silvery white foliage. 2 ft	00
Stelleriana (Old Woman), Silvery	0.00
foliage. 2 ft	00 0

ASCLEPIAS tuberosa (Butterfly Weed). July	a sh	10	100
and August. Orange. 2 ft\$	0 25	\$1 50	\$10 00
ASTER (Michaelmas Daisy) alpinus. June and July. Purple. 9 in	25	1 50	10 00
Amellus elegans. September and October. Blue. $1\frac{1}{2}$ ft	25	1 50	10 00
amethystinus. September and October.			
Amethyst. 3 to 4 ft grandiflorus. October and November.	25	1 50	10 00
Violet-blue. 2 ft	35	2 50	20 00
White. 3 ft	$\frac{25}{25}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	10 00 10 00
Madonna. September and October.			
White. 4 ft	25	1 50	10 00
Purple. 4 ft	25	1 50	10 00
October, Bright rose, 4 ft Perry's Pink, August and Sentember	25	1 50	10 00
2 ft. ptarmicoides. August and September. White 11 ft	25	1 50	
White. 1½ ft	25	1 50	10 00
Lavender. 4 ft	25	1 50	10 00
Snowflake. September and October. Pure white; very free. 1½ ft	25	1 50	10 00
Tataricus. October and November	25	1 50	10 00
Purple. 5 ft Trinervius. October and November. Violet-purple. $2\frac{1}{2}$ ft	25	1 50	10 00
White Queen. September and October. White. 4 ft	25	1 50	10 00
ASTILBE Japonica (Spirea). June. White.		1 50	10 00
ASTRANTIA major (Masterwort). June and	25	1 50	10 00
July. Pale pink. 1 ft	25	2 50	20 00
AUBRETIA Hendersoni (False Wall Cress). April, Purplish violet. 4 in	25	1 50	12 50
BAPTISIA australis (False Indigo). June and July. Dark blue. 2 ft	05	1 50	10.00
tinctoria. June and July. Bright yel-	25	1 50	10 00
low. 2 to 3 ft BELEMCANDA Chinensis; syn., Pardanthus. June.	25	1 50	10 00
Orange-red. 4 ft	25	1 50	10 00
BELLIS perennis (English Daisy). May. White and pink. 6 to 8 in	25	1 50	10 00
BETONICA. See Stachys.	20	1 00	10 00
BOCCONIA cordata (Plume Poppy). July and August. White. 5 ft	25	1 50	12 50
BOLTONIA asterioides (False Chamomile). Aug-	وش	T. 90	12 00
ust and September. White.	25	1 50	10 00
latisquama. August and September. Light lilac. 4 ft	25	1 50	10 00
ingut mac. 4 it	2-)	1 • 3()	10 00

	ach	10	100
CALIMERIS incisa (Starwort). July to September. Light blue. 18 in\$	25	\$1 50	\$10 00
CALLIRHOË involucrata (Poppy Mallow). All summer. Rosy crimson, 1 ft.	25	1 50	10 00
· CAMPANULA Carpatica (Carpathian Harebell). June to September. Blue. 9 in.	25	1 50	10 00
Carpatica, var. alba. June to September. White. 9 in	25	1 50	10 00
Mærheimi. May to July. White. 2	35	2 50	10 00
to $2\frac{1}{2}$ ft persicifolia (Peach Bells). June and		_ ~ ~ ~	40.00
July. Blue. 18 in persicifolia alba. June and July. White. 18 in	25	1 50	10 00
pyramidalis (Chimney Bellflower). Aug-	25	1 50	10 00
ust and September. Blue2 ft.	25	1 50	10 00
trachelium (Coventry Bells). Purple. June and July. 3 ft	25	1 50	10 00
CENTAUREA montana (Perennial Cornflower). June and July. Dark purple.			
1½ ft	25	1 50	
montana, var. alba. White form of the above.	25	1 50	10 00
CERASTIUM tomentosum. June and July. White.	25	1 50	12 50
CERATOSTIGMA plumbaginoides (Plumbago).	. 20	1 00	12 00
October and November. Blue. 6 in.	25	2 00	15 00
CHELONE Lyoni (Turtlehead). August and			10 00
September. Rose-purple. 2 ft. CHRYSANTHEMUM leucanthemum hybridum	35	2 50	
(Shasta Daisies), Alaska, Cali-			
fornia, Westralia. All summer. White. 2 ft	35	2 50	15 00
maximum, var. Triumph (Moonpenny Daisy). July to October.			
White. 2 ft	25	1 50	12 50
Nipponicum. September and October. White. 2 ft	35	2 50	
Pompon Varieties. Fall. All colors.	25	1 50	10 00
Pompon Varieties, Heavy Stock	25	2 00	15 00
ulignosum. September. White. $2\frac{1}{2}$ ft	25	1 50	10 00
CHRYSOGONUM Virginianum (Golden Joint). June. Yellow. 1 ft	25	1 50	
CHRYSOPSIS villosa (Golden Aster), September. Yellow, 2 ft	25	2 00	15 00
CIMICIFUGA acerinum. August and September. White. $2\frac{1}{2}$ ft	35	2 50	
Dahurica (Bugbane). August and Sep-			1= 00
tember. White. 2 to 3 ft racemosa (Snakeroot). July. White. 3	35	2 50	15 00
to 5 ft	25	1 50	12 50

CINERARIA. See Artemisia. E CLEMATIS crispa (Leather-flower). June to	ach	10	100
September. Lavender. 3 to 4 ft	0 25	\$1 50	\$12 50
Davidiana. August and September. Blue. Fragrant. 3 ft	25	1 50	12 50
recta. June to August. White. Frag-	25	1 50	
conoclinium cœlestinum (Mist-flower). September and October. Deep blue. 18 in	25	1 50	12 50
CONVALLARIA majalis (Lily-of-the-Valley). May and June. White. 6 to 9 in	25	2 00	15 00
COREOPSIS lanceolata (Tickseed). June to October, Golden yellow, 2 ft.	15	1 25	10 00
Rosea. June to September. Pink. 8 to 10 in	15	1 25	10 00
CORONILLA varia (Crown Vetch). June to October. Pink. 1 to 2 ft	25	1 50	12 50
DELPHINIUM Chinense (Larkspur). July to September. Blue. 1½ ft	25	1 50	10 00
Chinense, var. album. July to September. White. 1½ ft	25	1 50	10 00
elatum (Bee Larkspur). June to August. Blue. 4 ft	25	1 50	10 00
formosum (Larkspur). June to September. Deep blue. 4 ft	25	1 50	10 00
Belladonna (Hybrid). June to September. Turquoise blue; very free. 3 ft.	25	2 00	15 00
DIANTHUS barbatus (Sweet William). May to July. Mixed colors. 1½ ft	25	1 50	10 00
deltoides (Maiden Pink). June. Pink. 4 in. latifolius. June to September. Red.	25	1 50	10 00
1 ft	25	1 50	10 00
June. 1 ft	25	2 00	15 00
Laura Wilmer. White, with maroon center.			
Her Majesty. White. Stanislaus. Violet-rose, with crimson			
center. DICENTRA eximia (Seal-flower). June to Aug-	0=	1 50	10.00
ust. Pink. 1 ftspectabilis (Bleeding-heart). May and June. Pink. 2 to 3 ft	25 25	1 50 2 00	10 00 12 50
DIGITALIS ambigua (Foxglove). July and Aug-	25	2 00	15 00
ust. Pale yellow. 3 ft purpurea (Common Foxglove). June and July. Mixed colors. 4 to 5 ft.	25 25	1 50	10 00
purpurea, var. gloxiniæflora. June and July. Mixed colors 4 to 5 ft.	25	1 50	10 00

Each	10	100
DORONICUM Austriacum. April and May. Yellow. 2 ft	\$2 50	\$15 00
plantagineum, var. excelsum. April to June. Yellow. 2 ft 35	2 50	15 00
ECHINACEA purpurea (Purple Cone-flower). July to September. Rosy purple. 3 ft	2 00	15 00
EPIMEDIUM coccineum (Barren-wart), May and June. Red. 9 in 25	2 00	
lilacea. May and June. Lilac. 9 in 25	2 00	
macranthum. May and June. Red. 9 in. 25	2 00	
sulphureum. May and June. Yellow. 9 in. 25	2 00	
ERIGERON speciosus (Fleabane). June to August. Violet-blue. 1½ to 2 ft 25	2 00	15 00
ERYNGIUM amethystinum (Sea Holly). July to September. Amethyst-blue. 2 ft. 35	2 50	
EUPATORIUM ageratoides (White Snakeroot). September and October. White. 3 ft	1,50	12 50
cœlestinum. Fall. Light blue. 2 ft 25	1 50	12 00
EUPHORBIA corollata (Spurge). July to September. White, 1½ ft 25	1 50	12 50
	1 00	12 00
FEVERFEW, Little Gem. June to October. White. 15 in	1 50	10 00
FUNKIA Fortunel (Day Lily). July to August. Blue. 1½ to 2 ft	1 50	12 50
ovata. July to August. Deep blue. $1\frac{1}{2}$ to 2 ft $2\overline{5}$	1 50	12 50
subcordata, var. grandiflora. September. White. Fragrant. 2 ft 25	2 00	15 00
undulata, var. media pieta variegata. July and August. Lilac . 1 ft 25	1 50	12 50
GAILLARDIA grandiflora (Blanket-flower). June to November. Yellow. 1½ ft 25	.1 50	10 00
GALEGA officinalis (Goat's Rue). July and August. Blue. 2 ft	1 50	10 00
officinalis, var. alba. July and August. White. 2 ft	1 50	10 00
GENTIANA Andrewsi (Closed Gentian). September. Blue. 2 ft 35	2 50	
GERANIUM sanguineum (Cranesbill). June to September. Red. 1½ ft 25	1 50	
GEUM coccineum (Avens). June and July. Scarlet. 1½ ft		15 00 15 00
montanum. June and July. Yellow. 18 in		15 00

Eac	h	10	100
GILLENIA trifoliata (Bowman's Root). Rose and white, July. 3 ft\$0 3	5 \$2	50	
GYPSOPHILA paniculata (Baby's Breath). July. White. 2 to 3 ft	.5 1	. 50	\$12 50
HELENIUM, pumilum magnificum. (Sneezewort). July to October. Yellow. 1½ ft. 2	5 1	50	10 00
autumnale, var. superbum. July to Octo-	5 1	50	10 00
autumnale, var. rubrum (New). July to			10 00
grandicephalum, var. striatum. August to		00	
Hoopesi. All summer. Orange-yellow.	5 2	00 .	15 00
2 ft 2	5 2	00	15 00
HELIANTHUS (Perennial Sunflowers) giganteus. August to October. Pale yellow.	-		10.00
6 to 10 ft	5 1	50	10 00
6 to 8 ft	5 1	50	10 00
yellow. 4 ft 2	5 1	50	10 00
multiflorus fl. pl. July and August. Golden yellow, 4 ft 2 multiflorus, var. Soliel d'Or. August to	5 1	50	10 00
September. Deep yellow; quilled petals. 4 ft 2	5 2	00	
orgyalis. September and October. Golden	_	50	10 00
rigidus. July to October. Golden yellow.			
3 ft. 2 rigidus, var. Miss Mellish. September and		50	10 00
October. Golden yellow. 6 ft. 2 rigidus, yar. Wolly Dodd. September.		50	10 00
Deep yellow. 3 ft	5 1	50	10 00
Orange-yellow. 3 ft 2	5 1	50	10 00
HELLEBORUS niger (Christmas Rose). March. White. 6 in	5 3	00	
niger, var. atrorubens. March. Purple. 9 in	5 3	00	
HEMEROCALLIS Aurantiaca. June and July.	0	00	
Bright Indian yellow. 3 to 4 ft 3 Dumortieri (Yellow Day Lily). June	5 3	00	
and July. Orange-yellow. 2 ft. 2		50	12 50
flava. June. Yellow. 2 ft	5 1	50	12 50
fulva (Tawny Day Lily). July and August. A tawny yellow. 2½ ft 2½ fulva, var. Kwanso fl. pl (Double Orange	5 1	50	12 50
Lily). July and August. Cop-			
Lily). July and August. Copper yellow. 2½ ft 2i	5 1	50	12 50
fulva, var. Thunbergii. August and Sep- tember. Lemon-yellow. 2½ ft. 25	5 1	50	12 50



A lielu di Japanese il is at Ani	uviia		
	Each	10	100
HEPATICA triloba (Liverleaf). April. White and blue. 6 in\$	0 25	\$1 25	\$10 00
HEUCHERA sanguinea (Alumroot). June to September. Coral-red. 18 in	25	2 00	15 00
sanguinea, var. alba. June to September. White. 18 in	25	2 00	
HIBISCUS militaris. June to September. Buff-yellow. 18 in	25	2 00	
Moscheutos (Mallow). July to September. Rose. 5 ft	25	1 50	10 00
Moscheutos, var. Crimson Eye. July to September. White. 5 ft	25	1 50	10 00
Moscheutos (Mallow Marvels). July to September. 5 to 6 ft.— White and pink	35 50	3 00 5 00	20 00
HOLLI HOURS. Dee Althad 10sta.			
IBERIS sempervirens (Candytuft). April and May. White. 6 in corifolia. April and May. White. 9 in.	25 25	1 50 1 50	10 00 · 10 00
INULA ensifolia (Fleabane). June to August. 18 in.	35	3 00	
oculis-Christi. Yellow. June to August. 2 ft Light yellow. 2 ft	35 25	3 00 1 50	12 50
INCARVILLEA Delavaji (Hardy Gloxinia). June and July. Rosepink. 18 in	35	3 00	

E	lach	10	100
IRIS. For Special Descriptive Lists, consult			
our Calendar of Hardy Perennials.			
atroviolacea. May. Dark violet. 2 to $2\frac{1}{2}$ ft.\$0	35	\$3 00	
cristata. April and May. Light blue. 6 in	25	1 50	\$12 50
Florentina. May. Tinted white. Fragrant.			
$1\frac{1}{2}$ ft	25	2 00	
Germanica. May. Named varieties. $1\frac{1}{2}$ to $2\frac{1}{2}$ ft.	25	1 50	10 00
lævigata; syn., Kæmpferi (Japanese Iris). June			
and July. Our selection, all colors. $2\frac{1}{2}$ to 4 ft.	$\frac{25}{25}$	2 00	15 00
Customer's selection	35	3 00	25 00
Pallida, var. Dalmatica. June. Light blue. 3 ft.	35	3 00	25 00
Pallida, var. speciosa. June. Indigo-blue.	0-	0.00	0= 00
2 to 3 ft	35	3 00	25 00
Pseudacorus. June. Yellow. 2 to 3 ft	25	2 00	15 00
pumila, var. aurea. Yellow. May. 8 to 10 in.	25	1 50	12 50
pumila, var. cyanea. Royal purple. May.			
8 to 10 in	25	1 50	12 50
pumila, var. eburna. Cream. May. 8 to 10 in.	25	1 50	12 50
pumila, var. florida. White. May. 8 to 10 in	25	1 50	12 50
Sibirica, May and June. Bright blue. 1½ ft.	25	1 50	10 00
Sibirica, var. alba. June. White. 2ft. Rare.	35	3 00	25 00
Sibirica, var. orientalis. May. Deep blue. 11/2 ft.	25	1 50	10 00
tectorum. May. Bright lilac. 1 ft	25	2 00	15 00
KNIPHOFIA aloides (Red-hot Poker). August		2 00	10 00
and September. Crimson. 3 ft	25	1 50	12 50
obelisque. July and August. Saffron-yel-			
low. 3 to 4 ft	35	2 50	15 00
Pfitzerii (Flame Flower). July to October.			
Orange-scarlet. 3 to 4 ft	35	2 50	15 00
LATHYRUS latifolius, var. albus (Hardy White			
Pea). Summer. Climbing	25	2 00	
latifolius, var. roseus. Summer. Rose.			
Climbing	25	2 00	
latifolius, var. splendens. Summer. Climbing	25	2 00	15 00
latifolius, var. Pink Beauty. Summer. Bright	~~	0.00	
pink. Climbing	25	2 00	15 00
LAVENDULA spica (Lavender). 15 to 18 in	25	1 50	12 50
vera (Lavender). 15 to 18 in	25	1 50	12 50
LIATRIS graminifolia (Blazing Star). August			
LIATRIS graminifolia (Blazing Star). August and September. Rosy purple. 2 ft	25	1 50	12 50
pycnostachya (Kansas Gay Feather). September. Rosy purple. 4 to 5 ft	0=	1 50	10 50
tember. Rosy purple. 4 to 5 ft	25	1 50	12 50
spicata (Gay Feather). August and Sep-	25	1 50	12 50
tember. Deep purple. 3 to 4 ft	20	1 30	12 00
LILIUM Canadense (Meadow Lily). July. Shades of yellow. 2 to 4 ft	25	1 50	12 50
	20	1 00	12 00
Philadelphicum (Wood Lily). July and August. Orange-scarlet. 2 to 4 ft	25	2 00	15 00
speciosum, var. roseum (Japan Lily). July		_ 00	
and August. Rosy white. 2 to 4 ft	25	$\cdot 2 00$	15 00
tigrinum (Tiger Lily). August. Salmon- red. 3 to 4 ft	0	4	40 70
red. 3 to 4 ft	25	1 50	12 50

	ich	10	100
LINUM Austriacum (Austrian Flax). June to August. Bluish purple. 18 in\$0	25	\$1 75	
perenne (Perennial Flax). June to September. Clear blue. 18 in	25	1 75	
LOBELIA cardinalis (Cardinal Flower). August and September. Scarlet. 2 to 3 ft	25	1 50	\$12 50
syphilitica (Blue Lobelia). August and September. Deep blue. 2 ft	25	1 50	
LYCHNIS Chalcedonica (London Pride). July to			10 50
September. Vermilion. 2 to 3 ft coronaria (Rose Campion). June and July. Crimson. 1½ to 2 ft	25	1 50	12 50
coronaria, var. alba. June and July. White.	25	1 25	10 00
1½ to 2 ft	25	1 25	10 00
1½ ft	25	1 50	
pion). May to September. White. 1 ft. viscaria (Catchfly). June and July. Red.	25	1 50	12 50
$1\frac{1}{2}$ ft	25	1 50	12 50
viscaria, var. splendens. (German Catchfly). June and July. Pink. 15 in	25	1 50	12 50
LYSIMACHIA clethroides (Loosestrife). July to September. White. 1½ ft	25	1 25	10 00
nummularia (Moneywort). June to August. Yellow. Creeping	25	1 50	10 00
LYTHRUM roseum superbum (Rose Loosestrife). July to September. Rose, 3 ft	25	1 50	12 50
MERTENSIA pulmonarioides (Virginia Cowslip).			
May and June. Blue. 2 ft MONARDA didyma (Oswego Tea). July and	25	1 50	10 00
August. Scarlet. $2\frac{1}{2}$ ft	25	1 50	10 00
didyma, var. Cambridge Scarlet. July and August. Scarlet. 2 ft	25	1 50	10 00
didyma, var. splendens. July and August. Crimson-scarlet. 2 ft	25	1 50	10 00
MYOSOTIS alpestris, var. Victoria. May and June. Light blue. 6 to 9 in	25	1 50	10 00
palustris (Forget-me-not). May and June. Light blue. Spreading	25	1 50	10 00
NEPETA glecoma, var. variegata (Ground Ivy). May. Purple. 6 in	25	1 50	10 00
ENOTHERA fruticosa, var. major (Sundrops). July. Yellow. 1½ ft	25	2 00	15 00
fruticosa, var. Youngi (Young's Primrose). June Lemon, 14 to 2 ft	25	1 50	12 50
Frazeri. June. Rich yellow. 1½ ft Missouriensis (Large Evening Primrose).	25	2 00	15 00
June and July. Yellow. 1 ft	25	2 00	15 00
White. 1½ ft	25	1 50	10 00

74 HERBACEOUS PLANTS	
Each 10	100
OPHIOPOGON Jaburan, var. aureus variegatus (Snakes's Beard) September. Blue. 6 in.\$0 50 \$3 5	50
Japanese Spurge (Evergreen). May and June. White. 8 in 50 3 5	50 \$25 00
PACHYSANDRA terminalis (Japanese Spurge). Evergreen. May and June. White. 8 in. 25 2 (Clumps	
PÆONIA. See our Calendar of Hardy Perennials for Special List.	
PEONY PRICES given in this list are for strong,	one-year-old
plants; and if any of the prices may seem high by comparison	
lists, remember our plants are one year old, true to nan offered as low as satisfactory, truly-named stock can be gro	
	own.
Chinensis, Double Varieties. Our selection. May and June	00 \$25 00
Chinensis, Heavy Clumps. Our selection 1 50 12	
Chinensis, Single Varieties. Our selection 35 3 (
Chinensis, Single Varieties, Heavy Clumps.	F0
Our selection	
corallina. May. Single. Reddish purple 35 3 (Moutan (Tree Peony). May and June. Different colors	
officinalis, var. rubra plena. Early April.	00
Double; deep crimson	00 35 00
officinalis, var. rosea plena. Early April.	00
Double; pink	
tenuifolia, var. plena. Early April. Double;	
maroon 50 4	* *
triternata. April. Single. Bright red 35	00 25 00
PAPAVER bracteatum. June. Blood-red. 4 ft 25 2	00 12 50
nudicaule (Iceland Poppy). All summer. Many colors. 1 ft	50 10 00
orientale (Oriental Poppy). June. Orange- scarlet. 2 ft	00 12 50

PARDANTHUS. See Belemcanda.

PENTSTEMON barbatus, var. Torreyi (Torrey's Beard Tongue). June to August. Scarlet. 3 to 4 ft	25	1 50	10 00
diffusus. May to July. Blue. 1 ft	25	2 00	15 00
grandiflorus. June to August. Purplish blue. 2 to 2½ ftr	25	2 00	15 00
lævigatus, var. Digitalis. July and August. White. 3 ft	25	2 00	
ovatus. July and August. Purplish blue.	25	2 00	

	Each	10	100
PHLOX amæna. May. Bright pink. 3 to 4 in.\$0	25	\$1 50	\$10 00
Carolina. May and June. Rosy red. 1 ft.	25	1 50	
divaricata (Wild Sweet William). May and June. Lavender, 1 ft	25	1 50	12 50
naniculata: syn decussata (Perennial	20	1 00	12 00
paniculata; syn., decussata (Perennial Phlox). See our Calendar of Hardy Per- ennials for Special List. All colors subulata (Mountain Pink). May and June.			
ennials for Special List. All colors	25	2 00	15 00
Rose. Creeping	25	1 50	10 00
Rose. Creepingsubulata, var. alba. May and June. White	0-	1 50	10.00
Creeping subulata, var. atropurpurea. May and June.	25	1 50	10 00
Purple. Creeping	$\frac{25}{25}$	1 50	40 80
Purple. Creepingsubulata, var. lilacina. May. Lilac Creeping subulata, var. Nelsoni. May and June. Pure	25	1 50	12 50
white. Creeping	25	1 50	10 00
white, Creepingsubulata, var. Model. May and June. Rosy	0=	1 50	10.00
white. Creeping	25	1 50	10 00
PHYSOSTEGIA Virginiana (False Dragonhead).			
August. Leep rose. 3 ft	25	1 50	
Virginiana, var. alba. August. White. 3 ft.	25	1 50	10 00
Virginiana, var. speciosa. August. Pink. 3 ft.	25	1 50	10 00.
PLATYCODON grandiflorum (Balloon-flower).			
July. Blue. $1\frac{1}{2}$ ft	25	1 50	
grandiflorum, var. album. July. White. 1½ ft.	25	1 50	
POLEMONIUM cœruleum (Jacob's Ladder). May			
to July. Deep blue. 1½ ft	25	2 00	15 00
cæruleum, var. album. May to July. White.			
1½ to 2 ft	25	2 00	
PRIMULA acaulis (Primrose). May. Yellow.			
6 to 9 incapitata (Primrose) Deep lilac. 9 in	25	1 50	12 50
capitata (Primrose) Deep lilac. 9 in	25	1 50	12 50
suaveolens (Cowslip). May. Yellow and orange. 1 ft	25	1 50	12 50
veris (Polyanthus). May. Yellow and			00
orange-crimson. 6 to 9 in	25	1 50	12 50
vulgaris (English Primrose). May. Yellow. 6 to 9 in	25	1 50	12 50
	<i>∠</i> IJ	1 50	12 50
PYRETHRUM roseum (Feverfew) June and July. White pink and red. 1½ to 2 ft	~~	4 20	40.00
July. White pink and red. 1½ to 2 ft	25	1 50	10 00
roseum fl. pl. Named varieties. $1\frac{1}{2}$ to 2 ft.	35	3 00	
RANUNCULUS aconitifolius fl. pl. (Crow's-foot).	0-	1 50	
June. White. $1\frac{1}{2}$ to 2 ft	25	1 50	
June. Yellow. 2 ft	25	1 50	
repens (Double Buttercup). May to July.		_ ~ ~ ~	
Yellow. 1 ft	25	1 50	10 00
ROSMARINUS officinalis (Rosemary). Scented			
foliage	25	1 50	

RUDBECKIA laciniata, var. Golden Glow. July to September. Yellow. 8 ft	TEMESTICAL TO	in ah	10	100
Newmani. August and September. Yellow. 1½ ft	RUDBECKIA laciniata, var. Golden Glow. July to		10	100
1½ ft	September. Yellow. 8 ft\$0	25	\$1 25	\$10 00
triloha (Yellow, black cone). August and September. 3 ft	$1\frac{1}{2}$ ft	25	1 50	10 00
September 3 ft		25	1 50	10 00
2 ft	triloha (Yellow, black cone). August and September. 3 ft	25	1 50	10 00
Caucasicum. July and August. Reddish purple. 3 ft	2 ft	25	1 50	10 00
SANGUINARIA Canadensis (Bloodroot). White. April. 6 in	purple. 3 ft	25	1 50	10 00
April, 6 in	ber. Deep blue. 2 to 3 ft	25	1 50	10 00
Deep yellow. 1 ft	April. 6 in	25	1 50	10 00
June, Rosy purple. 15 in		25	1 50	10 00
SCABIOSA Caucasica (Mourning Bride). Lavender-blue. June. 15 to 18 in		25	2 00	15 00
SEDUM acre (Golden Moss). May and June. Yellow. Spreading	SCABIOSA Caucasica (Mourning Bride). Lav-			
Yellow. Spreading		35	2 50	15 00
album. July. White. 4 to 6 in	Yellow. Spreading	25	1 25	10 00
Rhodiola. August. Light pink. 1 ft		25	1 25	10 00
Yellow, 6 in	Rhodiola. August. Light pink. 1 ft	25	1 25	10 00
Sieboldi. August and September. Pink. 6 to 8 in	Yellow, 6 in	25	1 25	10 00
spectabile (Brilliant Stonecrop). September and October. Rose, 12 to 15 in	Sieboldi. August and September. Pink. 6	25	1 25	10 00
spectabile, var. atropurpurea. September and October. Purplish crimson. 15 in 25 2 00 15 00 telephoides. July and August. Pink. 1 ft. 25 2 00 15 00 SENECIO clivorum. Summer. Yellow. 3 ft 35 2 50 15 00 pulcher (Groundsel). July to October. Rosy purple. 1½ to 2 ft 25 1 50 SILENE Pennsylvanicum (Wild Pink). April and May. Rose or white. 9 in 25 1 25 10 00 SMILACINA racemosa (False Solomon's Seal). April. White. 1½ ft 25 1 50 SPIRÆA (Goat's Beard, or Meadowsweet) aruncus. June and July. White. 4 to 5 ft 35 2 50 15 00 filipendula fl. pl. June and July. White. 2 ft 25 1 50 12 50 lobata. July. Pink. 3 to 4 ft 25 2 00 15 00 palmata. June and July. Deep crimson. 2 ft 25 2 00 15 00 palmata, var. elegans. June and July. White; crimson anthers. 3 ft	spectabile (Brilliant Stonecrop). September			
telephoides. July and August. Pink. 1 ft. 25 2 00 15 00 SENECIO clivorum. Summer. Yellow. 3 ft 35 2 50 15 00 pulcher (Groundsel). July to October. Rosy purple. 1½ to 2 ft 25 1 50 SILENE Pennsylvanicum (Wild Pink). April and May. Rose or white. 9 in 25 1 25 10 00 SMILACINA racemosa (False Solomon's Seal). April. White. 1½ ft 25 1 50 SPIRÆA (Goat's Beard, or Meadowsweet) aruncus. June and July. White. 4 to 5 ft 35 2 50 15 00 filipendula fl. pl. June and July. White. 2 ft 25 1 50 12 50 lobata. July. Pink. 3 to 4 ft 25 2 00 15 00 palmata. June and July. Deep crimson. 2 ft 25 2 00 15 00 palmata, var. elegans. June and July. White; crimson anthers. 3 ft 25 2 00 Ulmaria fl. pl. June and July. White. 3 ft. 25 2 00 Ulmaria fl. pl. June and July. Deep pink. Fra-	spectabile, var. atropurpurea. September and		_ 00	
SENECIO clivorum. Summer. Yellow. 3 ft 35 2 50 15 00 pulcher (Groundsel). July to October. Rosy purple. 1½ to 2 ft 25 1 50 SILENE Pennsylvanicum (Wild Pink). April and May. Rose or white. 9 in 25 1 25 10 00 SMILACINA racemosa (False Solomon's Seal). April. White. 1½ ft 25 1 50 SPIRÆA (Goat's Beard, or Meadowsweet) aruncus. June and July. White. 4 to 5 ft 35 2 50 15 00 filipendula fl. pl. June and July. White. 2 ft 25 1 50 12 50 lobata. July. Pink. 3 to 4 ft 25 2 00 15 00 palmata. June and July. Deep crimson. 2 ft 25 2 00 15 00 palmata, var. elegans. June and July. White; crimson anthers. 3 ft 25 2 00 Ulmaria fl. pl. June and July. White. 3 ft. 25 2 00 Ulmaria fl. pl. June and July. White. 3 ft. 25 2 00 venusta. June and July. Deep pink. Fra-				
pulcher (Groundsel). July to October. Rosy purple. 1½ to 2 ft		25	2 00	15 00
Rosy purple. 1½ to 2 ft	SENECIO clivorum. Summer. Yellow. 3 ft	35	2 50	15 00
and May. Rose or white. 9 in	Rosy purple. $1\frac{1}{2}$ to 2 ft	25	1 50	
April. White. 1½ ft	and May. Rose or white. 9 in	25	1 25	10 00
SPIRÆA (Goat's Beard, or Meadowsweet) aruncus. June and July. White. 4 to 5 ft 35 2 50 15 00 filipendula fl. pl. June and July. White. 2 ft 25 1 50 12 50 lobata. July. Pink. 3 to 4 ft 25 2 00 15 00 palmata. June and July. Deep crimson. 2 ft 25 2 00 15 00 palmata, var. elegans. June and July. White; crimson anthers. 3 ft 25 2 00 Ulmaria fl. pl. June and July. White. 3 ft. 25 2 00 venusta. June and July. Deep pink. Fra-	SMILACINA racemosa (False Solomon's Seal).	25	1 50	
filipendula fl. pl. June and July. White. 2 ft 25 1 50 12 50 lobata. July. Pink. 3 to 4 ft	SPIRÆA (Goat's Beard, or Meadowsweet) arun-			
lobata. July. Pink. 3 to 4 ft				
palmata. June and July. Deep crimson. 2 ft 25 2 00 15 00 palmata, var. elegans. June and July. White; crimson anthers. 3 ft 25 2 00 Ulmaria fl. pl. June and July. White. 3 ft. 25 2 00 venusta. June and July. Deep pink. Fra-	filipendula fl. pl. June and July. White. 2 ft			
palmata, var. elegans. June and July. White; crimson anthers. 3 ft				
White; crimson anthers. 3 ft	palmata, var. elegans. June and July.			19 00
Ulmaria fl. pl. June and July. White. 3 ft. 25 2 00 venusta. June and July. Deep pink. Fra-	White; crimson anthers. 3 ft			
	Ulmaria fl. pl. June and July. White. 3 ft.	25	2 00	
		25	2 00	

E	ach	10	100
STACHYS Betonica; syn., Betonica rosea. July and August. Rose. 1 ft\$ lanata. June and July. Purple. 12 in	0 25 25	\$1 50 1 50	\$12 50 12 50
STATICE tatarica (Sea Lavender). June to August. Red. 15 to 18 in latifolia (Great Sea Lavender). July and	25	1 50	10 00
August. Deep blue, 2 It	25	1 50	10 00
STOKESIA cyanea (Stokes' Astor). July to October. Lavender. 1½ ft cyanea, var. alba. July to October. White.	25	2 00	15 00
1½ ft.	50	3 50	
TANACETUM globiferum (Tansy), August. Golden yellow. 3 ft	25	1 50	10 00
THALICTRUM adiantifolium (Meadow Rue). June. Yellow. 18 in	25	1 50	10 00
aquilegifolium (Feathered Columbine). June. White. 2 to 4 ft	25	1 50	
polyganum (Tall Rue). June. White. 3 to 4 ft.	25	1 50	
purpurascens. June to August. Purple. 3 to 4 ft	25	1 50	
FHERMOPSIS Carolinana. June. Yellow. 3 to 4 ft.	25	1 50	
mollis. May to July. Yellow. 2 to 3 ft	25	1 50	
THYMUS montanus, var. coccineus (Scarlet Thyme). May. Bright red. 4 in vulgaris (Common Thyme). May. Lilac.	25	1 50	
1 to 2 ft	25	1 25	
TRADESCANTIA Virginiana (Spiderwort). June to October. Purple. 2 ft	25	1 50	12 50
Virginiana, var. alba. June and July. White. 2 ft.	25	1 50	12 50
TRILLIUM erectum (Wake Robin). March and April. Purple. 9 to 12 in	25	1 50	
grandiflorum (Wood Lily) March and April. White. 9 to 12 in	25	1 50	
TROLLIUS Europæus (Globe-flower). May to August, Yellow, 2 ft	25	1 50	12 50
Japonicus "Excelsior." May to August. Deep orange. 1½ to 2 ft	35	2 50	
VALERIANA coccinea (Valerian). June to October. Reddish. 2 ft	25	1 50	10 00
officinalis (Hardy Heliotrope). June and	25	1 50	10 00
July. Rose-pink, 2 ftruhra. June to October. Red. 2 ft	$\begin{array}{c} 25 \\ 25 \end{array}$	1 50	10 00
VERBASCUM Olympicum (Mullein). July to September. Yellow. 6 ft	25	1 50	12 50
VERNONIA Arkansana (Ironweed). August to October. Red. 5 ft	25	2 00	
Baldwini. August to October. Purple, 4 ft.	25	2 00	

	.ch	10	100
VERONICA longifolia, var. rosea (Speedwell). July to October. Rose. 1½ ft \$0	25	\$1 50	
longifolia, var. subsessilis. August to November. Deep blue. 1½ to 2 ft	25	2 00	\$15 00
rupestris (Rock Speedwell). June and July. Blue Spreading	25	1 50	10 00
spicata. June to September. Bright blue.	25	1 50	
Virginica. August to September. White. 4 ft.	25	1 50	10 00
VINCA minor (Periwinkle). May. Bright blue. Spreading	25	1 50	10 00
VIOLA pedata, var. bicolor (Bird's-foot Violet). May. Purple and White. 4 in	25	1 50	12 50
cornuta, var. Admiration. May to October. Purple. 10 in	25	1 25	
Cornuta, var. Lutea splendens. Rich yellow. May to October. 10 in	25	1 25	
Cornuta, var. Papilio. Violet blue. May to October. 10 in	25	1 25	
May to October. 10 in	25	1 25	

FERNS

- ADIANTUM pedatum (Maidenhair Fern). 1 to 2 ft. Moist, shaded positions.
- ASPIDIUM acrostichoides (Christmas Fern). 1 to 2 ft. Evergreen. Dry or moist soils in shady places.

 Felix-mas (Male Fern). 2 ft. Semi-shaded positions, dry or moist
 - soils.
 - Goldianum. 2 to 4 ft. Semi-shaded positions, dry or moist soils.
 - marginale. Evergreen. 1 to 2 ft. Shaded positions, dry or moist
- ASPLENIUM Filix-femina (Lady Fern). 2 to 3 ft. Open or shaded positions, in moist or dry soils.
- BOTRYCHIUM Virginianum (Moonwort), 6 to 12 in. Shaded positions, moist or dry soils.
- DICKSONIA punctilobula (Boulder Fern). 2 to 3 ft. For open positions; forms large plantations.
- ONOCLEA sensibilis (Sensitive Fern). 1 to 2 ft. For open planting and wet soils.
 - Struthiopteris (Ostrich Fern). 2 to 4 ft. For open positions, dry or moist soils.
- OSMUNDA gracilis (Flowering Fern). 2 to 4 ft. Open or shaded positions, and moist soils.

 - Claytoniana. 2 to 5 ft. For open plantings, dry or moist soils. cinnamomea (Cinnamon Fern). 2 to 5 ft. For open or shaded positions, in wet soils.
- WOODSIA obtusa. 6 to 12 in. Shady places, in moist soil.
- WOODWARDIA angustifolia (Chain Fern). 1 ft. Open or shaded positions, in moist soils.
- The above varieties, 25 cts. each, \$2 per 10, \$15 per 100.
- The above, 15 varieties, \$3.50, or 100 in 5 varieties, our selection, \$13.50.

TREES AND SHRUBS FOR HEDGES

We shall be pleased to name special prices for plants in large quantity for hedging purposes. Prices per hundred are given on pages indicated.

EVERGREEN TREES

The following are only a few of the varieties that may be used for the purpose, but the list covers the most popular. We ask particular attention to the Hemlock, Tsuga Canadensis, which is one of the most popular and at the same time one of the most satisfactory evergreens for hedging purposes.

PAGE	PAGE
Picea excelsa 9	Thuya occidentalis 15
Retinospora plumosa 13	Thuya occidentalis Wareana 16
Retinospora plumosa aurea 13	Isuga Canadensis 17

DECIDUOUS TREES

A few of the most desirable trees adapted for close planting for hedges are as follows: We call particular attention to the Cockspur Thorn, Cratægus Crus-galli, which makes a magnificent defensive hedge. Strong growth, beautiful foliage and adaptability to trimming place it in the front rank of trees for hedges.

PAGE	PAGE
	Cratægus Cordata 34
	Cratægus Oxyacantha 34
Cratægus Crus-galli 34	Fagus sylvatica 34

EVERGREEN SHRUBS

There is no doubt that the Boxwood stands first among evergreen shrubs for hedge purposes. The plants we are offering are home-grown, therefore thoroughly acclimated, and will give excellent results. They should not be compared with the freshly imported Box upon which you have to take the risk until it is acclimated.

PAGE	PAGE
	Ilex crenata microphylla 21
	Mahonia aquifolia
Buxus sempervirens suffruticosa 21	Mahonia Japonica

DECIDUOUS SHRUBS

Of the following the Berberis Thunbergii will make the lowest and closest hedge. Next would be the Ligustrum Regelianum, but both of these sorts will carry their branches and foliage right down to the ground. Of the other varieties the Ligustrums lend themselves readily to shearing for formal hedges, while the Hibiscus should be planted where the freer growing hedge is desired and the other sorts should be used where free-growing, untrimmed hedges are wanted.

PAGE	PAGE
Acanthopanax spinosa 45	Ligustrum Ibota, Regelianum. 52
Berberis Thunbergii and vulgaris 45	
Elæagnus longipes 49	Lonicera Tartarica 53
Forsythia Viridissima 50	Rhamnus cathartica 54
Hibiscus Syriacus 50	

INDEX

The following very complete Index will serve for a ready reference to the Trees, Shrubs and Plants, not only by their Botanical names but by the Common or Local names as well.

This list comprises a collection of over 300 species, and nearly 2,000 varieties, to which might be added our large lists of Paeonies, Iris, Chrysanthemums and Phloxes, bringing the total to nearly 3,000 varieties. From this vast array of plant material you may select almost everything required for a complete planting.

In addition to the items given in this list, we have many varieties of Trees, Shrubs and Plants in small quantities, quantities too small to offer in a general list, but covering a stock quite large enough to supply your wants, and, therefore, if you do not find in this list the particular item you require, write us about it.

DEPARTMENTS

PAGE	PAGE
Fertilizers	Vines and Climbing Plants59
General Instructions and Terms 4	Fruit and Small Fruits60, 61
Evergreen Trees 5	Roses62
Evergreen Shrubs18	Herbaceous Plants64
Deciduous Trees29	Ferns
Deciduous Shrubs45	Hedge Plants79
Reeds and Grasses59	Catalogs84

SPECIES AND VARIETIES

PAGE	PAGE	PAGE
Aaron's Beard51	Alum Root71	Asclepias66
Abelia45	Alyssum64	Ash
Abies 5	Amelanchier32, 46	Asparagus61
Acanthopanax45	Amelopsis59	Aspidium78
Acanthus64	Amygdalus. See	Asplenium78
Acer29, 30, 31	Prunus46	Aster66, 67, 77
Achillea64	Anchusa64	Astilbe66
Aconitum64	Andromeda (see, also,	Astrantia66
Actinidia59	Oxydendrum),	Aubretia66
Adam's Needle27	18, 22, 38	Azalea 18, 19, 45
Adiantum78	Anemone65	
Adonis	Anthemis65	
Æsculus31, 45	Apples60	
Ailanthus31	Aquilegia65	Baby's Breath70
Ajuga	Arabis	Baccharis46
Akebia59	Aralia32, 45	Bachelor's Buttons75
Alder31	Arborvitæ6, 15, 16	Balloon-flower75
Alkanet69	Arenaria65	Bambusa59
Allspice, or Sweet	Aristolochia59	Baptisia66
Shrub46	Armeria65	Barberry46
Almond, Flowering53	Aronia	Barren-wort69
Alnus31	Arrow-wood57	Basswood42
Althæ (see also Hi-	Artemesia65	Beard Tongue74
biscus)50, 64	Arundo59	Bear's Breech64
D10000) 11111100, 01		

INDEX

81

PAGE	PAGE	PAGE
Beauty Fruit46 Beech34, 35	Cerasus33	Deciduous Shrubs45
Beech34, 35	Ceratostigma67	Deciduous Trees29-43
Belemcanda66	Cercidiphyllum33	Delphinium68
Bell-flower67	Cercis33, 47	
Bellis	Chamomile65, 66	Desmodium51
Benzoin	Chaste Tree58	Desmodium. See Lespedeza48
Berberis	Chelone67	
Betonica. See	Cherries, Fruit60	Deutzia48
Stachys 66, 77	Cherry, Flowering33	Dianthus68
Betula32	Chestnut32, 61	Dicentra68
Bignonia59		Dicksonia78
Biota 6	Chinese Angelica	Diervilla49
Birch32	Tree32	Diospyros34
Bittersweet59	Chinese Arborvitæ 6	Digitalis68
Black Alder31	Chinese Cedrela32	Dogwood33, 47
Blackberries61	Chionanthus47	Doronicum69
Black Haw58	Chokeberry46	Dutchman's Pine 59
Black Walnut 25 Ct	Christmas Rose70	Dutchman's Pipe59 Dyers' Greenweed50
Black Walnut 35, 61	Chrysanthemum67	Dyers Greenweed 30
Blanket-Flower69	Chrysogonum67	
Blazing Star72	Chrysopis67	
Bleeding Heart68	Cimicifuga67	Echinacea69
Blood-root76	Cineraria. See Arte-	Elæagnus48
Bocconia66	misia68	Elder54
Boltonia66	Cinquefoil53	Elm42, 43
Boston Ivy59	Citrus47	Elscholtzia49
Botrychium78	Cladrastris33	Elymus59
Bowman's Root70	Clematis59, 68	Empress Tree38
Box19, 20	Clethra47	English Primrose75
Bridal Wreath55	Columbina CF 77	English Ivy60
Buckthorn53	Comptonia65, 77	Epimedium69
Buddleia46	Comptonia47	Erianthus59
Bugbane67	Cone-flower69, 76	Erigeron69
Bugle64	Conoclinium68	Eryngium69
Buttercup75	Convallaria68	Esculent Roots61
Butterfly Bush46	Coral Berry55	
Butterfly Weed66	Corchorus47	Eulalia59
Buttonmed66	Coreopsis68	Euonymus21, 49, 59
Buttonwood 38 Buxus 19, 20, 21	Cornelian Cherry47	Eupatorium69
buxus19, 20, 21	Corn-flower67	Euphorbia69
	Cornus33, 47	Evening Primrose73
~	Coronilla68	Evergreen Shrubs.18-27 Evergreen Thorn21
Calimeris67	Corylus47	
Callirhoë67	Cotoneaster21, 48	Evergreen Trees5-17
Calycanthus46	Cowslip73, 75	Exochorda50
Campanula67	Crab Apple, Flow-	
Candytuft	ering39, 41	
Caragana32, 46	Cranberry Bush57	Fagus34, 35
Cardinal-flower73	Cranesbill69	False Bittersweet59
Carpinus 32	Cratægus21, 34	False Camellia41
Carpinus32 Carya32	Crown-Vetch68	False Dragonhead75
Caryopteris 46	Crow's Foot75	False Indigo66
Catalpa32	Cryptomoria	False Solomon's Seal.76
Catchfly73	Cryptomeria 6	False Wall Cress66
Ceanothus46	Cucumber Tree36	
Cedar 6	Currants	Fatsia
Cedrela32	Cydonia48	Feverfew69, 75
Todaya	Cypress12, 13, 41	Fir 5
Cedrus 6	Cytisus34, 48	Fir 5 Flame-flower
Celastrus59		Flax73
Celtis32		
Centaurea67		
Cephalanthus47	Daisy	Flowering Almond53
Tomortimus47	Daphne21	Flowering Crab Ap-
Cerastium67	Day Lily69, 70	ple39

PAGE	PAGE	PAGE
	1	
Forget-me-not73	Hydrangea 50, 51, 60	Magnolia 36, 37 Mahonia 22 Maidenhair Tree 41 Mallows 69, 71 Maple 29, 30, 31 Master-wort 66 Matrimony Vine 53 Meadow Rue 77 Meadow-sage 76 Meadow Sweet 76
Forsythia50	Hypericum51	Maidonhair Tree 41
Fox Grape68		Maidennair Tree41
Fox Grape	Yhani 71	Mallows
Fraxinus35	iberis	Maple29, 30, 31
Frost Grape	Iberis	Master-wort
Fruit	incarvillea	Matrimony Vine 53
Funkia69	Inula	Meadow Rue77
	Iris	Meadow-sage76
	Ironweed	Meadow Sweet76
Gaillardia69	Itea	Mertensia73
Galega	1vy59, 60, 73	Mintshrub49
Gav Feather72		Mist-flower
Gentiana67		Mist, or Smoke Tree.54
Galega 69 Gay Feather 72 Gentiana 67 Geranium 67 Geranium 67	Jacob's Ladder75	Meadow-sage .76 Meadow Sweet .76 Mertensia .73 Mintshrub .49 Mist-flower .68 Mist, or Smoke Tree.54 .56 Monck Orange .56 Monarda .76 Moneywort .73 .78 Monkshood .64 Morus .37
	Japan, or Boston Ivy.59 Japan Cypress	Monarda
Gillenia	Japan Cypress13	Moneywort \dots 73, 78
Gillenia 70 Ginkgo 41 Gleditschia 35 Globe Flower 47, 77 Gloxinia 71 Glyptostrobus. See	Japan Judas47	Monkshood64
Gleditschia35	Japan Quince48	Morus
Globe Flower47, 77	Japanese Holly22	Mountain Ash41
Gloxinia	Japanese Maples31	Mourning Bride76
Glyntostrobus. See	Japanese Holly22 Japanese Maples31 Japanese Snowball58	Mulberry37
Taxodium.		Mullein
Goat's Beard76	Jasmine 31 Jasminum 51 Jersey Tea 46 Judas Tree 33 Judas 25	Monkshood 64 Morus 35 Mountain Ash 41 Mourning Bride 76 Mulberry 35 Mullein 77 Myosotis 75 Myrica 56
Goat's Beard76 Goat's Rue69	Jersey Tea46	Myrica5
Gold-flower 51	Judas Tree33	
Golden Bell 50	Jugians	
Golden Chain 34	June Berry32 Juniperus7, 8, 9	Negundo. See Acer
Golden Glow 76	Juniperus 7, 8, 9	Negundo3
Golden Joint 67		Nepeta
Golds Rue 09 Gold-flower 51 Golden Bell 50 Golden Chain 34 Golden Glow 76 Golden Joint 67 Golden Tuft 64 Gooseberries 61 Gounded Shuth 46 Gospeler Shuth 46		Negundo. See Acer Negundo. .3° Nepeta. .7° Nettle Tree. .3° Nuts. .6°
Googaharriag 61	Kalmia22	Nuts6
Goundsel Shruh 46 76	Kentucky Coffee Tree.35	Nyssa3
Goundsel Shrub 46, 76 Grapes	Kalmia	
Cualdan Paga 50	us	
Cumpooledus 25	Kniphofia	Oak40
Cymnochile 70	Koelreutaria36	©nothera
Gypsophila	Koelreutaria36 Kudzu Vine60	Old Man6
		Old Woman6
Halesia 35 Hamamelis 50 Hardy Orange 47 Hardy Roses 62 Harebell 67 Hawthorn 34 Haders 60		Oleaster 49 Onoclea 77
Hamamalia 50	Laburnum36	Onoclea78
Handr Orango 47	Larch	
Hardy Dogge 69 62	Larix36	Orange, Hardy4'
Haraball 67	Larkspur 68 Lathyrus 72 Laurel 22	Oriental Plane3
Wantham 24	Lathyrus72	
Hazal 47	Laurel22	Osmanthus2
Hodoro 60	Lavandula72	Osmunda
incuera	Lavender72	Oswego Tea, or Fra-
Holonium 70	Lavender-cotton76	grant Balm7
Hedge Plants 79 Helenium 70 Helianthus 70 Heliopsis 70 Heliotrope 77 Helleborus 70 Hemerocallis or Day 11 Lily 70 Hemlock 17 Hepatica 71 Herbaceous Plants 64-78 Heuchera 71 Hibiscus 50, 51, 71 Hickory 35	Lavender	Osmanthus 2: Osmunda 77 Oswego Tea, or Fragrant Balm 77 Oxydendrum 33
Holiongie 70	Lespedeza51	
Heliotrope 77	Leucothæ22 Liatris72	
Hollohorus 70	Liatris72	Pæonia7
Homorocallia or Day	Ligustrum51, 52	Pachysandra 22, 7
Lila 70	Lilac	Papaver7
Hamlask 17	Lilium	Pardanthus. See Bel-
Honotice 71	Lily 69, 70, 72, 77	emcanda7
Hepatica	Lily-of-the-valley68	Parrotia3
rierbaceous Flants,	Ligustrum .51, 52 Lilac .56, 57 Lillum .72 Lily .69, 70, 72, 77 Lily-of-the-valley .68 Linden .42 Linum .73	Pæonia
Housham 71		Pavia. See Æsculus,
Heuchera	Liquidambar36	45, 5
nibiscus50, 51, 71	Liquidambar36 Liriodendron36 Liver Leaf71	Peach, Flowering3
	Liver Leaf71	Peaches, Fruit6
High Cranberry Bush.57	Lobelia73	Pearl Bush5
Holly	Locust35, 40	Pears6
Hollyhocks (see, also	London Pride73	Penstemon7
Althma) 64 71	Lonicera 52, 60	Periploca6
Hollyhocks (see, also, Althæa)64, 71 Honey Locust35	Loosestrife73	Periwinkle
Honorquelele 45 50 00	Lychnis73	Persian Iron Tree3
Honeysuckle. 45, 52, 60	Liver Leaf	Penstemon 7 Periploca 6 Periwinkle 7 Perslan Iron Tree 3 Perslan 3 Perslan 3
Hornbeam32	Lysimachia73	Persimmon3
Horse-Chestnut31	Lythrum	Phalaris

INDEX

PAGE	PAGE	PAGE
Philadelphus53	Scabiosa	Tecoma. See Bignonia. Thalictrum
Phlox	Scarlet Trumpet60	Thalictrum77
Dhygoograng 53	Schizophragma Hy-	The Pearl64 Thermopsis77
Physocarpus	drangeoides60	Thermopsis77
Diogo 9 10	Sciadopitys14	Thorn
Piceris	Scotch Broom48	Thorn34 Thorn Evergreen21
Pieris	Sea Holly	
Pinks	Sea Lavender 77	Thuionsis
Pinus	Seal-flower 68	Thuis
Plane, Oriental 30	Sedum 76	Thyme
Platanus	Scotch Broom 48 Sea Holly 69 Sea Lavender 77 Seal-flower 68 Sedum 76 Senecio 76 Service Berry 46 Shad Bush 32 Sheep-berry 57 Shrub Yellow Root 58 Shrubbery Cinquefoil 53	Thujopsis 15 Thuja 15, 16 Thyme 77 Thymus 77 Tickseed 68 Tiger Lily 72 Tilia 42 Tradescantia 77 Trae of Heaven 31
Platycodon75 Plumbago67	Service Berry 46	Tickseed
Plumbago01	Shad Bush 32	Tiger Lily 72
Plum, Flowering39 Plums, Fruit61	Sheen-herry 57	Tilia 42
Plums, Fruit01	Shrub Vallow Root 58	Tradescentia 77
Podocarpus12	Shunbhary Cinquefoil 53	Trop of Hoaven 31
Podocarpus	Shrubbery Cinquefoil.53 Siberian Pea32, 46	Tradescantia
Polyanthus75	Silene	Trolling 77
Poplar39	Sille Vino 60	Trollius
Poppy 66, 74	Silk Vine 60 Silver-cork Fir 5 Skimmia 22	Tulin Troc 26
Populus39	Silver-cork Fit 9	Tuntlehead 67
Potentilla53	Small Emita 61	Infriencad
Primrose73, 75	Small Fruits01	
Polyanthus 139 Poplar 39 Poppy 66, 74 Populus 39 Potentilla 53 Primrose 73, 75 Primula 75 Privet 51, 52	Small Fruits .61 Smilacina .76 Snakeroot .67, 69	Ulmus
Privet	Shakeroot 67, 69	Umbrella Pine14
Prunus, See, also,	Snake's Beard74	Umbrella Tree36
Prunus. See, also, Cerasus 39, 53 Pseudo-tsuga 12	Sneeze-wort70	
Pseudo-tsuga12	Snowball58	Vaccinium57
Pueraria60	Snowberry55	Valerian77
Purnle Mist54	Snowdrop Tree35	Valoriana 77
Pyrethrum	Sophora41	Valeriana
Pueraria 60 Purple Mist 54 Pyrethrum 75 Pyrus 39, 54	Snowberry .55 Snowdrop Tree .35 Sophora .41 Sorbus .41	Verbascum77
1,143	Sorrell Tree38 Sour Gum37	Verbascum
	Sour Gum37	Vermoniae 79
Quercus39	Speedwell78 Spice Bush46	Viburnum 57 59
Quinces61	Spice Bush46	Viburnum31, 38
	Spiderwort77	Vinca
Ranunculus	Spiderwort	Vines and Climbing
Ranunculus75 Raspherries61	Spiderwort	Vines and Climbing Plants59
Ranunculus75 Raspberries61 Red Bud or Judas33	Spiderwort	Vines and Climbing Plants59 Viola78
Ranunculus75 Raspberries61 Red Bud, or Judas 33 Red Hot Poker72	Spiderwort	Vinca Vines and Climbing Plants .59 Viola .78 Violet .78
Ranunculus	Spiderwort .77 Spindle Tree 50 Spiræa.46, 54, 55, 66, 76 .76 Spruce 9, 10, 12 Spurge .69, 74 Spirge 77	Vines and Climbing Plants 59 Viola 78 Violet 78 Virgilia 33
Raspberries 61 Red Bud, or Judas. 33 Red Hot Poker 72 Reeds and Grasses. 59	Spiderwort .77 Spindle Tree 50 Spiræa.46, 54, 55, 66, 76 .76 Spruce 9, 10, 12 Spurge .69, 74 Spirge 77	Vines and Climbing Plants 59 Viola 78 Violet 78 Virgilia 33 Virginia Creeper 59
Raspberries 61 Red Bud, or Judas. 33 Red Hot Poker 72 Reeds and Grasses. 59	Spiderwort .77 Spindle Tree 50 Spiræa.46, 54, 55, 66, 76 .76 Spruce 9, 10, 12 Spurge .69, 74 Spirge 77	Vines and Climbing Plants 59 Viola 78 Violet 78 Virgilla 33 Virginia Creeper 59 Vitex 58
Raspberries 61 Red Bud, or Judas. 33 Red Hot Poker 72 Reeds and Grasses. 59	Spiderwort .77 Spindle Tree 50 Spiræa.46, 54, 55, 66, 76 .76 Spruce 9, 10, 12 Spurge .69, 74 Spirge 77	Verbascum 77 Vernonia 77 Veronica 78 Viburnum 57, 58 Vinca 78 Vines and Climbing Plants Plants 59 Viola 78 Violet 78 Virgilia 33 Virginia Creeper 59 Vitex 58 Vitis 60
Raspberries 61 Red Bud, or Judas. 33 Red Hot Poker 72 Reeds and Grasses. 59	Spiderwort .77 Spindle Tree 50 Spiræa.46, 54, 55, 66, 76 .76 Spruce 9, 10, 12 Spurge .69, 74 Spirge 77	
Raspberries 61 Red Bud, or Judas. 33 Red Hot Poker 72 Reeds and Grasses. 59	Spiderwort 77 Spinder Tree 50 Spiræa.46, 54, 55, 66, 76 8pruce 9, 10, 12 Spurge 69, 74 Stachys 77 Staphylea 55 Star-wort 67 Statice 77 Stephanandra 55 Stokesia 77	
Raspberries 61 Red Bud, or Judas. 33 Red Hot Poker 72 Reeds and Grasses. 59	Spiderwort 77 Spinder Tree 50 Spiræa.46, 54, 55, 66, 76 8pruce 9, 10, 12 Spurge 69, 74 Stachys 77 Staphylea 55 Star-wort 67 Statice 77 Stephanandra 55 Stokesia 77	
Raspberries 61 Red Bud, or Judas. 33 Red Hot Poker 72 Reeds and Grasses. 59	Spiderwort 77 Spinder Tree 50 Spiræa.46, 54, 55, 66, 76 8pruce 9, 10, 12 Spurge 69, 74 Stachys 77 Staphylea 55 Star-wort 67 Statice 77 Stephanandra 55 Stokesia 77	
Raspberries 61 Red Bud, or Judas. 33 Red Hot Poker 72 Reeds and Grasses. 59	Spiderwort 77 Spinder Tree 50 Spiræa.46, 54, 55, 66, 76 8pruce 9, 10, 12 Spurge 69, 74 Stachys 77 Staphylea 55 Star-wort 67 Statice 77 Stephanandra 55 Stokesia 77	Wake Robin
Raspberries 61 Red Bud, or Judas 33 Red Hot Poker 72 Reeds and Grasses 59 Retinospora 12 Fhamnus 53 Rhododendron 23-27 Rhodotypus 53 Rhubarb 61 Rhus 39, 54 Ribbon Grass 59 Robinia 40 54	Spiderwort 77 Spinder Tree 50 Spiræa.46, 54, 55, 66, 76 8pruce 9, 10, 12 Spurge 69, 74 Stachys 77 Staphylea 55 Star-wort 67 Statice 77 Stephanandra 55 Stokesia 77	Wake Robin
Raspberries 61 Red Bud, or Judas 33 Red Hot Poker 72 Reeds and Grasses 59 Retinospora 12 Fhamnus 53 Rhododendron 23-27 Rhodotypus 53 Rhubarb 61 Rhus 39, 54 Ribhon Grass 59 Robinia 40, 54 Rock Cress 65	Spiderwort 77 Spinder Tree 50 Spiræa.46, 54, 55, 66, 76 8pruce 9, 10, 12 Spurge 69, 74 Stachys 77 Staphylea 55 Star-wort 67 Statice 77 Stephanandra 55 Stokesia 77	Wake Robin
Raspberries 61 Red Bud, or Judas 33 Red Hot Poker 72 Reeds and Grasses 59 Retinospora 12 Fhamnus 53 Rhododendron 23-27 Rhodotypus 53 Rhubarb 61 Rhus 39, 54 Ribhon Grass 59 Robinia 40, 54 Rock Cress 65	Spiderwort	Wake Robin
Raspberries 61 Red Bud, or Judas 33 Red Hot Poker 72 Reeds and Grasses 59 Retinospora 12 Fhamnus 53 Rhododendron 23-27 Rhodotypus 53 Rhubarb 61 Rhus 39, 54 Ribhon Grass 59 Robinia 40, 54 Rock Cress 65	Spiderwort	Wake Robin
Raspberries 61 Red Bud, or Judas 33 Red Hot Poker 72 Reeds and Grasses 59 Retinospora 12 Fhamnus 53 Rhododendron 23-27 Rhodotypus 53 Rhubarb 61 Rhus 39, 54 Ribhon Grass 59 Robinia 40, 54 Rock Cress 65	Spiderwort	Wake Robin
Raspberries 61 Red Bud, or Judas 33 Red Hot Poker 72 Reeds and Grasses 59 Retinospora 12 Fhamnus 53 Rhododendron 23-27 Rhodotypus 53 Rhubarb 61 Rhus 39, 54 Ribhon Grass 59 Robinia 40, 54 Rock Cress 65	Spiderwort	Wake Robin 77 Walnut 35, 61 Wax Myrtle 53 Wayfaring Tree 57 Weigela 49 White Campion 73 White Fringe 47 Willow 41 Windflower 65
Raspberries 61 Red Bud, or Judas 33 Red Hot Poker 72 Reeds and Grasses 59 Retinospora 12 Fhamnus 53 Rhododendron 23-27 Rhodotypus 53 Rhubarb 61 Rhus 39, 54 Ribhon Grass 59 Robinia 40, 54 Rock Cress 65	Spiderwort	Wake Robin 77 Walnut 35, 61 Wax Myrtle 53 Wayfaring Tree 57 Weigela 49 White Campion 73 White Fringe 47 Willow 41 Windflower 65
Raspberries 61 Red Bud, or Judas 33 Red Hot Poker 72 Reeds and Grasses 59 Retinospora 12 Fhamnus 53 Rhododendron 23-27 Rhodotypus 53 Rhubarb 61 Rhus 39, 54 Ribhon Grass 59 Robinia 40, 54 Rock Cress 65	Spiderwort	Wake Robin 77 Walnut 35, 61 Wax Myrtle 53 Wayfaring Tree 57 Weigela 49 White Campion 73 White Fringe 47 Willow 41 Windflower 65
Raspberries 61 Red Bud, or Judas 33 Red Hot Poker 72 Reeds and Grasses 59 Retinospora 12 Fhamnus 53 Rhododendron 23-27 Rhodotypus 53 Rhubarb 61 Rhus 39, 54 Ribhon Grass 59 Robinia 40, 54 Rock Cress 65	Spiderwort	Wake Robin 77 Walnut 35, 61 Wax Myrtle 53 Wayfaring Tree 57 Weigela 49 White Campion 73 White Fringe 47 Willow 41 Windflower 65 Winter Berry 51 Wistaria 60 Witch Hazel 50
Raspberries 61 Red Bud, or Judas 33 Red Hot Poker 72 Reeds and Grasses 59 Retinospora 12 Fhamnus 53 Rhododendron 23-27 Rhodotypus 53 Rhubarb 61 Rhus 39, 54 Ribhon Grass 59 Robinia 40, 54 Rock Cress 65	Spiderwort	Wake Robin 77 Walnut 35, 61 Wax Myrtle 53 Wayfaring Tree 57 Weigela 49 White Campion 73 White Fringe 47 Willow 41 Windflower 65 Winter Berry 51 Wistaria 60 Witch Hazel 50 Witheread 57
Raspberries 61 Red Bud, or Judas 33 Red Hot Poker 72 Reeds and Grasses 59 Retinospora 12 Phamnus 53 Rhododendron 23-27 Rhodotypus 53 Rhubarb 61 Rubs 39 Ribhon Grass 59 Robinia 40 54 Rock Cress 65 Rock Cress 65 Rock Acacia 54 Rose Ose 62 Rose 63 Rosmarinus 75 Rosy Milfoil 64 Rubus 54	Spiderwort	Wake Robin 77 Walnut 35, 61 Wax Myrtle 53 Wayfaring Tree 57 Weigela 49 White Campion 73 White Fringe 47 Willow 41 Windflower 65 Winter Berry 51 Wistaria 60 Witch Hazel 50 Witheread 57
Raspberries 61 Red Bud, or Judas 33 Red Hot Poker 72 Reeds and Grasses 59 Retinospora 12 Phamnus 53 Rhododendron 23-27 Rhodotypus 53 Rhubarb 61 Rubs 39 Ribhon Grass 59 Robinia 40 54 Rock Cress 65 Rock Cress 65 Rock Acacia 54 Rose Ose 62 Rose 63 Rosmarinus 75 Rosy Milfoil 64 Rubus 54	Spiderwort	Wake Robin 77 Walnut 35, 61 Wax Myrtle 53 Wayfaring Tree 57 Weigela 49 White Campion 73 White Fringe 47 Willow 41 Windflower 65 Winter Berry 51 Wistaria 60 Witch Hazel 50 Witheread 57
Raspberries 61 Red Bud, or Judas 33 Red Hot Poker 72 Reeds and Grasses 59 Retinospora 12 Fhamnus 53 Rhododendron 23-27 Rhodotypus 53 Rhubarb 61 Rhus 39, 54 Ribhon Grass 59 Robinia 40, 54 Rock Cress 65	Spiderwort	Wake Robin 77 Walnut 35, 61 Wax Myrtle 53 Wayfaring Tree 57 Weigela 49 White Campion 73 White Fringe 47 Willow 41 Windflower 65 Winter Berry 51 Wistaria 60 Witch Hazel 50
Raspberries 61 Red Bud, or Judas 33 Red Hot Poker 72 Reeds and Grasses 59 Retinospora 12 Phamnus 53 Rhododendron 23-27 Rhodotypus 53 Rhubarb 61 Ribbon Grass 59 Robinia 40, 54 Rock Cress 65 Rockfoil 76 Rose Acacia 54 Rose Campion 73 Rosemary 75 Rose of Sharon 50 Rosy Milfoil 64 Rubus 54 Rudbeckia 76 Rugosa Roses 63	Spiderwort	Wake Robin 77 Walnut 35, 61 Wax Myrtle 53 Wayfaring Tree 57 Weigela 49 White Campion 73 White Fringe 47 Willow 41 Windflower 65 Winter Berry 51 Wistaria 60 Witch Hazel 50 Withe-rod 57 Wolf's-bane 64 Woodsia 78 Woodwardia 78
Raspberries 61 Red Bud, or Judas 33 Red Hot Poker 72 Reeds and Grasses 59 Retinospora 12 Phamnus 53 Rhododendron 23-27 Rhodotypus 53 Rhubarb 61 Rhibhon Grass 59 Robinia 40 54 Rock Cress 65 RockKoil 76 Rose Acacia 54 Rose of Sharon 50 Roses 62-63 Rosmarinus 75 Rosy Milfoil 64 Rubus 54 Rudbeckia 76 Rugosa Roses 63 Salisburia 41	Spiderwort	Wake Robin 77 Walnut 35, 61 Wax Myrtle 53 Wayfaring Tree 57 Weigela 49 White Campion 73 White Fringe 47 Willow 41 Windflower 65 Winter Berry 51 Wistaria 60 Witch Hazel 50 Withe-rod 57 Wolf's-bane 64 Woodsia 78 Woodwardia 78 Xanthoceras 58
Raspberries 61 Red Bud, or Judas 33 Red Hot Poker 72 Reeds and Grasses 59 Retinospora 12 Phamnus 53 Rhododendron 23-27 Rhodotypus 53 Rhubarb 61 Ribhon Grass 59 Robinia 40, 54 Rock Cress 65 Rockfoil 76 Rose Acacia 54 Rose of Sharon 50 Rose S 62, 63 Rosmarinus 75 Rosy Milfoil 64 Rubus 54 Rudbeckia 76 Rugosa Roses 63 Salisburia 41	Spiderwort	Wake Robin 77 Walnut 35, 61 Wax Myrtle 53 Wayfaring Tree 57 Weigela 49 White Campion 73 White Fringe 47 Willow 41 Windflower 65 Winter Berry 51 Wistaria 60 Witch Hazel 50 Withe-rod 57 Wolf's-bane 64 Woodsia 78 Woodwardia 78
Raspberries 61 Red Bud, or Judas 33 Red Hot Poker 72 Reeds and Grasses 59 Retinospora 12 Phamnus 53 Rhododendron 23-27 Rhodotypus 53 Rhubarb 61 Ribhon Grass 59 Robinia 40, 54 Rock Cress 65 Rockfoil 76 Rose Acacia 54 Rose of Sharon 50 Rose S 62, 63 Rosmarinus 75 Rosy Milfoil 64 Rubus 54 Rudbeckia 76 Rugosa Roses 63 Salisburia 41	Spiderwort	Wake Robin 77 Walnut 35, 61 Wax Myrtle 53 Wayfaring Tree 57 Weigela 49 White Campion 73 White Fringe 47 Willow 41 Windflower 65 Winter Berry 51 Wistaria 60 Witch Hazel 50 Withe-rod 57 Wolf's-bane 64 Woodsia 78 Woodwardia 78 Xanthoceras 58 Xanthorrhiza 58
Raspberries 61 Red Bud, or Judas 33 Red Hot Poker 72 Reeds and Grasses 59 Retinospora 12 Phamnus 53 Rhododendron 23-27 Rhodotypus 53 Rhubarb 61 Ribhon Grass 59 Robinia 40, 54 Rock Cress 65 Rockfoil 76 Rose Acacia 54 Rose of Sharon 50 Rose S 62, 63 Rosmarinus 75 Rosy Milfoil 64 Rubus 54 Rudbeckia 76 Rugosa Roses 63 Salisburia 41	Spiderwort	Wake Robin 77 Walnut 35, 61 Wax Myrtle 53 Wayfaring Tree 57 Weigela 49 White Campion 73 White Fringe 47 Willow 41 Windflower 65 Winter Berry 51 Wistaria 60 Witch Hazel 50 Withe-rod 57 Wolf's-bane 64 Woodsia 78 Woodwardia 78 Xanthoceras 58 Xanthorrhiza 58
Raspberries 61 Red Bud, or Judas 33 Red Hot Poker 72 Reeds and Grasses 59 Retinospora 12 Phamnus 53 Rhododendron 23-27 Rhodotypus 53 Rhubarb 61 Ribhon Grass 59 Robinia 40, 54 Rock Cress 65 Rockfoil 76 Rose Acacia 54 Rose of Sharon 50 Rose S 62, 63 Rosmarinus 75 Rosy Milfoil 64 Rubus 54 Rudbeckia 76 Rugosa Roses 63 Salisburia 41	Spiderwort	Wake Robin 77 Walnut 35, 61 Wax Myrtle 53 Wayfaring Tree 57 Weigela 49 White Campion 73 White Fringe 47 Willow 41 Windflower 65 Winter Berry 51 Wistaria 60 Witch Hazel 50 Withe-rod 57 Wolf's-bane 64 Woodsia 78 Woodwardia 78 Xanthoceras 58 Xanthorrhiza 58
Raspberries 61 Red Bud, or Judas 33 Red Hot Poker 72 Reeds and Grasses 59 Retinospora 12 Phamnus 53 Rhododendron 23-27 Rhodotypus 53 Rhubarb 61 Ribhon Grass 59 Robinia 40, 54 Rock Cress 65 Rockfoil 76 Rose Acacia 54 Rose of Sharon 50 Rose S 62, 63 Rosmarinus 75 Rosy Milfoil 64 Rubus 54 Rudbeckia 76 Rugosa Roses 63 Salisburia 41	Spiderwort	Wake Robin 77 Walnut 35, 61 Wax Myrtle 53 Wayfaring Tree 57 Weigela 49 White Campion 73 White Fringe 47 Willow 41 Windflower 65 Winter Berry 51 Wistaria 60 Witch Hazel 50 Withe-rod 57 Wolf's-bane 64 Woodsia 78 Woodwardia 78 Xanthoceras 58 Xanthorrhiza 58
Raspberries 61 Red Bud, or Judas 33 Red Hot Poker 72 Reeds and Grasses 59 Retinospora 12 Phamnus 53 Rhododendron 23-27 Rhodotypus 53 Rhubarb 61 Rhus 39 Ribhon Grass 59 Robinia 40 54 Rock Cress 65 Rock Cress 65 Rock Cacaia 54 Rose Acacia 54 Rose of Sharon 50 Roses 62 Rosmarinus 75 Rosy Milfoil 64 Rubus 54 Rudbeckia 76 Russes 63 Salisburia 41 Salix 41 Salvia 76 Sambucus 54 Sandwort 65 Santolina 76	Spiderwort	Wake Robin 77 Walnut 35, 61 Wax Myrtle 53 Wayfaring Tree 57 Weigela 49 White Campion 73 White Fringe 47 Willow 41 Windflower 65 Winter Berry 51 Wistaria 60 Witch Hazel 50 Withe-rod 57 Wolf's-bane 64 Woodsia 78 Woodwardia 78 Xanthoceras 58 Xanthorrhiza 58
Raspberries 61 Red Bud, or Judas 33 Red Hot Poker 72 Reeds and Grasses 59 Retinospora 12 Phamnus 53 Rhododendron 23-27 Rhodotypus 53 Rhubarb 61 Rhus 39 Ribhon Grass 59 Robinia 40 54 Rock Cress 65 Rock Cress 65 Rock Cacaia 54 Rose Acacia 54 Rose of Sharon 50 Roses 62 Rosmarinus 75 Rosy Milfoil 64 Rubus 54 Rudbeckia 76 Russes 63 Salisburia 41 Salix 41 Salvia 76 Sambucus 54 Sandwort 65 Santolina 76	Spiderwort	Wake Robin 77 Walnut 35, 61 Wax Myrtle 53 Wayfaring Tree 57 Weigela 49 White Campion 73 White Fringe 47 Willow 41 Windflower 65 Winter Berry 51 Wistaria 60 Witch Hazel 50 Withe-rod 57 Wolf's-bane 64 Woodsia 78 Woodwardia 78 Xanthoceras 58
Raspberries 61 Red Bud, or Judas 33 Red Hot Poker 72 Reeds and Grasses 59 Retinospora 12 Phamnus 53 Rhododendron 23-27 Rhodotypus 53 Rhubarb 61 Rus 39, 54 Ribbon Grass 59 Robinia 40, 54 Rock Cress 65 Rock Cress 65 Rockfoil 76 Rose Acacia 54 Rose Of Sharon 73 Rosemary 75 Rose of Sharon 50 Rosy Milfoil 64 Rubus 54 Rudbeckia 76 Rugosa Roses 63 Salisburia 41 Salvia 76 Sambucus 54 Sanguinaria 76	Spiderwort	Wake Robin 77 Walnut 35, 61 Wax Myrtle 53 Wayfaring Tree 57 Weigela 49 White Campion 73 White Fringe 47 Willow 41 Windflower 65 Winter Berry 51 Wistaria 60 Witch Hazel 50 Withe-rod 57 Wolf's-bane 64 Woodsia 78 Woodwardia 78 Xanthoceras 58 Xanthorrhiza 58

OUR CATALOGUES

SUGGESTIONS FOR EFFECTIVE PLANTING.

This Catalog embodies an original and distinctive idea. For the convenience of those interested in any of the many varied planting problems we have arranged our catalog of Evergreens, Trees. Shrubs and Plants, by grouping together those plants best adapted for particular uses, as for instance, evergreens for formal effects; trees for screens and windbreaks, flowering shrubs for mid-summer effects, and so on. We believe it will prove a valuable aid to our patrons.

DISTINCTIVE TREES AND PLANTS.

An attractive booklet beautifully illustrated and descriptive of a number of charming Evergreens, Trees and Shrubs that are worthy of your better acquaintance.

THE ANDORRA HANDBOOK.

A beautifully illustrated descriptive guide to Trees and Shrubs with articles on their culture, pruning and place in planting. Price, 50 cents; and we are pleased to credit the amount on the first purchase amounting to \$5.

A RE-PRINT FROM THE "NATIONAL ARCHITECT."

This is of special interest to owner, architect or landscape architect who may be interested in the planting of large Evergreens and Trees for immediate effect.

PLANTING INSTRUCTIONS.

The finest plant grown will fail unless properly planted and given good after care when it reaches your hands. To secure the best results these instructions will prove invaluable. A copy is sent with every order.

SPRING AND FALL PRICE LISTS.

This Price List is revised semi-annually so as to conform to our actual stock records and is published for the convenience of large users of nursery stock. We are not jobbers but the largest nursery growing high-class stock for discriminating buyers.